

# Zippie X'Cape January 2024

	יקקיי			EIFZ1				
	Date:				SUI	BMITTING FOR:	□ Quote □	Order
	Dealer Acct #:						_	
	Dealer:				PO#:			
D	ealer Contact:				Ship To:			
	ealer Address:				Attention:			
	Dealer City:	Prov: PO	· ·		Address:			
ı	Dealer Phone: (	) Fax: ( )			Address:			
	<u>(</u>	,( )			Ship To City:		Prov	PC:
	Confirm Via: □	Fax □ Email			Ship To Phone:		Fax: ( )	
	Mark For:							
	Walt Tol.							
~	Option #	Definition	Price	, 	Option #		Definition	Price
				FRAME				
	A. Zipp	DIE X'CAPE - TRANSIT INCLUDE	D		B. Zipp		RANSIT OPTIONAL	
		165 lbs. Weight Capacity				165 lbs. Weig	ht Capacity	
	A. FRAM	ME STYLE (Includes True Fit) (N/A w/ Xtender	r)		E	B. FRAME STYLE	(Includes True Fit)	
	121WM87	X'CAPE - Transit Incl. without seating	\$3,442		121WM83		ansit Opt. without seating	\$3,337
	40414/1107	(JAY seating opts available)	60.410		40414/1105	(JAY seating of		<b>#</b> 0.00=
	121WM84	X'CAPE - Transit Incl. w/ Seating (Sling and Back Uph.)	\$3,442		121WM85	X'CAPE - Tra	ansit Opt. w/ Seating	\$3,337
-		, ,				Ι, σ	. ,	
			TRANSIT			la " = "		
Π.	121TO48	Transit Opt. (N/A w/ Xtender)	NC	Π.	121TO40	Omit Transit		NC
			FRA	ME TYPE				
	121FT64	Zippie-Swing Away Frame	NC		121FT65	Zippie-80° Fi	xed Front Frame	NC
			0.017	E/OF ATINI				
				E/SEATING AME WIDT				
			8", 9" and 10" w					
□ -	121W48	8" (Frame Width Growth 9"-10")	NC		121W53	13" (Frame Wi	idth Growth 14"-15")	NC
□ .	121W49	9" (Frame Width Growth 10"-11")	NC		121W54		idth Growth 15"-16")	NC
□ -	121W50	10" (Frame Width Growth 11"-12")	NC		121W55		idth Growth 16"-17")	NC
$\Box$	121W51	11" (Frame Width Growth 12"-13")	NC		121W56	<u> </u>	idth Growth 17"-18")	NC
	121W52	12" (Frame Width Growth 13"-14")	NC	-				
		ADIC CLINC DEDTH EDAN	AE DEDTH AND	DACK DO	ST DOCITION C		2	
	8"-11" Frame De	2B/C. SLING DEPTH, FRAM pth with 20",22" or 24" wheels and Personalized						d 1" to
	0 77 7740 20,				depth, order 13" de		o Dopur mur or tr ocaung, aut	
		2B. Sling Depth when choosing with	Seating Sling m	ust be up	to 3" less than or	equal to the Fram	e Depth (C.)	
	121GJ1	8"	NC		121GJ7	14"		NC
	121GJ2	9"	NC		121GJ8	15"		NC
	121GJ3	10"	NC		121GJ9	16"		NC
	121GJ4	11"	NC		121GJ10	17"		NC
Ξ.	121GJ5	12"	NC		121GJ11	18"		NC
	121GJ6	13"  2C. Frame Depth and Back Post Positio	NC n with Growth A	loto: Minet !	agual or areatar the	on Clina Donth if al	on with coat Sline	
		8" (Frame depth growth 9"-11",		lote: Must be				NC
	121FD40	N/A w/ 24" wheels)	NC		121FD46 121FD47		pth growth 15"-17") pth growth 16"-18")	NC
		9" (Frame depth growth 10"-12",	1		121FD48		pth growth 17"-19")	NC
	121FD41	N/A w/ 24" wheels)	NC		121FD49		pth growth 18"-20")	NC
□	121FD42	10" (Frame depth growth 11"-13")	NC		121FD50		pth growth 19"-20")	NC
	121FD43	11" (Frame depth growth 12"-14")	NC			. (	, , , , , , , , , , , , , , , , , , , ,	
	121FD44	12" (Frame depth growth 13"-15")	NC					
$\Box$	121FD45	13" (Frame depth growth 14"-16")	NC					

#### SEATING Seat Sling Seat Sling to Frame Depth Matrix Standard Seat Sling Difference from front of frame 1210P01 STD to front of sling Omit Seat Sling (available when base is Sling Length П 1210P04 NC ordered with seating) א" 9" 10" 11" 12" 13" 14" 15" 16" 17" 18" 0" 8" JAY Cushions (Optional) 0" To order any other JAY cushions on-chair, please see the JAY order forms 10" 0" Frame Length Cushion name or part number must be filled out w/ desired width and depth 11" 0" JAY Bundled Cushion 12' 0" 121JC20 Cushion Name or Part# Order Forms 13' 0" 14" Width (in.): Depth (in.): 1" 0" 15" 0" 1" 16' 0" 0" 17' 0" 0" 0" 18' 0" 0" 3.CASTERS/SEAT HEIGHT Caster Wheel Front Seat Heights Matrix 121CW30 NC. 3" Micro Light Up Front Caster 121CW3 4" Low-Profile Polyurethane NC Rear Wheel Size 3" 6" 4" 5" 121CW31 4" Micro Light Up \$108 121CW64 4" x 1-1/2" Aluminum Soft Roll \$108 □ 13.0" □ 13.0" □ 14.0" □ 15.0" 121CW5 5" Low-Profile Polyurethane NC ☐ 14.5" П □ 13.5" □ 13.5" □ 15.5" 121CW51 5" Micro Light Up \$108 □ 14.0" **14.0**" □ 15.0" □ 16.0" 121CW6 5" Soft Roll (Grey) \$124 **14.5**" **14.5**" □ 15.5" □ 16.5 12" □ 17.0" 5"x1-1/2" Semi-Pneumatic □ 15.0" □ 15.0" □ 16.0" 121CW7 \$108 16" ☐ 1<u>5.</u>5" 121CW66 5"x1-1/2" Aluminum Soft Roll □ 15.5" □ 16.5" □ 17.5" 20" \$108 121CW34 22" □ 16.0" □ 16.0" □ 17.0" □ 18.0" 6" Poly NC 121CW35 6"x1-1/2" Semi-Pneumatic \$108 **16.5**" □ 16.5" □ 17.5" □ 17.0" □ 17.0" N/A N/A N/A □ 17.5" Caster Forks □ 14.0" □ 15.0" N/A N/A 121CF65 Multiple Position NC **14.5**" □ 15.5" □ 14.0" □ 14.0" □ 15.0" □ 16.0" □ 14.5" □ 14.5" □ 15.5" 16. □ 17.0" □ 15.0" □ 15.0" ☐ 16.0"

□ 24"

Standard Frame

Depends on Caster setting

Hemi Fame (N/A w/ 90° hanger, 80° hanger footplate in

lowest position may cause interference w/caster)

□ 15.5"

□ 16.5"

□ 17.0"

N/A

□ 15.5"

□ 16.5"

□ 17.0"

**17.5**'

FRONT SEAT HEIGHTS ARE SHOWN IN THE BOXES IN THE FRONT SEAT HEIGHTS

MATRIX. DEPENDING ON CG SETTING, SEAT DEPTH, AND FRAME SIZE SOME OF THE

SIZES MAY NOT BE AVAILABLE

□ 16.5"

□ 17.0"

□ 17.5"

N/A

□ 17.5"

□ 18.0"

N/A

# 4.REAR WHEELS/SEAT HEIGHT

### XTENDER POWER ASSIST OPTION

22" & 24" wheels only. RSH 14" to 16" for 22", RSH 15.0" to 17" for 24".  $0^\circ$  camber, pneumatic tire. Anti-Tips no charge. Dual drive mode available through B4Me.

		Xtender Power Assist				
	121XT6	22" Xtender Power Assist JWX-2 NICKEL	\$9,456			
	121XT7	22" Xtender Power Assist JWX-2 LITHIUM	\$10,978			
	121XT4	24" Xtender Power Assist JWX-2 NICKEL	\$9,456			
_	121XT5	24" Xtender Power Assist JWX-2 LITHIUM	\$10,978			
Please select one of the following handrim options						
	121XH5	Plastic Coated	NC			
	121XH6	Stainless Steel	NC			

Xtender - Other Options					
121XA10	Spare NiMH Power Pack - NICKEL	\$1,821			
121XA11	Spare Li-ion Power Pack - LITHIUM	\$2,344			

Xtender Wheel Options					
121XA8	NC				
121XA9	SPARE 22" Lite Spoke Pneu Plastic	\$136			
121XA2	SPARE 24" Lite Spoke Pneu Alum	NC			
121XA4	SPARE 24" Lite Spoke Pneu Plastic	NC			

### Rear Wheels

N/A W/ Xtender & 5 Spoke Mag Wheels. N/A w/ Hub Lock. Std Mag Wheels only available with One Arm Drive. 24" wheels. N/A with 8" and 9" frame depths. 8"-12" Frame Depth with 20-24" Rear Wheels and ELR's is ONLY available with Hub Lock

121RW48	12" Mag (Not available with handrims or one arm drive)	\$46
121RW14	16" Mag (Not available with handrims or one arm drive)	NC
121RW3	20" Mag Wheel	NC
121RW8	22" Mag Wheel	NC
121RW1	24" Mag Wheel	NC
121RW103	20" Mag Wheel 5 Spoke	NC
121RW104	22" Mag Wheel 5 Spoke	NC
121RW102	24" Mag Wheel 5 Spoke	NC
121RW74	20" Lite Spoke Wheel	NC
121RW75	22" Lite Spoke Wheel	NC
121RW76	24" Lite Spoke Wheel	NC
121RW06	22" Ultra light wt. Spoke Wheel 2.0	\$352
121RW10	24" Ultra light wt. Spoke Wheel 2.0	\$352
121RW28	22" Spinergy SPOX Black Spokes	\$851
121RW95	24" Spinergy SPOX Black Spokes	\$851
121RW32	22" Spinergy LX Black Spokes	\$1,095
121RW98	24" Spinergy LX Black Spokes	\$1,095

Rear Wheel Tire						
	121RT3	Full Poly Tire	NC			
	121RT6	High Pressure Clincher	\$103			
	121RT27	Knobby V-TRAK by Kenda	\$119			
	121RT38	SHOX Performance Poly	\$144			
	121RT1	Pneumatic	NC			
	121RT2	Pneumatic Airless Insert	\$243			
	121RT21	Schwalbe Marathon Plus Evolution	\$155			
	121RT28	Schwalbe Speed	\$160			
	121RT4	Low Poly	NC			

Wheel	5 Spoke Mag	Std. Mag	Lite Spoke	Ultra Light- weight	Spinergy
Full Poly Tire	20",22",24"	20",22",24"	20",22",24"		
High Pressure Clincher			22",24"	24"	22",24"
SHOX Performance Poly	20",22",24"		20",22",24"		22",24"
Knobby V-TRAK			24"		24"
Pneumatic	20",22",24"	12",16",20",22",24"	20",22",24"		22",24"
Pneumatic Airless Insert	20",22",24"	12",16",20",22",24"	20",22",24"		22",24"
Schwalbe Marathon Plus			24"	22",24"	22",24"
Schwalbe Speed Run			24"	24"	24"
Low Poly		12"	24"		•
22	" = 489 mi	m 24" = 540 n	nm	•	•

Handrim							
N/A w/ Xtender. Natural Fit N/A w/ 20" and 22" 5 Spoke Mag Wheel							
121HR1	Aluminum Anodized	NC					
121HR4	Plastic Coated (N/A on Ultra and 22" Spinergy LX,SPOX)	\$144					
121HR22	Natural Fit -Standard Grip (N/A on Ultra Lite or 20" Lite Spoke)	\$368					
121HR23	Natural Fit - Super Grip (N/A on Ultra Lite or 20" Lite Spoke)	\$428					
121HR30	Natural Fit LT - Standard Grip (N/A on Ultra Lite or 20" Lite Spoke)	\$513					
121HR31	Natural Fit LT - Super Grip (N/A on Ultra Lite or 20" Lite Spoke)	\$583					
121HR24	Spinergy Flex Rim (Only on 24" Spinergy LX)	\$691					
121HR7	Omit Handrim (Option may not be available on all rear wheels)	NC					

	Axle Plate	
121AL33	Standard	NC

		4.R	EAR WHEELS	S/SEAT HI	EIGHT Cont.
		One Arm Drive			Re
NA		A w/ 12"-16" wheels. Only avail. On 12"-16" widths			121RH32
	and 24"mag i	wheels.N/A with Natural Fit handrims.N/A with SPH.	A arms		121RH33
П	121AL16	One Arm Drive	\$1,362		121RH9
	IZIALIO	One Aim Dive	φ1,302		121RH10
	121OA2	Standard Handrim	NC		121RH11
	121HM1	☐ Right Hand Mount	NC		121RH12
	121HM2	☐ Left Hand Mount	NC		121RH13
	121OA1	Small Handrim	NC		121RH14
		(N/A w/ 20" rear wheels)	INC.		121RH15
	121HM1	☐ Right Hand Mount	NC		121RH16
	121HM2	☐ Left Hand Mount	NC		121RH17
					121RH18
			121RH19		
	121AX1	Quick Release (N/A w/ One Arm Drive)	NC		121RH26

		, v	Willi 12 and 10 Way Wheels)				
Ce	Center of Gravity Preset (dependent on wheels, casters & depth, From standard						
	fra	me depth +2	?" forward and - depth growth up to -3")				
	121CC28	-	0.5"	NC			
	121CC26	(	) (Flush w/ backrest)	NC			
	121CC16	(	0.5" (Only avail 9"-18" deep)	NC			
	121CC20	1	1" (Only avail 10"-18" deep)	NC			
	121CC15	1	1.5" (Only avail 10"-18" deep)	NC			

121AX11

121CC17

121CC18

Quad Quick Release (Only Available

Camber					
121CI1	0°	NC			
121CI2	3° (N/A w/ Single Post Ht. Adj. Arm)	NC			

2" (Only avail 16"-18" deep)

2.5" (Only avail 16"-18" deep)

Rear Seat Height (see Allowable Squeeze chart)						
121RH32		11"	NC			
121RH33		11.5"	NC			
121RH9		12"	NC			
121RH10		12.5"	NC			
121RH11		13"	NC			
121RH12		13.5"	NC			
121RH13		14"	NC			
121RH14		14.5"	NC			
121RH15		15"	NC			
121RH16		15.5"	NC			
121RH17		16"	NC			
121RH18		16.5"	NC			
121RH19		17"	NC			
121RH26		17.5"	NC			
121RH20		18"	NC			

Rear	Rear Seat Height														
Wheel	11"	11.5"	12"	12.5"	13"	13.5"	14"	14.5"	15"	15.5"	16"	16.5"	17"	17.5"	18"
12" low poly															
12" pneu															
16"															
20"															
22"															
24"															
24" pneu															
When tir	es ar	e not l	isted	defau	It to th	When tires are not listed default to the wheel size. All Heights are subject to vary slightly									

Allowable Squeeze (may vary +/- 1/2")					
Frame Depth Max Squeeze					
8"-9"	1.0"				
10"-12"	1.5"				
13"-15"	2.0"				
16"-18"	2.5"				

# 5. WHEEL LOCK

121EH1

\$179

NC

NC

	Hub Lock				
Only available with 12" or 16" mag wheels or Lite Spoke wheels. Not available with One Arm Drive.					
121LK01	12" Hub Lock	\$160			
121LK02	16" Hub Lock	\$160			
121LK04	20"-24" Hub Lock Lite Spoke	\$160			
Hub Lock Mount Position					
Foot lock may limit folding width.					
D 121HH01 Foot lock Mount NC					

121HH01	Foot lock Mount	NC
121HH02	Seat Mount	NC
121HH03	Back Mount (back ht. may be limited)	NC

	Wheel Lock						
	High Mount will be mounted in low position on 12 and 16 rear wheels. Some may not be available depending on wheel size and position.						
□ '	121WL1	High Mount Push	NC				
	121WL2	High Mount Pull	NC				
	121WL30	Compact	\$160				
п .	121WL10	Omit	NC				

Extension Handle (Only avail w/ High Mount Wheel Locks)

\$72

6" Pair

Swing Away 8"-12" Frame Depth Wheel Lock go/no-go matrix									
Frame Depth	C.G.	20" wheel	22" wheel	24" wheel	Frame Depth	C.G.	20" wheel	22" wheel	24" wheel
	-0.5"					-0.5"			
8"	0"					0"			
O	0.5"				11	0.5"			
	1"					1"			
	-0.5"					1.5"			
9"	0"					-0.5"			
9	0.5"					0"			
	1"				12	0.5"			
	-0.5"					1"			
	0"					1.5"			
10"	0.5"							. User	
	1"						must use	hublock.	
	1.5"						G	io	

### 6. HANGER AND FOOTREST

NC

### Z-finity Hangers/Footrest System N/A on Fixed Frame. Some interference may exist in certain configurations. 121H162 STD Z-finity Hanger Elevating Hanger - Ext Mount 121H160 Includes ELR pad. N/A w/ Z-finity. Some \$334 limitations may exist. 121H144 Omit Hanger NC Z-finity Footrest Mount (Must Chose see Illustration) NC. 121DI22 Direct Hanger Mt/Fixed Frame - High 121DI23 Direct Hanger Mt/Fixed Frame - Low NC 121DI24 Extension Tube Mount NC Z-finity Footrest Pivot Arm (Must Choose, use matrix for leg length) 121DI20 NC Short 2"

	Ü						
	Footplate						
	Some interference may exist in certain configurations.						
	121F320	Multi-Angle Adjustable - Pair (N/A w/ 8"-9" widths)	\$243				
	121F321	Angle Adjustable Platform Footboard	\$228				
	121F6	Omit Footplate	NC				
Extension Tube Length (When Choosing Ext. Tube Mount)							

Long 3-1/4"

Extension Tube Length (When Choosing Ext. Tube Mount)								
121E62		Hemi	NC					
121E1		Short	NC					
121E2		Medium	NC					
121E5		Long	NC					

# Z-finity Matrix Direct Hanger Mount Extension Tube Mount Long Pivot Arm Short Pivot Arm Direct Hanger Mounted Extension Tube Mounted

Direct Hanger Mounted						
	Hanger					
Pivot Arm	Mounting	Min	Max			
	Position					
	High	0.5"	4 5"			
Short	Mount	0.5	4.5			
Short	Low	3.5"	8.0"			
	Mount	5.	0.0			
	High	-1.0"	5.5"			
Long	Mount	-1.0	5.5			
Long	Low	2.5"	9.0"			
	Mount	2.3	9.0			

121DI21


Extension Tube Mounted						
	Extension					
Pivot Arm	Tube	Min	Max			
	Length					
	Hemi Short	5.8"	14.1"			
Short	Short	6.5"	15.1"			
	Medium	8.4"	17.0"			
	Long	10.3"	19.0"			
	Hemi Short	4.6"	15.3"			
Long	Short	5.2"	16.3"			
Long	Medium	7.2"	18.3"			
	Long	9.2"	20.2"			

ELR Ext Mt.(MED Ext Tube)						
Pivot Arm	Min	Max				
Short	7.0"	18.0"				
Long	6.0"	19.0"				

### Hanger Mounted Footrest (Footplates Mount to Hanger Tubing)

N/A with 8" and 9" width. Footplate mounted in lowest position may cause interference w/ caster

	121H157	80° Swing In/Out Front Mount	NC				
	121H158	90° Swing In/Out Front Mount	NC				
	Extensions (may interfere with some seat heights & casters)						
	121E23	2" (not mounted)	\$52				
	121E24	4" (not mounted)	\$52				
Footplate							
	121F9	Kids Angle Adjustable (only available w/ 10"-16" frame widths)	NC				
	121F8	Adult Angle Adj. (only available with 10"-	\$173				



Footrest Options						
	121HL8	Leg Strap	\$60			
	121HL11	Heel Loops (N/A w/ Kids Angle Adj. Z-finity. N/A on widths below 14")	NC			
	121IG2	Neoprene Impact Guards (N/A with footrest in highest mounted position)	\$60			

7. BACKRESTS								
	BACKREST							
	121BT10	Standard Backrest (Angle adj./folding)	NC		121BT101	Dynamic Backrest (N/A w/ Fixed Back)	\$1,535	

			_			
	BACK TY	PE (Choose	Height A	djusta	able or Fixed He	eight)
121BT120	Height Adjustable (see matrix below)	NC	OR		121BT53	
Height A	Adjustable (See Backrest Height Range matrix)		-			
Must choose Lo	ower Base Tube, Backrest Style, and Upper Back T	Tube.				F
Lower	Base Tube (See Backrest Height Matrix Below)				121BP9	
121BP58	Short	NC			121BP10	
121BP59	Medium	NC			121BP11	
121BP60	Tall (N/A with Dynamic Backrest)	NC			121BP61	
					121BP62	
	Backrest Styles (See Images Below)				121BP63	
121PH16	Straight Non Push Handle	NC				
121PH6	Integral Push handle	NC			/	
121PH17	Folding Push Handle with Ht. Adj.  Back (8"-10" widths stroller handle will	\$305				f

121PH15		Omit Back Tube (See omit matrix)					
Upper Back Tube (See Backrest Height Matrix Below)							
121B245		Short	NC				
121B5		Medium	NC				


face outward)

Height Adjustable Backrest						
Preset Back height (Choose for Set Up) No Upholstery w/ 19"-24"						
	9"		15"		20"	
	11"		16"		21"	
	12"		17"		22"	
	13"		18"		23"	
	14"		19"		24"	


Fixed Height						
	Fixed Height back N/A with upholstery					
	121BP9		Standard (16" Height)	NC		
	121BP10		Medium (20" Height)	NC		
	121BP11		Tall (23" Height)	NC		
	121BP61		Standard w/ Folding PH (16" Height)	\$305		
	121BP62		Medium w/ Folding PH (20" Height)	\$305		
	121BP63		Tall w/ Folding PH (23" Height)	\$305		

NC

Fixed Height



	Backrest Height Ranges								
				Upper Back Tub	be (Choose On	e)			
-			Straight non-push handle Short	Straight non-push handle Medium		Integral push handle Medium	Folding Push Handle Short	Folding Push Handle Medium	Omit
		Short	11"-15"	15"-19"	11"-15"	15"-19"	12"-16"	16"-20"	9"
Lower	Standard	Medium	15"-19"	18"-23"	15"-19"	18"-23"	16"-20"	19"-24"	13"
Base Tube		Tall	18"-22"	18"-24"	18"-22"	18"-24"	19"-23"	19"-24"	16"
(Choose one)	Dynamic	Short	14"-18"	18"-22"	14"-18"	18"-22"	15"-19"	19"-23"	12"
	Dynamic	Medium	18"-22"	21"-24"	18"-22"	21"-24"	19"-23"	22"-24"	16"



### 7. BACKRESTS Cont.

# Back Upholstery

Uph N/A with Fixed Height back. Std Uph N/A w/Flip-Up, Adj. Locking Flip-Up and Length Adj Locking Flip-up . 3DX N/A on 8"-11" widths. Ballistic N/A on 8"-9" widths.

121BU1	Standard Upholstery	STD
121BU71	Backrest Tension Adj. 3DX Vented	\$464
121BU70	Backrest Tension Adj. Ballistic	\$187
121BU66	Omit Back Upholstery	NC

# JAY Back (Optional)

To order any other JAY back on-chair, please See the JAY Price Lst. Requires Part #

	· · · · · · · · · · · · · · · · · · ·		,
	JAY Bundled Backrest		
121JB02	Backrest Name or Part	Order Form	
	Width (in.):	Height (in.):	

	Stabilizer Bar					
ı	N/A w/ Dynamic back and Fixed Back. Only available w/ Integral push handle.					
	121SZ1		Stabilizer Bar	\$166		

# 8. ARMRESTS/SIDEGUARDS

## Armrest and Armpad - Height Adjustable

Flip-Up, Adj. Locking Flip-Up and Length Adj. Locking Flip-up N/A with Std Back Upholstery. Low RSH in combination with large wheels may result in arm interference. SPHA arms N/A with One Arm Drive or Xtender.

121AA58	T-Post Xtra Tall(with sideguard)	\$274
121AA59	T-Post 2X Tall(with sideguard)	\$274
121AA3	Flip-Up	NC
121AA1	Adjustable Locking Flip-Up	\$334
121AA7	Length Adjust. Locking Flip-Up	\$334
121AA11	Single-Post Ht Adj. Std. (N/A w/ 3° camber or 8"-9" frame depths)	\$334
121AA29	Single-Post Height Adj. Low (N/A w/ 3° camber or 8"-9" frame depths)	\$334
121AA14	Omit Armrest	NC


Side Guard						
		N/A with height adjustable armrests and T-Pos	ts			
	121SG33	Plastic Std	\$185			
	121SG29	Plastic Low	\$185			

## Armpad

N/A with T-Post and Adj. Locking Flip-Up and Foam only available with Length Adj. Locking Flip-Up.

121AM23	Desk Classic	NC
121AM24	Full Classic (N/A w/ 10"-13" Depth)	NC
121AM9	Foam Short (N/A w/ T Post)	NC
121AM10	Foam Long (N/A w/ T Post)	NC

Single Post Height Adjustable Armrest					
Pad	Armrest	Transfer Tube	Range (H)	Pad Le	ngth (L)
Fau	Size	Length (D)	range (11)	Desk	Full
Classic	STD	8"	9-1/2" to 14-1/2"	10-1/4"	14"
Classic	LOW	5-1/4"	8" to 12"	10-1/4	14
			H		



		9. AC	CESS	ORIE	S
Back	Pack (one Backpack Black/Charcoal already included)				
121A1	Black Utility Backpack	\$110			
121A2	Backpack Black/Charcoal Kids	\$103			

Miscellaneous						
1218A03	Caddy (Only avail w/ Ext. Mt. hangers)	\$88				
1213A01	Tool Kit	\$42				
121A2100	Crutch Holder	\$113				

		Positioning Belt	
	121A823	Belt 1" Dual Adj. Sqz Blk Pad	\$103
	121A824	Belt 2" Aircraft Buckle	\$137
	121A825	Belt 2" Aircraft Buckle Padded	\$201
	121A826	Belt 1.5" Auto Buckle	\$88
П	1214814	1" Comfort Fit APR5116	\$144

Upper Extremity Support Tray					
	N/A with 8"-9" widths				
121A29	X-Small (Suggested 10"-12" chair width)	\$375			
121A30	Small (Suggested 13"-14" chair width)	\$375			
121A31	Medium (Suggested 15"-17" chair width)	\$375			
121A32	Large (Suggested 18"-20" chair width)	\$375			

	Canopy (SunShade)							
Need 2" back post clearance to mount canopy hardware								
	1218A06	Canopy (Sunshade) 10"-14" Width	\$422					
	1218A07	Canopy (Sunshade) 15"-20" Width	\$422					

	Seat Pouch	
1211A01	Black	\$82

Anti-Tip					
121AT1	Rear Anti-Tip	\$119			
121AO1	Front Anti-Tip (N/A with transit opt.)	\$155			

		Spoke Guard	
_	N/A w	ith 12" and 16" rear wheels or 5 spoke mag or Xtende	r
	1214A01	Black	\$155
	1214A02	Clear Zippie	\$155
		Designer Spoke Guard	
		Only available with 22" or 24" Spoke rear wheels	
	1214A10	Basketball	\$198
	1214A11	Chrome Wheels	\$198
	1214A12	Graffiti	\$198
	1214A13	Happy Lions	\$198
	1214A14	Hot Wheels	\$198
	1214A15	Mice n Cheese	\$198

Princess Space Galactica

Zebra

Super Hero

\$198

\$198

\$198

\$198

10	COLOR	(Standard with frame and cross brace color choices)	

1214A16

1214A17

1214A18

1214A19

Frame Color (Must choose)					
Standard Colors					
$\Box$	121C140	Aztec Gold	NC		
	121C2	Black (N/A as base w/Zebra)	NC		
	121C141	Black Cherry	NC		
	121C10	Black Opal	NC		
	121C38	Blue Opal	NC		
	121C36	Candy Blue	NC		
	121C14	Candy Purple	NC		
	121C35	Candy Red	NC		
	121C142	Electric Blue	NC		
	121C143	Evergreen	NC		
	121C126	Glow	NC		
	121C144	Green Apple	NC		
	121C147	Hot Sparkle Pink	NC		
	121C148	Mauve Pink	NC		
	121C103	Rootbeer	NC		
	121C114	Sparkle Silver	NC		
	121C145	Sunrise Orange	NC		
	121C113	Titanium Color Paint	NC		
	121C8	Yellow	NC		
Standard Matte Colors					
	121C116	Matte Black	NC		
	121C151	Matte Black Cherry	NC		
	121C152	Matte Purple	NC		
	121C150	Matte Electric Blue	NC		
	121C149	Matte Evergreen	NC		
Personalized Colors (Must choose cross brace std. color)					
	121C43	Mossy Oak Camouflage	\$363		
	121C42	Stars and Stripes	\$363		
	121C108	Zebra (Choose base color above: White Std. N/A Black)	\$363		

White Std. N/A Black)

Cross Brace Color					
Standard Colors					
	121C600	Aztec Gold - Cross Brace	NC		
	121C601	Black - Cross Brace	NC		
	121C602	Black Cherry - Cross Brace	NC		
	121C603	Black Opal - Cross Brace	NC		
	121C604	Blue Opal - Cross Brace	NC		
	121C605	Candy Blue - Cross Brace	NC		
	121C606	Candy Purple - Cross Brace	NC		
	121C607	Candy Red - Cross Brace	NC		
	121C608	Electric Blue - Cross Brace	NC		
	121C609	Evergreen - Cross Brace	NC		
	121C610	Glow - Cross Brace	NC		
	121C611	Green Apple - Cross Brace	NC		
	121C612	Hot Sparkle Pink - Cross Brace	NC		
	121C613	Mauve Pink - Cross Brace	NC		
	121C614	Rootbeer - Cross Brace	NC		
	121C615	Sparkle Silver - Cross Brace	NC		
	121C616	Sunrise Orange - Cross Brace	NC		
	121C617	Titanium Color Paint - Cross Brace	NC		
	121C618	Yellow - Cross Brace	NC		
Standard Matte Colors					
	121C619	Matte Black - Cross Brace	NC		
	121C620	Matte Black Cherry - Cross Brace	NC		
	121C621	Matte Purple - Cross Brace	NC		
	121C622	Matte Electric Blue - Cross Brace	NC		
	121C623	Matte Evergreen - Cross Brace	NC		

Additional Options Through Built-4-Me To inquire about any unique personalization for Zippie products, contact: Phone: (800) 263-3390, Email: cscanada@sunmed.com

- **Commonly Requested Options Include:**
- Solid Seat
- Grade Aid
- Drum Brake



