

Sold to Account Name or #: \_\_\_\_\_  
 Buyer: \_\_\_\_\_  
 Marked For: \_\_\_\_\_  
 Quote # Reference: \_\_\_\_\_  
 Purchase Order #: \_\_\_\_\_  
 Power Wheelchair Mfg.: \_\_\_\_\_

ATTN: \_\_\_\_\_  
 Address: \_\_\_\_\_  
 City, Prov, PC: \_\_\_\_\_  
 Phone: \_\_\_\_\_  
 Special Instructions: \_\_\_\_\_

✓ Item #	Description	Price	✓ Item#	Definition	Price
----------	-------------	-------	---------	------------	-------

## Joysticks


### Switch-It Micro Series Proportional Light Touch Joysticks

#### Switch-It MicroGuide Proportional Joystick

##### Displacement Style Light Touch Joystick

☐ MG MicroGuide Joystick Only, DB9 connector

Note: MicroGuide requires roughly 40g of activation force for joystick displacement.



#### Switch-It MicroPilot Proportional Joystick

##### Zero Displacement Style Light Touch Joystick

☐ MP MicroPilot Joystick Only, DB9 connector

Note: MicroPilot allows for adjustable activation force from 10g to 50g for joystick activation.



### Switch-It MicroSeries Proportional Light Touch Joystick Mounting Packages (Select Joystick above)

<input type="checkbox"/> MA-SA-MS	Armrest Mount, MicroSeries connector	<input type="checkbox"/> MA-MID-GAT-MS	Midline Mount (Gatlin) MicroSeries connector
<input type="checkbox"/> BT-SA	BulletTray, Armrest Mount	<input type="checkbox"/> BT-MID-GAT	BulletTray hand tray, Midline Mount (Gatlin)
<input type="checkbox"/> SD-SA	SpaceDisc, Armrest Mount	<input type="checkbox"/> SD-MID-GAT	SpaceDisc hand tray, Midline Mount (Gatlin)
<input type="checkbox"/> MA-MID-BP-MS	Midline Mount (Bodypoint) MicroSeries connector	<input type="checkbox"/> MA-BIB-TH-MS	Bib Mount (Therafin), MicroSeries connector
<input type="checkbox"/> BT-MID-BP	BulletTray hand tray, Midline Mount (Bodypoint)	<input type="checkbox"/> MA-SWA-CHIN-MS-SI	S/A Chin Mount, MicroSeries clamp, 1" Ball connector
<input type="checkbox"/> SD-MID-BP	SpaceDisc hand tray, Midline Mount (Bodypoint)	<input type="checkbox"/> MA-SWA-CHIN-MS-WH	S/A Chin Mount, MicroSeries clamp, Whitmyer connector

### Switch-It MicroSeries Proportional Light Touch Joystick Mode Switch Packages

<input type="checkbox"/> ML-SWA-SWI	Micro Light switch, 12" rigid HDR S/A mount, 1" ball connector	<input type="checkbox"/> PIKO-SWA-WH	1" Single Switch, 12", rigid HDR S/A mount, Whitmyer connector
<input type="checkbox"/> ML-SWA-WH	Micro Light switch, 12" rigid HDR S/A mount, Whitmyer connector	<input type="checkbox"/> PIKO-FXE-SWA-SWI	1" Single Switch, 12", flexible HDR S/A mount, 1" Ball connector
<input type="checkbox"/> ML-FXE-SWA-SWI	Micro Light switch, 12" flexible HDR S/A mount, 1" ball connector	<input type="checkbox"/> PIKO-FXE-SWA-WH	1" Single Switch, 12", flexible HDR S/A mount, Whitmyer connector
<input type="checkbox"/> ML-FXE-SWA-WH	Micro Light switch, 12" flexible HDR S/A mount, Whitmyer connector	<input type="checkbox"/> ES-SWA-SWI	Egg switch, 12" rigid HDR S/A mount, 1" ball connector
<input type="checkbox"/> PIKO-SWA-SWI	1" Single Switch, 12" rigid HDR S/A mount, 1" ball connector	<input type="checkbox"/> ES-SWA-WH	Egg switch, 12" rigid HDR S/A mount, Whitmyer connector

See Switches section for additional unmounted switch selections.

## Joysticks - Continued

### Switch-It VersaGuide and VersaGuide EZ Proportional Joysticks

#### Switch-It VersaGuide Proportional Joystick

##### Versatile Proportional Compact Joystick

☐ VG VersaGuide Joystick Only, DB9 connector

Note: VersaGuide requires roughly 240g of activation force for joystick displacement.

#### Switch-It VersaGuide EZ Proportional Joystick

##### Medium Force Proportional Joystick

☐ VG-EZ VersaGuide EZ Joystick Only, DB9 connector

Note: VersaGuide EZ requires roughly 120g of activation force for joystick displacement.

#### Flex Switches Only to mount with the Switch-It VersaGuide

##### 2 Flex Switches with 6" Gooseneck

☐ VG-FLEX Flex Switches with 6" Gooseneck Only

Note: VG-FLEX recommended be order in combination with VG or VG-EZ



VersaGuide



VersaGuide With Flex Switches

### Switch-It VersaSeries Proportional Joystick Mounting Packages (Select Joystick above)

<input type="checkbox"/> MA-SA-VG	Armrest Mount, VersaGuide connector	<input type="checkbox"/> MA-BIB-TH-VG	Bib Mount, Therafin, VersaSeries connector
<input type="checkbox"/> MA-MID-BP-VG	Midline Mount (Bodypoint), VersaSeries connector	<input type="checkbox"/> MA-SWA-CHIN-VG-SI	S/A Chin Mount, VersaSeries clamp, 1" Ball connector
<input type="checkbox"/> MA-MID-GAT-VG	Midline Mount (Gatlin), VersaSeries connector	<input type="checkbox"/> MA-SWA-CHIN-VG-WH	S/A Chin Mount, VersaSeries clamp, Whitmyer connector

### Switch-It VersaGuide Proportional Joystick Mode Switch Packages

<input type="checkbox"/> ML-SWA-SWI	Micro Light switch, 12" rigid HDR S/A mount, 1" ball connector	<input type="checkbox"/> PIKO-SWA-WH	1" Single Switch, 12" rigid HDR S/A mount, Whitmyer connector
<input type="checkbox"/> ML-SWA-WH	Micro Light switch, 12" rigid HDR S/A mount, Whitmyer connector	<input type="checkbox"/> PIKO-FXE-SWA-SWI	1" Single Switch, 12" flexible HDR S/A mount, 1" Ball connector
<input type="checkbox"/> ML-FXE-SWA-SWI	Micro Light switch, 12" flexible HDR S/A mount, 1" ball connector	<input type="checkbox"/> PIKO-FXE-SWA-WH	1" Single Switch, 12" flexible HDR S/A mount, Whitmyer connector
<input type="checkbox"/> ML-FXE-SWA-WH	Micro Light switch, 12" flexible HDR S/A mount, Whitmyer connector	<input type="checkbox"/> ES-SWA-SWI	Egg switch, 12" rigid HDR S/A mount, 1" ball connector
<input type="checkbox"/> PIKO-SWA-SWI	1" Single Switch, 12" rigid HDR S/A mount, 1" ball connector	<input type="checkbox"/> ES-SWA-WH	Egg switch, 12" rigid HDR S/A mount, Whitmyer connector

See Switches section for additional unmounted switch selections.

# Head Controls

## Switch-It DualPro Proportional Head Array System

### Switch-It DualPro - Articulating Facial Pads

Long (approx. 6") Lateral Pads (Shown at right)	
DualPro Proportional Head Array* with Long "Facial" Pads	
*Make specific DualPro and mounting hardware configuration selections below.	



### Switch-It DualPro - Round Pads

Round (2" diameter) Spot Pads	
DualPro Proportional Head Array* with Round "Spot" Pads	
*Make specific DualPro and mounting hardware configuration selections below.	

### Switch-It DualPro and Headrest Mounting Hardware Packages

<input type="checkbox"/> DPA-SI	DPA - Long Pads, 1" ball connector, 1/2" square hardware	<input type="checkbox"/> DPP-SI	DPP - Spot Pads, 1" ball connector, 1/2" square hardware
<input type="checkbox"/> DPA-WH-AXYS	DPA - Long Pads, Whitmyer connector, Axys mount	<input type="checkbox"/> DPP-WH-AXYS	DPP - Spot Pads, Whitmyer connector, Axys mount
<input type="checkbox"/> DPA-WH-LINX	DPA - Long Pads, Whitmyer connector, Linx mount	<input type="checkbox"/> DPP-WH-LINX	DPP - Spot Pads, Whitmyer connector, Linx mount
<input type="checkbox"/> DPA-WH-LINX2	DPA - Long Pads, Whitmyer connector, Linx2 mount	<input type="checkbox"/> DPP-WH-LINX2	DPP - Spot Pads, Whitmyer connector, Linx2 mount


Note: Select Switch-It DualPro and Headrest Mounting Hardware Package above, then select Switch Package below.

### Switch-It DualPro External Mode Switch Packages

Mode Switch Mount attached to DualPro Lateral Pad Rod		Mode Switch Mount on separate Swing Sway	
<input type="checkbox"/> FSE-DP	Proximity Sensor, 12" flexible mnt, infinity connector	<input type="checkbox"/> ML-RGD-DP-SWA-SI	MicroLite switch, 12" rigid rod, swing away connector
<input type="checkbox"/> ML-RGD-DP	MicroLite switch, 12" rigid rod, infinity connector	<input type="checkbox"/> ML-RGD-DP-SWA-WH	MicroLite switch, 12" rigid rod, swing away connector
<input type="checkbox"/> ML-FXE-DP	MicroLite switch, 12" flexible mount, infinity connector	<input type="checkbox"/> PIKO-RGD-DP-SWA-SI	1" Single Switch, 12" rigid rod, swing away connector
<input type="checkbox"/> PIKO-RGD-DP	1" Single Switch, 12" rigid rod, infinity connector	<input type="checkbox"/> PIKO-RGD-DP-SWA-WH	1" Single Switch, 12" rigid rod, swing away connector
<input type="checkbox"/> PIKO-FXE-DP	1" Single Switch, 12" flexible mount, infinity connector	<input type="checkbox"/> ES-RGD-DP-SWA-SI	Egg switch, 12" rigid rod, swing away connector
<input type="checkbox"/> ES-RGD-DP	Egg switch, 12" rigid rod, infinity connector	<input type="checkbox"/> ES-RGD-DP-SWA-WH	Egg switch, 12" rigid rod, swing away connector



Proximity Sensor, 12" flexible mount, infinity connector



1" Single Switch, 12" rigid rod, infinity connector



Egg switch, 12" rigid rod, Separate swing away connector

### Switch-It Switched Head Array Systems and Headrest Mounting Hardware Packages

#### 3-Switch Head Array Systems - Short-Straight Wings (-SS)

<input type="checkbox"/> HDR3-SS-M2-SI	3-Switch HDR, SS, Two 1/8" Mono, 1/2" square back hardware
<input type="checkbox"/> HDR3-SS-M2-WH-AXYS	3-Switch HDR, SS, Two 1/8" Mono, Whitmyer connector, Axys mount
<input type="checkbox"/> HDR3-SS-M2-WH-LINX	3-Switch HDR, SS, Two 1/8" Mono, Whitmyer connector, Linx mount
<input type="checkbox"/> HDR3-SS-M2-WH-LINX2	3-Switch HDR, SC, Two 1/8" Mono, Whitmyer connector, Linx2 mount



#### 3-Switch Head Array Systems - Short-Curved Wings (-SC)

<input type="checkbox"/> HDR3-SC-M2-SI	3-Switch HDR, SC, Two 1/8" Mono, 1" ball conn., 1/2" square back hardware
<input type="checkbox"/> HDR3-SC-M2-WH-AXYS	3-Switch HDR, SC, Two 1/8" Mono, Whitmyer connector, Axys mount
<input type="checkbox"/> HDR3-SC-M2-WH-LINX	3-Switch HDR, SC, Two 1/8" Mono, Whitmyer connector, Linx mount
<input type="checkbox"/> HDR3-SC-M2-WH-LINX2	3-Switch HDR, SC, Two 1/8" Mono, Whitmyer connector, Linx2 mount

#### 3-Switch Head Array Systems - Long-Straight Wings (-LS)

<input type="checkbox"/> HDR3-LS-M2-SI	3-Switch HDR, LS, Two 1/8" Mono, 1/2" square back hardware
<input type="checkbox"/> HDR3-LS-M2-WH-AXYS	3-Switch HDR, LS, Two 1/8" Mono, Whitmyer connector, Axys mount
<input type="checkbox"/> HDR3-LS-M2-WH-LINX	3-Switch HDR, LS, Two 1/8" Mono, Whitmyer connector, Linx mount
<input type="checkbox"/> HDR3-LS-M2-WH-LINX2	3-Switch HDR, LC, Two 1/8" Mono, Whitmyer connector, Linx2 mount

#### 3-Switch Head Array Systems - Long-Curved Wings (-LC)

<input type="checkbox"/> HDR3-LC-M2-SI	3-Switch HDR, LC, Two 1/8" Mono, 1" ball conn., 1/2" square back hardware
<input type="checkbox"/> HDR3-LC-M2-WH-AXYS	3-Switch HDR, LC, Two 1/8" Mono, Whitmyer connector, Axys mount
<input type="checkbox"/> HDR3-LC-M2-WH-LINX	3-Switch HDR, LC, Two 1/8" Mono, Whitmyer connector, Linx mount
<input type="checkbox"/> HDR3-LC-M2-WH-LINX2	3-Switch HDR, LC, Two 1/8" Mono, Whitmyer connector, Linx2 mount

#### 4-Switch Head Array Systems - Long-Straight Wings (-LS) only

<input type="checkbox"/> HDR4-LS-M1L-SI	4-Switch HDR, LS, Mode Outer Left, 1/2" square back hardware
<input type="checkbox"/> HDR4-LS-M1L-WH-AXYS	4-Switch HDR, LS, Mode Outer Left, Whit conn., Axys mount
<input type="checkbox"/> HDR4-LS-M1L-WH-LINX	4-Switch HDR, LS, Mode Outer Left, Whit conn., Linx mount
<input type="checkbox"/> HDR4-LS-M1L-WH-LINX2	4-Switch HDR, LS, Mode Outer Left, Whit conn., Linx2 mount
<input type="checkbox"/> HDR4-LS-M1R-SI	4-Switch HDR, LS, Mode Outer Right, 1/2" square back hardware
<input type="checkbox"/> HDR4-LS-M1R-WH-AXYS	4-Switch HDR, LS, Mode Outer Right, Whit conn., Axys mount
<input type="checkbox"/> HDR4-LS-M1R-WH-LINX	4-Switch HDR, LS, Mode Outer Right, Whit conn., Linx mount
<input type="checkbox"/> HDR4-LS-M1R-WH-LINX2	4-Switch HDR, LS, Mode Outer Right, Whit conn., Linx2 mount

#### Sip 'N Puff Combo Systems

<input type="checkbox"/> HDR-S&P-LC-SI	Combo S&P HDR, LC, 1/2" square back hardware
<input type="checkbox"/> HDR-S&P-LC-WH-AXYS	Combo S&P HDR, LC, Whit conn., Axys mount
<input type="checkbox"/> HDR-S&P-LC-WH-LINX	Combo S&P HDR, LC, Whit conn., Linx mount
<input type="checkbox"/> HDR-S&P-LC-WH-LINX2	Combo S&P HDR, LC, Whit conn., Linx2 mount



Note: Select Switch-It Switched Head Array Systems and then select Headrest Mounting Hardware Packages and Switch Package on next page.

## Head Controls - Continued

### Switch-It Switched Head Array Systems Mode Switch Packages

#### Mode Switches on Swing Away

<input type="checkbox"/> ML-SWA-SWI	Micro Light switch, 12" rigid HDR S/A mount, 1" ball connector	<input type="checkbox"/> PIKO-SWA-WH	1" Single Switch, 12" rigid HDR S/A mount, Whitmyer connector
<input type="checkbox"/> ML-SWA-WH	Micro Light switch, 12" rigid HDR S/A mount, Whitmyer connector	<input type="checkbox"/> PIKO-FXE-SWA-SWI	1" Single Switch, 12" flexible HDR S/A mount, 1" Ball connector
<input type="checkbox"/> ML-FXE-SWA-SWI	Micro Light switch, 12" flexible HDR S/A mount, 1" ball connector	<input type="checkbox"/> PIKO-FXE-SWA-WH	1" Single Switch, 12" flexible HDR S/A mount, Whitmyer connector
<input type="checkbox"/> ML-FXE-SWA-WH	Micro Light switch, 12" flexible HDR S/A mount, Whitmyer connector	<input type="checkbox"/> ES-SWA-SWI	Egg switch, 12" rigid HDR S/A mount, 1" ball connector
<input type="checkbox"/> PIKO-SWA-SWI	1" Single Switch, 12" rigid HDR S/A mount, 1" ball connector	<input type="checkbox"/> ES-SWA-WH	Egg switch, 12" rigid HDR S/A mount, Whitmyer connector

See Switches section for additional unmounted switch selections.

### Switch-It RIM Proportional Head Control

#### Switch-It RIM Control

Proportional Driving - Single Pad

☐ RIM-WOM ☐ RIM Proportional Head Control w/o mnt Hardware

*\*Make specific RIM and mounting hardware configuration selections below.*



### Switch-It RIM Control Mounting Hardware Packages

<input type="checkbox"/> RIM-SI	RIM - 1" ball connector, 1/2" square hardware	<input type="checkbox"/> RIM-WH-LINX	RIM - Whitmyer connector, Linx mnt, Quick release
<input type="checkbox"/> RIM-WH-AXYS	RIM - Whitmyer connector, Axys mount	<input type="checkbox"/> RIM-WH-LINX2	RIM - Whitmyer connector, Linx2 mnt, Quick release

### RIM Proportional Head Control Mode Switch and Mode Switch Mounting Option (one from A and B required)

<input type="checkbox"/> ML-RGD-RIM-SWA-SI	Micro Light switch, 16" rigid rod, swing away for 1" ball	<input type="checkbox"/> PIKO-RGD-RIM-SWA-WH	1" Single Switch, 16" rigid rod, Whitmyer swing away
<input type="checkbox"/> ML-RGD-RIM-SWA-WH	Micro Light switch, 16" rigid rod, Whitmyer swing away	<input type="checkbox"/> ES-RGD-RIM-SWA-SI	Egg switch, 16" rigid rod, swing away for 1" ball
<input type="checkbox"/> PIKO-RGD-RIM-SWA-SI	1" Single Switch, 16" rigid rod, swing away for 1" ball	<input type="checkbox"/> ES-RGD-RIM-SWA-WH	Egg switch, 16" rigid rod, swing away connector

## Other Drive Controls

### Switch-It Joystick in a Can - Arm and Foot Control

#### Switch-It Joystick in a Can

Versatile and Durable

☐ JSC ☐ Joystick Only



Joystick in a Can

#### Switch-It Joystick in a Can Mounting Options

<input type="checkbox"/> MA-SA-JSC	Armrest mount, Joystick in a Can connector
<input type="checkbox"/> MA-MID-JSC	Midline Mount (Bodypoint), Joystick in a Can connector
<input type="checkbox"/> MA-AC-JSC	Arm Control Mounting Hardware, Large
<input type="checkbox"/> MA-FC-MED-JSC	Foot Control Mounting Hardware, Medium
<input type="checkbox"/> MA-FC-LG-JSC	Foot Control Mounting Hardware, Large

Foot Control  
Hardware



Arm Control  
Hardware



### Switch-It Joystick in a Can Mode Switch Options


See Switches section for unmounted switch selections. Headrest mounted mode switch options also available.

### Switch-It Switched Driving Systems

#### Switch-It Zero Touch Sensor System

Four switch or Five Switch Systems

☐ 5NKS ☐ Five Zero Touch Sensor System, DB9 connector



### Switch-It Cool Cube - Preset Packages

#### Cool Cube - Proximity/Proportional Switched System

<input type="checkbox"/> CCB-4PS	Cool Cube w/ DB9 connector for Prox / Prop driving Includes 4 Pro Spot Proportional Switches (1 Red, 1 Blue, 1 Green, & 1 Yellow) (Note: Requires Omni for operation)
<input type="checkbox"/> CCB-5PS	Cool Cube w/ DB9 connector for Prox / Prop driving Includes 5 Pro Spot Proportional Switches (1 Red, 1 Blue, 1 Green, 1 Orange, & 1 Yellow) (Note: Requires Omni for operation)



Note: If on/off and/or mode functionality is desired to be controlled via the Cool Cube, a single switch or switches must be selected from the list below.

### Switch-It Cool Cube - Personalized Packages

#### Cool Cube - Proximity/Proportional Driving System

<input type="checkbox"/> CCB	Cool Cube with DB9 connector for Proximity / Proportional driving. Note: Pro Spot Proportional Switch's are required if proportional driving is desired and must be selected below. Note: If non-proportional driving is desired, single switches can be selected in-lieu of the Pro Spot switches from the full list below. Note: Requires Omni for operation.
------------------------------	--

Note: If on/off and/or mode functionality is desired to be controlled via the Cool Cube, a single switch or switches must be selected from the list below.

#### Pro Spot - Proportional Switch's

<input type="checkbox"/> PROSP-R	Pro Spot Proportional Switch - Red Qty: <input type="text"/> X	<input type="checkbox"/> PROSP-Y	Pro Spot Proportional Switch - Yellow Qty: <input type="text"/> X
<input type="checkbox"/> PROSP-G	Pro Spot Proportional Switch - Green Qty: <input type="text"/> X	<input type="checkbox"/> PROSP-O	Pro Spot Proportional Switch - Orange Qty: <input type="text"/> X
<input type="checkbox"/> PROSP-B	Pro Spot Proportional Switch - Blue Qty: <input type="text"/> X		

# Switches

Single Switches (1/8" monoplug output unless otherwise stated)

## 2.5" Single Switch Button

<input type="checkbox"/>	244505	2.5" Single Switch, Black	Qty: <input type="text"/> X
<input type="checkbox"/>	244025	2.5" Single Switch, Green	Qty: <input type="text"/> X
<input type="checkbox"/>	244504	2.5" Single Switch, Red	Qty: <input type="text"/> X
<input type="checkbox"/>	244506	2.5" Single Switch, Blue	Qty: <input type="text"/> X
<input type="checkbox"/>	244507	2.5" Single Switch, Yellow	Qty: <input type="text"/> X



## 1" Single Switch

<input type="checkbox"/>	244027	1" Single Switch - Black	Qty: <input type="text"/> X
<input type="checkbox"/>	247620	1" Single Switch - Blue	Qty: <input type="text"/> X
<input type="checkbox"/>	247619	1" Single Switch - Green	Qty: <input type="text"/> X
<input type="checkbox"/>	247617	1" Single Switch - Red	Qty: <input type="text"/> X
<input type="checkbox"/>	247621	1" Single Switch - Orange	Qty: <input type="text"/> X
<input type="checkbox"/>	247618	1" Single Switch - Yellow	Qty: <input type="text"/> X



## Egg Switch

<input type="checkbox"/>	244026	Egg Switch, Black	Qty: <input type="text"/> X
<input type="checkbox"/>	244557	Egg Switch, Blue	Qty: <input type="text"/> X
<input type="checkbox"/>	244558	Egg Switch, Red	Qty: <input type="text"/> X
<input type="checkbox"/>	244559	Egg Switch, Green	Qty: <input type="text"/> X
<input type="checkbox"/>	244560	Egg Switch, Yellow	Qty: <input type="text"/> X



## Spec Switch

<input type="checkbox"/>	244030	Spec Switch, Green	Qty: <input type="text"/> X
<input type="checkbox"/>	244499	Spec Switch, Blue	Qty: <input type="text"/> X
<input type="checkbox"/>	244501	Spec Switch, Yellow	Qty: <input type="text"/> X
<input type="checkbox"/>	244502	Spec Switch, Black	Qty: <input type="text"/> X
<input type="checkbox"/>	244503	Spec Switch, Red	Qty: <input type="text"/> X



## Mini Button - Single Switch

<input type="checkbox"/>	MB-1-BLU	Mini Button Switch-BLUE	Qty: <input type="text"/> X
<input type="checkbox"/>	MB-1-GRN	Mini Button Switch-GREEN	Qty: <input type="text"/> X
<input type="checkbox"/>	MB-1-RED	Mini Button Switch-RED	Qty: <input type="text"/> X



## Flex Switch

<input type="checkbox"/>	FS	Flex Switch*, Proximity Sensor on 6" gooseneck, stereo plug output	Qty: <input type="text"/> X
<input type="checkbox"/>	FSE	Flex Switch*, Proximity Sensor on 12" gooseneck, stereo plug output	Qty: <input type="text"/> X



\*Works with VG, VG-EZ, DP-A, DP-P only.

## Twister Switch

<input type="checkbox"/>	6003579	Twister Switch - Black	Qty: <input type="text"/> X
<input type="checkbox"/>	6003580	Twister Switch - Red	Qty: <input type="text"/> X
<input type="checkbox"/>	6003581	Twister Switch - Green	Qty: <input type="text"/> X



## Micro Light Switch

<input type="checkbox"/>	244028	Micro Light	Qty: <input type="text"/> X
--------------------------	--------	-------------	-----------------------------



## Uni-Wob Switch

<input type="checkbox"/>	LLS	Uni-Wob Long Lever Switch	Qty: <input type="text"/> X
--------------------------	-----	---------------------------	-----------------------------



## Zero Touch Proximity Sensor

<input type="checkbox"/>	ZTS-P	Zero Touch Proximity Sensor	Qty: <input type="text"/> X
--------------------------	-------	-----------------------------	-----------------------------



# Switches - Continued

## Multi-Function Switches

### Dual Switch Selections

<input type="checkbox"/> MB-2-M	Two Mini Button Switches-RED & GREEN, dual 1/8" mono jack output
<input type="checkbox"/> MB-2-S	Two Mini Button Switches-RED & GREEN, single 1/8" stereo jack output



### Quad Switch Selections

<input type="checkbox"/> MB-4-IL	Mini 4 Button - Inline Enclosure, DB9 connector
----------------------------------	---



### P&G Seat Controllers

<input type="checkbox"/> CTRL+5 S-P	Ctrl+5 Seat Function-Push Button DB9 connector
<input type="checkbox"/> CTRL+5 S-T	Ctrl+5 Seat Function-Toggles DB9 connector
<input type="checkbox"/> 158709	Ctrl+5 Seat Function-Push Button Rnet connector
<input type="checkbox"/> 158708	Ctrl+5 Seat Function-Toggles Rnet connector



Ctrl+5®, Push Button




Ctrl+5®, Toggle

## Cable Assemblies

### Switch Output Cable Assembly

<input type="checkbox"/> 139025	Switch Output Cable Assm - DB9 to 4 Male Mono	Qty: <input type="text"/> X
---------------------------------	---	-----------------------------




### DB9 Extension Cable

<input type="checkbox"/> 139026	DB9 Extension Cable	Qty: <input type="text"/> X
---------------------------------	---------------------	-----------------------------



### DB9 Split Cable

<input type="checkbox"/> 244569	DB9 Split Cable - 1 Female X 2 Male	Qty: <input type="text"/> X
---------------------------------	-------------------------------------	-----------------------------



### Mono Cable Male to Female

<input type="checkbox"/> 244022	Mono Cable Male - to Female - 6"	Qty: <input type="text"/> X
---------------------------------	----------------------------------	-----------------------------



### Stereo Cable Extension 90°

<input type="checkbox"/> 244361	Stereo Cable Extension 90° Male to Female	Qty: <input type="text"/> X
---------------------------------	---	-----------------------------



### Stereo Cable Extension 90°

<input type="checkbox"/> 243795	Stereo Cable Extension Male to Female	Qty: <input type="text"/> X
---------------------------------	---------------------------------------	-----------------------------



## Switch-It Safety Devices

### Switch-It Caution Alert - Obstacle Detection System

<input type="checkbox"/> CLERT-2	Two Sensors, DB9 connector
<input type="checkbox"/> CLERT-4	Four Sensors, DB9 connector

Note: Each sensor detection range can be adjusted from 6" to 15"



### Switch-It Remote Stop Switch

<input type="checkbox"/> RSS-XLR	Remote Stop*, battery charger port connector
<input type="checkbox"/> RSS-MR	Remote Stop, ring connectors to battery terminals
<input type="checkbox"/> RSS-OBC	Remote Stop, OBC connector

Note: RSS-XLR version requires Omni or Enhanced Display power cycle after remote button is pushed and chair is inhibited.



### OptiStop

<input type="checkbox"/> OS	Fiber Optic Stop, DB9 connector
<input type="checkbox"/> OS-SP	Fiber Optic Stop w/ Sip 'N Puff Mounting Hardware, DB9 connector



Sunrise Medical Canada Inc.  
237 Romina Drive, Unit 3 • Concord, ON L4K 4V3 • Canada

Customer Service: 800-263-3390 Email: cscanada@sunmed.com

Web: www.sunrisemedical.ca

© 02/2024 MK-129619-CAN REV 4

Page 5