



April 1, 2017

ACCOUNT INFORMATION

Dealer Contact Name: _____	Bill to (Name): _____
Email Address: _____	Bill to (Location): _____
Phone Number: _____	Ship to (Name): _____
Fax Number: _____	Address: _____
User Name or Number: _____	City: _____
User Weight: _____	Province: _____
User Height: _____	Postal Code: _____
Seat Cushion Thickness: _____	P.O. # or Quote: _____
Knee to Heel Length: Left: _____ " Right: _____ "	
Seat to Top of Scapula: _____	

The order cannot be processed without the following:
 - A user name or number, the client's measurements and weight
 - Sunrise Medical is not responsible for configuration or size discrepancies resulting from customer errors on the order form.
 - Order confirmations will be provided by Amysystems summarizing the items selected. Please review this carefully.
 - Once the order is shipped, any changes are subject to the returns policy and may be prohibited.

STANDARD OPTIONS

The Quickie Xperience (HD) Power Base, 6-wheel independent wheel suspension, an additional seat suspension system, tie-down hardware for strap systems, offboard charger, 8" front casters, and standard auto style buckle seat positioning strap, 6.5mph or 5.4mph motors, Weight Capacity = 450lbs

QUICKIE XPERIENCE HD - 2 POWER WHEELCHAIR

XPERHD2 QUICKIE XPERIENCE HD -2 Power Wheelchair \$8,588

USER WEIGHT PACKAGES

WCA45 450 lb Maximum user weight capacity \$1,051

STANDARD FRAME COLORS

- FCBLK Black STD
- FCSBM Matte Black STD
- FCGMC Gun Metal (Charcoal) STD
- FCSVM Silver Metallic STD
- FCCBU Candy Blue STD
- FCCRE Candy Red STD
- FCMPL Midnight Purple STD
- FCRZB Razzleberry STD
- FCMWT **New** Matte White STD

OPTIONNAL FRAME COLORS (May Increase lead times)

- FCTXG Toxic Green N/C
- FCBOR Burnt Orange Metallic N/C
- FCBAO Black Opal Metallic N/C
- FCOPM Sparkle Orange N/C
- FCYLW Yellow N/C
- FCPKP Pearl Pink N/C
- FCHDD 1 Desert Digital Camo Hydro Graphics \$320
- FCHWL 1 Woodland Camo Hydro Graphics \$320
- CUSTOM 1 Carbon Fiber Hydro Graphics (Matte Black base) \$320

Note 1 Includes matching accessories with the Hydro Graphics option. The matching accessories option is not required with these colors

MATCHING ACCESSORIES TO THE FRAME COLOR

FC***-M Matching Accessories to the Frame Color (Wheels, front access door, headrest mount and Back Shell when selected) \$242

TRANSPORT OPTION

TTD4 2 4-Point wheelchair transport brackets STD

Note 2 4-Point wheelchair transport brackets have not yet received WC-19 crash-testing approval.
 Use these transport brackets only to secure an unoccupied wheelchair during transport.

MOTOR PACKAGE

MP65-STD 5.9MPH 4-Pole Motor Package (Maximum user weight Capacity of 400 lb) STD

MP544-OPT Optional 5.4MPH 4-Pole Heavy-Duty Motor Package N/C

ASSISTIVE DRIVING PACKAGE

INTELLIDR 3, 4 Intelli-Drive \$1,475

Note 3 Intelli-Drive technology provides increased tracking capabilities with enhanced traction and steering precision.
 This is ideal for those with marginal hand function or switch control.

Note 4 Requires the R-net PM 120 Amp Expandable Controller (ECR120)

BATTERY CHARGER

BCOB Offboard Battery Charger N/C

BCLES8OPT Lester 8 amp Offboard Battery Charger \$361

BATTERY TRAY AND FRAME SIZE

<input type="checkbox"/>	FS24B	Battery Tray for Group 24 Batteries (Total frame width = 25 3/8")	N/C
--------------------------	-------	---	-----

BATTERIES

<input type="checkbox"/>	BAT24PR	Gel Batteries - Group 24 (Each - On chair)	\$830
--------------------------	---------	--	-------

DRIVE WHEEL

<input type="checkbox"/>	DW14PT	14" Cast Wheel Pneumatic Tire	STD
<input type="checkbox"/>	DW14PI	14" Cast Wheel Pneumatic with Flat-Free inserts	\$242
<input type="checkbox"/>	DW144PT	5 14" x 4" Extra Wide Cast Wheel Pneumatic Tire	\$263
<input type="checkbox"/>	DW144PI	5 14" x 4" Extra Wide Cast Wheel Pneumatic with Flat-Free inserts	\$263
<input type="checkbox"/>	DW12PT	6 12 1/2" Cast Wheel Pneumatic Tire	N/C
<input type="checkbox"/>	DW12PI	6 12 1/2" Cast Wheel Pneumatic with Flat-Free inserts	\$242

The 14" x 4" Extra Wide Wheel increases the overall width of the Base by 2 1/2"
Note 5 The option to Match the Wheels to the Shroud Color (FC...-M) is not available with the 14" x 4" Extra Wide wheels
The 14" x 4" option is not available with VR2 non-expandable electronics (ECV902A)
Note 6 12 1/2" Drive wheels reduce overall seat to floor height by 3/4", lowers ground clearance and speed, but increases motor torque

FRONT CASTERS

<input type="checkbox"/>	FC6S	6" Solid Casters (Not available with the 14" x 4" Extra Wide Cast Wheel options DW144PT or DW144PI)	STD
<input type="checkbox"/>	FC8PTM	7 8" Pneumatic Casters	N/C
<input type="checkbox"/>	FC8PIM	7 8" Pneumatic Casters with Flat-Free inserts	N/C

Note 7 The 8" casters are NOT compatible with the 12 1/2" Drive wheel configuration (DW12PT and DW12PI)

SEAT TO FLOOR HEIGHT (Approximate measurement to the top of seat pan ± 1/4")

Options for a Power Tilt or an HD Power Elevating Seat

Options for a Seat Only

<input type="checkbox"/>	8	STFH155	15 1/2" (Possible Seat angle of 0° only)
<input type="checkbox"/>		STFH1625	16 1/4" (Possible Seat angle of 0° only)
<input type="checkbox"/>		STFH1725	17 1/4" (Possible Seat angle of 0° and 3°)
<input type="checkbox"/>		STFH1825	18 1/4" (Possible Seat angle of 0° and 3°)
<input type="checkbox"/>		STFH1925	19 1/4" (Possible Seat angle of 0°, 3° and 6°)
<input type="checkbox"/>		STFH2025	20 1/4" (Possible Seat angle of 0°, 3°, 6°, 9°)

<input type="checkbox"/>	8, 9	STFH155	15 1/2" (Possible Seat angle of 0° only)
<input type="checkbox"/>	9	STFH1625	16 1/4" (Possible Seat angle of 0° only)
<input type="checkbox"/>	9	STFH1725	17 1/4" (Possible Seat angle of 0° only)
<input type="checkbox"/>		STFH1775	17 3/4" (Possible Seat angle of 0° only)
<input type="checkbox"/>		STFH1825	18 1/4" (Possible Seat angle of 0° only)
<input type="checkbox"/>		STFH1875	18 3/4" (Possible Seat angle of 0° only)

Options for a Combo - Power Tilt with an HD Power Elevating Seat

<input type="checkbox"/>	8	STFH185	18 1/2" (Possible Seat angle of 0° only) New
<input type="checkbox"/>		STFH1925	19 1/4" (Possible Seat angle of 0° only) New

Note 8 Requires the 12 1/2" Drive wheels (DW12PT or DW12PI). This lowers ground clearance and speed, but increases motor torque.
Note 9 These seat to floor height measurement are not available with the Heavy-Duty 11" Power Elevating Seat (ADDPESXHD)

SEAT TO FLOOR HEIGHT SPECIFICATION (If not standard)

<input type="checkbox"/>	SOMHSS	Specific seat to floor height requirement other than standard. Custom upcharges may apply. Required at: _____" (± 1/4" Range)	RFQ
--------------------------	--------	--	-----

PRE-SET SEAT FRAME ANGLE

<input type="checkbox"/>	SFE-0	0° Pre-set seat frame seat angle (Must be selected when using power options)	STD
<input type="checkbox"/>	SFE-3	3° Pre-set seat frame seat angle (Only available with a seat configuration without power options)	N/C
<input type="checkbox"/>	SFE-6	6° Pre-set seat frame seat angle (Only available with a seat configuration without power options)	N/C
<input type="checkbox"/>	SFE-9	9° Pre-set seat frame seat angle (Only available with a seat configuration without power options)	N/C

LIGHTING PACKAGE

<input type="checkbox"/>	EOLP	10 LED Light Package (Includes front beams, side flashers, rear tail light with flashers & brake light)	\$1,066
--------------------------	------	---	---------

**Note 10 Requires the upgraded Joystick with Light Operation or the OMNI (ECVJ6KL, ECELJL, ECRJCL, ECRJCTPL or EDIB)
The Light Package is not compatible with the EPSEL option.**

NON-EXPANDABLE ELECTRONICS - PG DRIVES VR2 CONTROLLER AND JOYSTICKS

<input type="checkbox"/>	ECV902A	VR2 90 Amp Drive Controller	STD
<input type="checkbox"/>	ECVJ4K	11 VR2 Standard 4-Key Joystick	STD
<input type="checkbox"/>	ECVJ6K	11 VR2 6-Key Joystick (Allows for a single power option to operate through this joystick)	N/C
<input type="checkbox"/>	ECVJ9KL	11 VR2 9-Key Joystick with Lighting Operation (Allows for a single power function to operate through this joystick)	\$158
	Note 11 Requires the VR2 90A Drive Control (ECV902A). VR2 Electronics can only accommodate a single power seat function. The only choices are Power Tilt or Elevating seat		

EXPANDABLE ELECTRONICS - PG DRIVES RNET CONTROLLERS

<input type="checkbox"/>	ECEL90	R-net EL 90 Amp Expandable Controller	\$530
<input type="checkbox"/>	ECR120	R-net PM 120 Amp Expandable Controller	\$1,066
<input type="checkbox"/>	ECRNH	12 Harness for Expandable Controller	N/C
	Note 12 Must be ordered with the expandable controller ECEL90 or ECR120 to interface with Joysticks or OMNI screen		

EXPANDABLE ELECTRONICS - PG DRIVES RNET JOYSTICKS

<input type="checkbox"/>	ECO	Omit Joystick (For use with an Omni Display)	N/C
<input type="checkbox"/>	ECELJ	13 R-net (LED) Joystick	STD
<input type="checkbox"/>	ECRJJC	13 R-net Joystick with Color screen	\$158

JOYSTICKS WITH LIGHTING OPERATION

<input type="checkbox"/>	ECELJL	13 R-net (LED) Joystick with Lighting Operation	\$158
<input type="checkbox"/>	ECRJCL	13 R-net Joystick with Color screen and Lighting Operation	\$210
<input type="checkbox"/>	ECRJCTPL	13 R-net Joystick with Color screen w/ On & Off / Mode switch & speed pot and Lighting Operation	\$315

ADVANCED JOYSTICK

<input type="checkbox"/>	ECRJ35 New	13 R-net Advanced Joystick (3.5" Color screen). Lighting Operation, paddle switches, shortcut keys and stereo jacks	\$1,133
	Note 13 This option requires the expandable controller ECEL90 or ECR120		

JOYSTICK MOUNT

<input type="checkbox"/>	JSMF	Fixed Joystick Mount	N/C
<input type="checkbox"/>	JSMSA	Swing Away Joystick Mount - Height adjustable, Angle adjustable and Multi-Axis	\$388
		<input type="checkbox"/> Set-up with standard installation to swing-away sideways <input type="checkbox"/> Set-up at 35° to swing-away sideways and downwards	
<input type="checkbox"/>	JSMCM	Midline Mounted Swing Away Joystick Mount (E1028)	\$388

JOYSTICK MOUNT SUPPORT

<input type="checkbox"/>	JSMFH	Joystick mount support Bracket	STD
--------------------------	-------	--------------------------------	-----

JOYSTICK HAND MOUNT

<input type="checkbox"/>	HML	Install Joystick on Left hand side	<input type="checkbox"/>	HMR	Install Joystick on Right hand side
--------------------------	-----	------------------------------------	--------------------------	-----	-------------------------------------

JOYSTICK HANDLE

<input type="checkbox"/>	JSH	Standard Joystick Gimble	STD
<input type="checkbox"/>	JBAT	Stick Handle 3" in Length	\$95
<input type="checkbox"/>	JBH	Ball Handle	\$95
<input type="checkbox"/>	JFBH	Foam Ball Handle	\$95
<input type="checkbox"/>	JTH	T-Handle	\$95
<input type="checkbox"/>	JGP	Goalpost	\$95

ATTENDANT DRIVE CONTROL OPTION

<input type="checkbox"/>	EADC	Attendant Hand Control for R-net EL & PM Controls	\$1,066
--------------------------	------	---	---------

ATTENDANT JOYSTICK HAND MOUNT

<input type="checkbox"/>	EADCL	Install Attendant Joystick on Rear Left hand side	<input type="checkbox"/>	EADCR	Install Attendant Joystick on Rear Right hand side
--------------------------	-------	---	--------------------------	-------	--

ENHANCED DISPLAY & DIGITAL INTERFACE BOX (Included with specialty controls)

<input type="checkbox"/>	EDIB	14 Omni (Enhanced Display & Digital Interface Box with Infrared)	\$2,033
	Note 14 Allows the switch operation of alternative devices through driver controls. Requires one of the R-net fully Expandable Controllers (ECEL90 or ECR120)		

ENHANCED DISPLAY MOUNT

<input type="checkbox"/>	EDSAM	User Swing Away Mount	<input type="checkbox"/>	EDML (Install Display on LH side)	<input type="checkbox"/>	EDMR (Install Display on RH side)	N/C
--------------------------	-------	-----------------------	--------------------------	-----------------------------------	--------------------------	-----------------------------------	-----

ENVIRONMENTAL CONTROL MODULE

<input type="checkbox"/>	ECU	15	Environment control module - (Output Module)	\$1,045
--------------------------	-----	----	--	---------

Note 15 Requires one of the fully expandable R-net controllers (ECEL90 or ECR120)

BLUETOOTH MOUSE EMULATOR (Includes USB Dongle)

<input type="checkbox"/>	EDBT	16	Bluetooth Mouse Emulator (USB Dongle included)	\$1,066
<input type="checkbox"/>			Windows and MAC OS	
<input type="checkbox"/>			Android Devices	
<input type="checkbox"/>			Iphone, Ipad and Ipod	

**Note 16 Requires one of the fully expandable R-net controllers (ECEL90 or ECR120)
Not limited to only one selection. Any two can be installed on the same chair, but only one can be used at a time.**

POWER OPTIONS & SEATING

<input type="checkbox"/>	SAABA		Amyseat Rehab Seat - Seat Frame only	\$830
<input type="checkbox"/>	SAPTXXHD	17	Heavy-Duty CG Power Tilt	\$7,764
<input type="checkbox"/>	SAPRXHD	17, 19	Heavy-Duty Power Recline with Integrated Shear Reduction (ISR)	\$12,318
<input type="checkbox"/>	SAPTPRXHD	17, 19	Heavy-Duty CG Power Tilt and Power Recline with Integrated Shear Reduction (ISR)	\$13,925
<input type="checkbox"/>	SAPESXHD	17, 18	Heavy-Duty 11" Power Elevating Seat Module for transfer assist	\$5,353
<input type="checkbox"/>	ADDPESXHD	18	Module - Add a Heavy-Duty 11" Power Elevating Seat to either SAPTXHD, SAPRXHD or SAPTPRXHD	\$4,282

**Note 17 These options include the fully adjustable Amyseat (SAABA).
Note 18 The maximum user weight capacity with this option is 400 lbs
Note 19 It is recommended to use the Contour Back Support option with the power recline (STDSB or STDSB/CUSTOM)**

ELECTRONICS - SINGLE OR DUAL (1 OR 2 ACTUATORS) POWER SEAT FUNCTION CONTROLLERS

<input type="checkbox"/>	EPSV	20, 21	Tilt or Elevating seat activaton through 6-key VR2 Hand Control (ECVJ6K or ECVJ9KL)	N/C
<input type="checkbox"/>	EPSEL	20, 21	Tilt or Elevating seat activaton through RNET 90 Amp Expandable Controller (ECEL90)	N/C
<input type="checkbox"/>	SAC		Single (1 Actuator) Power Seat Function Controller to Interface through R-net Electronics	N/C
<input type="checkbox"/>	DAC		Dual (2 Actuators) Power Seat Function Controller to Interface through R-net Electronics	\$530

With the SAC or DAC, please select one activation and position from the list below

<input type="checkbox"/>	SWTJSS	22, 23	Single actuator activation through R-net Joystick or Specialty Controls	\$1,066
<input type="checkbox"/>	SWTJSD	22, 24	Dual actuator activation through R-net Joystick or Specialty Controls	\$1,066
<input type="checkbox"/>	SWDUALACT		Dual Activation (Allows to operate all seat functions with external switches AND through the joystick)	\$330
<input type="checkbox"/>	SWTOGGLE	23 or 24	Single Toggle Switch (Single Mode: DAC - Dual Mode: SAC) <input type="checkbox"/> User Activation <input type="checkbox"/> Attendant Activation	N/C
<input type="checkbox"/>	SWPUSH1	23	Single Push Button Switch (Single Mode: SAC) <input type="checkbox"/> User Activation <input type="checkbox"/> Attendant Activation	N/C
<input type="checkbox"/>	SWPUSH2	23 or 24	Dual Push Button Switch (Single Mode: DAC - Dual Mode: SAC) <input type="checkbox"/> User Activation <input type="checkbox"/> Attendant Activation	N/C

Note 20 Allows for the activation of a single power option through the VR2 or R-net 90 Amp Controllers. Only the Power Tilt or Elevating seat options are available with this feature.
Note 21 These options do not require the SAC controller as they connect via the chair's power module directly.
Note 22 Requires the R-net 90 Amp (ECEL90) or the 120 Amp (ECR120) Fully Expandable Controllers
Note 23 Requires the Single (1 Actuator) Power Seat Function Controller (SAC)
Note 24 Requires the Dual (2 Actuators) Power Seat Function Controller (DAC)

ELECTRONICS - MULTIPLE (3 to 6 ACTUATORS) POWER SEAT FUNCTION CONTROLLER

<input type="checkbox"/>	MAC		Multiple (3 to 6 Actuators) Power Seat Function Controller to Interface through R-net Electronics	\$2,564
With the MAC, please select one activation and position from the list below				
<input type="checkbox"/>	SWTJSM	25, 26	Multiple Actuator activation through R-net Joystick or Specialty Controls	STD
<input type="checkbox"/>	SWDUALACT		Dual Activation (Allows to operate all seat functions with external switches AND through the joystick)	N/C
<input type="checkbox"/>	SWMULTI	26	4-Way Toggle Switch (Up to 4 Activations) - <input type="checkbox"/> User Activation <input type="checkbox"/> Attendant Activation	N/C
<input type="checkbox"/>	SWMULTIT	26	Triple Toggle Switch (Up to 5 Activations) - <input type="checkbox"/> User Activation <input type="checkbox"/> Attendant Activation	N/C
<input type="checkbox"/>	SWPUSH4	26	4-Way Push Button Switch - <input type="checkbox"/> User Activation <input type="checkbox"/> Attendant Activation	N/C
<input type="checkbox"/>	SWPUSH5	26	5-Way Push Button Switch - <input type="checkbox"/> User Activation <input type="checkbox"/> Attendant Activation	N/C

**Note 25 Requires the Multiple (3 to 6 Actuators) Power Seat Function Controller (MAC)
Note 26 Requires the R-net 90 Amp (ECEL90) or 120 Amp (ECR120) Fully Expandable Controller, and the multiple Actuator Controller (MAC)**

SWITCH ACTIVATION HAND MOUNT

Switch Installation:	<input type="checkbox"/>	TSML (Install Switch on LH side)	<input type="checkbox"/>	TSMR (Install Switch on RH side)	N/C
----------------------	--------------------------	----------------------------------	--------------------------	----------------------------------	-----

PRE-SET SEAT ANGLE (For Non-Reclining Backs)

SOBAA Please Select one: 86° 90° 98° 106° N/C

STANDARD ADJUSTABLE SEAT WIDTH RANGE BETWEEN 19" and 26" \$462

- | | |
|---|--|
| <input type="checkbox"/> SOWN19-24-22 (Width adjustment from 19" to 24" with a maximum Depth of 22") | |
| <input type="checkbox"/> SOWN24-26-22 (Width adjustment from 24" to 26" with a maximum Depth of 22") | |
| <input type="checkbox"/> 19" (SOWN19L) | <input type="checkbox"/> 24" (SOWN24) |
| <input type="checkbox"/> 20" (SOWN20L) | <input type="checkbox"/> 24" (SOWN24HDL) |
| <input type="checkbox"/> 21" (SOWN21) | <input type="checkbox"/> 25" (SOWN25HDL) |
| <input type="checkbox"/> 22" (SOWN22) | <input type="checkbox"/> 26" (SOWN26HDL) |
| <input type="checkbox"/> 23" (SOWN23) | |

ADJUSTABLE SEAT DEPTH RANGE BETWEEN 17" and 24" N/C

- | | | | | |
|---------------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|-------|
| <input type="checkbox"/> 17" (SODN17) | <input type="checkbox"/> 18" (SODN18) | <input type="checkbox"/> 19" (SODN19) | <input type="checkbox"/> 20" (SODN20) | N/C |
| <input type="checkbox"/> 21" (SODN21) | <input type="checkbox"/> 22" (SODN22) | <input type="checkbox"/> 23" (SODN23) | <input type="checkbox"/> 24" (SODN24) | \$315 |

BACK CANE HEIGHT (The back cane height measurement is taken from the seat pan to the top of the push handles)

- | | | |
|--|--|--|
| <input type="checkbox"/> 16" (SOBCH16) | <input type="checkbox"/> 20" (SOBCH20) | <input type="checkbox"/> 24" (SOBCH24) |
| <input type="checkbox"/> 18" (SOBCH18) | <input type="checkbox"/> 22" (SOBCH22) ²⁷ | <input type="checkbox"/> 26" (SOBCH26) |

Note 27 22" is the minimum back cane height required with a power recline.

BACK SUPPORT

- | | |
|---|---------|
| <input type="checkbox"/> STDSB ²⁸ Contour back support with a maximum cushion height of 20" (19" and 20" Wide) | \$588 |
| <input type="checkbox"/> STDSB/CUSTOM Contour back support (Non-Standard Sizes) Specify: Width: Height: | \$1,256 |

Note 28 It is recommended to use the Contour Back Support option with the power recline

³⁰ BACK SUPPORT TOTAL HEIGHT (MEASURED FROM THE SEAT PAN TO THE TOP OF THE BACK)

- | | | | |
|---------------------------------------|---|---------------------------------------|---------------------------------------|
| <input type="checkbox"/> 16" (SOBH16) | <input type="checkbox"/> 20" (SOBH20) | <input type="checkbox"/> 24" (SOBH24) | <input type="checkbox"/> 28" (SOBH28) |
| <input type="checkbox"/> 18" (SOBH18) | <input type="checkbox"/> 22" (SOBH22) ²⁹ | <input type="checkbox"/> 26" (SOBH26) | |

Note 29 With a power recline, the minimum height is 22".

Note 30 The space between the bottom of the back and the seat pan is 4" with a non-reclining back and 6" with a reclining back

SEAT CUSHION

- | | |
|--|---------|
| <input type="checkbox"/> SCPCS Contour Seat Cushion with a maximum seat depth of 22" (15" to 20" Wide) | \$588 |
| <input type="checkbox"/> SCPCS/CUSTOM Contour Seat Cushion (Non-Standard Sizes) Specify: Width: Depth: | \$1,256 |

CANTILEVER - HEIGHT ADJUSTABLE ARMRESTS - OPENS WITH A 5° ANGLE (For Non-Reclining Backs - Choose 2)

- | | |
|---|-----|
| <input type="checkbox"/> SOAFBFLH Flip-Back Cantilever - Full Length Left Side (Height Adjustable from 7" to 15" in 1" increments) | STD |
| <input type="checkbox"/> SOAFBFRH Flip-Back Cantilever - Full Length Right Side (Height Adjustable from 7" to 15" in 1" increments) | STD |
| <input type="checkbox"/> SOAFBDLH Flip-Back Cantilever - Desk Length Left Side (Height Adjustable from 7" to 15" in 1" increments) | N/C |
| <input type="checkbox"/> SOAFBDRH Flip-Back Cantilever - Desk Length Right Side (Height Adjustable from 7" to 15" in 1" increments) | N/C |

DUAL POST - HEIGHT ADJUSTABLE ARMRESTS - INCLUDES TRANSFER GRIPS (For Non-Reclining Backs - Choose 2)

- | | |
|--|-------|
| <input type="checkbox"/> SOADPFLH Dual Post Height Adjustable - Full Length Left Side (Height Adjustable from 9 ½" - 13 ½") | \$190 |
| <input type="checkbox"/> SOADPFRH Dual Post Height Adjustable - Full Length Right Side (Height Adjustable from 9 ½" - 13 ½") | \$190 |
| <input type="checkbox"/> SOADPDLH Dual Post Height Adjustable - Desk Length Left Side (Height Adjustable from 9 ½" - 13 ½") | \$190 |
| <input type="checkbox"/> SOADPDRH Dual Post Height Adjustable - Desk Length Right Side (Height Adjustable from 9 ½" - 13 ½") | \$190 |

RECLINING FLIP-UP, HEIGHT ADJUSTABLE ARMRESTS (For Reclining Backs - Choose 2)

- | | |
|---|-----|
| <input type="checkbox"/> SOANIFLH Reclining armrest - Full Length Left Side (Height Adjustable from 10 ½" to 14" in ½" increments) | N/C |
| <input type="checkbox"/> SOANIFRH Reclining armrest - Full Length Right Side (Height Adjustable from 10 ½" to 14" in ½" increments) | N/C |
| <input type="checkbox"/> SOANIDLH Reclining armrest - Desk Length Left Side (Height Adjustable from 10 ½" to 14" in ½" increments) | N/C |
| <input type="checkbox"/> SOANIDRH Reclining armrest - Desk Length Right Side (Height Adjustable from 10 ½" to 14" in ½" increments) | N/C |

ARMREST HEIGHT ADJUSTMENT AT FACTORY

Please set the Armrest Height at: _____ " (The Armrest Height is taken from the seat pan to the top of the armpad. Not required for Dual Post)

ARMPADS

Foam Type Selection

<input type="checkbox"/>	SOFAPD	Desk Length Standard (10")	-	Select Side:	<input type="checkbox"/> Left Hand Side	<input type="checkbox"/> Right Hand Side	STD
<input type="checkbox"/>	SOFAPF	Full Length Standard (14")	-	Select Side:	<input type="checkbox"/> Left Hand Side	<input type="checkbox"/> Right Hand Side	STD
<input type="checkbox"/>	SOWAPD	32 Desk Length Waterfall (10")	-	Select Side:	<input type="checkbox"/> Left Hand Side	<input type="checkbox"/> Right Hand Side	\$32
<input type="checkbox"/>	SOWAPF	32 Full Length Waterfall (14")	-	Select Side:	<input type="checkbox"/> Left Hand Side	<input type="checkbox"/> Right Hand Side	\$32

Hybrid Gel and Foam Type Selection (The Gel always stays soft)

<input type="checkbox"/>	SOGELD new	Desk Length Hybrid Gel and Foam Flat armpad (10" x 2.5")	-	Select Side:	<input type="checkbox"/> Left Hand Side	<input type="checkbox"/> Right Hand Side	\$32
<input type="checkbox"/>	SOGELF	Full Length Hybrid Gel and Foam Flat armpad (14" x 2.5")	-	Select Side:	<input type="checkbox"/> Left Hand Side	<input type="checkbox"/> Right Hand Side	\$32
<input type="checkbox"/>	SOWGELD new	32 Desk Length Hybrid Gel and Foam Waterfall armpad (10")	-	Select Side:	<input type="checkbox"/> Left Hand Side	<input type="checkbox"/> Right Hand Side	\$50
<input type="checkbox"/>	SOWGELF new	32 Full Length Hybrid Gel and Foam Waterfall armpad (14")	-	Select Side:	<input type="checkbox"/> Left Hand Side	<input type="checkbox"/> Right Hand Side	\$50

Specialty Type Selection

<input type="checkbox"/>	SOCAR	33 Arm Trough with Hand Support (18" x 4 ½")	-	Select Side:	<input type="checkbox"/> Left Hand Side	<input type="checkbox"/> Right Hand Side	\$210
--------------------------	-------	--	---	--------------	---	--	-------

Note 32 The Waterfall armpads may interfere with flipping back the armrests when combined with Lateral Trunk supports

Note 33 Arm Trough Armpads may interfere with Armrests Flipping back.

FOOTRESTS

<input type="checkbox"/>	SOAAF	37 Heavy Duty Swing-Away footrests -----	Set at:	<input type="checkbox"/> 60°	<input type="checkbox"/> 70°	\$368
			Select Footrest Range:	<input type="checkbox"/> SOFLHD12 (12 ½" - 15 ½")	<input type="checkbox"/> SOFLHD14 (14 ½" - 19 ½")	
<input type="checkbox"/>	ADDPLHD	34, 37 Heavy Duty Power Elevating & Articulating Legrests (E1010)	Select Function:	<input type="checkbox"/> Individual ³⁵	<input type="checkbox"/> Combined ³⁶	\$3,204
			Select Footrest Range:	<input type="checkbox"/> SOFLPW12 (12 ½" - 15 ½")	<input type="checkbox"/> SOFLPW14 (14 ½" - 19 ½")	

37 Please set the Footrest Length at: _____ " (The footrest length is taken from the seat pan to the heel)

Note 34 This option includes calf pads

Note 35 Individual legs count as two power functions.

Note 36 Combined legs count as one power function.

Note 37 The Footrest Length is taken from the top of the seat pan to the top of the footplate.

FOOTPLATES & ACCESSORIES

<input type="checkbox"/>	SOSFAFHD	Flip-up Footplates	STD
<input type="checkbox"/>	SOAFPHD	Angle Adjustable & Flip-up Footplates - Each	\$137
<input type="checkbox"/>	SOAHL	Heel Loops - Each	\$42
<input type="checkbox"/>	SOACPFR	Calf Pads for Adult Heavy-Duty Swing-Away footrests (SOAAF) with adjustable hardware - Each	\$137

CENTER MOUNTS

<input type="checkbox"/>	SOAAF90	40, 41, 42, 43 90° Fixed Center Mount Interface Bracket (Offers Manual adjustability from 95° to 70°)	\$242	
		Select Foot Platform Range:	<input type="checkbox"/> SOFBA12 (12 ½" - 16 ½")	<input type="checkbox"/> SOFBA16 (16 ½" - 19 ½")
<input type="checkbox"/>	ADDPFHD	38, 39, 40, 42, 43 90° HD Power Center Mount Elevating & Articulating Foot Platform - *** Not available with the 12 ½" Drive Wheel	\$3,204	
			<input type="checkbox"/> SOFBPW12 (12 ½"- 16 ½")	<input type="checkbox"/> SOFBPW16 (16 ½"- 20 ½")

43 Please set the Foot Platform Length at: _____ " (The foot Platform length is taken from the seat pan to the heel)

Note 38 The power center mount counts as one power function.

Note 39 This option includes calf pads

Note 40 Links and attaches the one piece center mount foot platform (SOFUFP) or the split footplates (SOAFPFB) to the seat

Note 41 With the split footplates option (SOAFPFB), this bracket offers independent height adjustability for each footplate

Note 42 Please Select the one piece center mount foot platform (SOFUFP) or the split footplates (SOAFPFB)

Note 43 The Foot Platform Length is taken from the top of the seat pan to the top of the foot platform or split foot plates.

FOOT PLATFORMS & ACCESSORIES

<input type="checkbox"/>	SOFUFP	Flip-up one piece Foot Platform	N/C
<input type="checkbox"/>	SOAFPFB	Angle Adjustable & Flip-up Split Footplates for center mount - Each	\$137
<input type="checkbox"/>	SOACPCM	Calf Pads for 90° Fixed Center Mount (SOAAF90) with adjustable hardware - Each	\$137

SEAT POSITIONING

<input type="checkbox"/>	SOAUTO80-STD	80" Seat Positioning Strap	\$79
--------------------------	--------------	----------------------------	------

HEADREST

<input type="checkbox"/>	SONUAHR	Using headrest mounting hardware other than SOMAH located below. Specify: _____	
<input type="checkbox"/>	SOFHRS	Small Curved Headrest Pad 4" x 9"	\$215
<input type="checkbox"/>	SOFHRM	Medium Curved Headrest Pad 5" x 10"	\$215
<input type="checkbox"/>	SOFHRL	Large Curved Headrest Pad 6" x 11"	\$215
<input type="checkbox"/>	SOMAH	Multi-axis Removable Mounting Hardware	\$173
<input type="checkbox"/>	SOHRBC	Bracket to Mount on the Contour Back Support (Without Recline)	N/C
<input type="checkbox"/>	SOHRPR	Bracket to Mount on the Seat Frame (For Reclining Backs)	N/C

* Please select one of the headrest options with the mounting hardware and specify where the headrest will be installed

LATERAL TRUNK SUPPORTS

<input type="checkbox"/>	SOSLS3	Adjustable Laterals with Small Curved Pads (Each) - 3" x 5"	\$214
<input type="checkbox"/>	SOSLM4	Adjustable Laterals with Medium Curved Pads (Each) - 4" x 6"	\$214
<input type="checkbox"/>	SOSLL5	Adjustable Laterals with Large Curved Pads (Each) - 5" x 7"	\$214
<input type="checkbox"/>	SOSLHM	Adjustable Swing-Away Hardware Mounts - Each	\$316

** Please select one of the lateral pads and the adjustable & removable hardware.

HIP & THIGH SUPPORTS

<input type="checkbox"/>	SOHTSS10	Adjustable Hip & Thigh Support Pads (Each) - Small 10" x 4"	\$242
<input type="checkbox"/>	SOHTSM12	Adjustable Hip & Thigh Support Pads (Each) - Medium 12" x 5"	\$242
<input type="checkbox"/>	SOHTSL14	Adjustable Hip & Thigh Support Pads (Each) - Large 14" x 6"	\$242
<input type="checkbox"/>	SOHTSARH	Adjustable and Removable Hip & Thigh Support Hardware - Each	\$457

*** Please select one of the hip & thigh support pads and the adjustable & removable hardware.

ACCESSORIES

<input type="checkbox"/>	SOCH	Cup Holder (Self-Leveling)	\$95
<input type="checkbox"/>	SOPHP	Ram Mounts X-Grip Cell Phone Holder	\$163
<input type="checkbox"/>	SOTHS	Ram Mounts X-Grip Small Tablet Holder	\$184
<input type="checkbox"/>	SOTHL	Ram Mounts X-Grip Large Tablet Holder with Swivel	\$278

REFLECTOR KIT

<input type="checkbox"/>	REFLECT	Red & White Reflector Kit Stickers (They will not be installed - Included in a bag with the owner's manual)	N/C
--------------------------	---------	---	-----

SWITCHES AND OPTIONS

<input type="checkbox"/>	ASCPCP	PGDT RNET Dongle and PC programmer kit	\$615
<input type="checkbox"/>	ASCPVR2 New	PGDT VR2 Dongle and PC programmer kit	\$615
<input type="checkbox"/>	SSBS	Buddy Button Switch	\$115
<input type="checkbox"/>	SSES	Egg Switch-Black	\$115
<input type="checkbox"/>	SSML	Micro Light Switch	\$158

SPECIALTY DRIVER CONTROL OPTIONS

Therafin Sip-N-Puff Kit

<input type="checkbox"/>	SCSNPK	44, 45	Therafin Sip-N-Puff Kit			\$1,603
<input type="checkbox"/>	SCSNPBTBK	45	Therafin Sip-N-Puff Breath Tube Kit			\$520
<input type="checkbox"/>	SCSRMSNP	45	Stealth Rock-n-Lock Swingaway Arm for Sip-N-Puff	<input type="checkbox"/> SWL (Swings on Left)	<input type="checkbox"/> SWR (Swings on Right)	\$289
<input type="checkbox"/>	SCSRM	45	Stealth Rock-n-Lock Swingaway Mount for Mode Switch	<input type="checkbox"/> SWL (Swings Left)	<input type="checkbox"/> SWR (Swings Right)	\$520
<input type="checkbox"/>	SSES-STD	45, 47	Egg Switch for Changing Modes - Black	<input type="checkbox"/> MLH (Mount on Left)	<input type="checkbox"/> MRH (Mount on Right)	\$115
<input type="checkbox"/>	SSBS-STD	45	Buddy Button Switch (Stop Switch) - Red			\$115
<input type="checkbox"/>	SOMAH	45	Multi-axis Headrest Removable Mounting Hardware			\$215
<input type="checkbox"/>	SOFHRS		Small Curved Headrest Pad 4" x 9"			\$215
<input type="checkbox"/>	SOFHRM	46	Medium Curved Headrest Pad 5" x 10"			\$215
<input type="checkbox"/>	SOFHRL		Large Curved Headrest Pad 6" x 11"			

Switch-It Proximity Head Array

<input type="checkbox"/>	SCSIHAA	44, 45	Adult - 3 Switch Proximity Head Array with 1/8" Mono Jack for mode/reverse			\$5,353
<input type="checkbox"/>	SCSRM	46	Stealth Rock-n-Lock Swingaway Mount for Mode Switch	<input type="checkbox"/> SWL (Swings Left)	<input type="checkbox"/> SWR (Swings Right)	\$520
<input type="checkbox"/>	SSES-STD	45, 47	Egg Switch for Changing Modes - Black	<input type="checkbox"/> MLH (Mount on Left)	<input type="checkbox"/> MRH (Mount on Right)	\$115
<input type="checkbox"/>	SSBS-STD	45	Buddy Button Switch (Stop Switch) - Red			\$115
<input type="checkbox"/>	SOMAH	45	Multi-axis Headrest Removable Mounting Hardware			\$173

Switch-It MicroPilot Light Touch Proportional Mini joystick for chin / lip control

<input type="checkbox"/>	SCSIMP	44, 45	MicroPilot Light touch mini Proportional Joystick			\$4,197
<input type="checkbox"/>	SCSRMMP	45	Stealth Rock-n-Lock Swingaway Mount for Chin M-P	<input type="checkbox"/> SWL (Swings Left)	<input type="checkbox"/> SWR (Swings Right)	\$520
<input type="checkbox"/>	SCSRM	45	Stealth Rock-n-Lock Swingaway Mount for Switch	<input type="checkbox"/> SWL (Swings Left)	<input type="checkbox"/> SWR (Swings Right)	\$520
<input type="checkbox"/>	SSES	45, 47	Egg Switch-Black	<input type="checkbox"/> MLH (Mount on Left)	<input type="checkbox"/> MRH (Mount on Right)	\$115
<input type="checkbox"/>	JCC		Chin Cup			\$53
<input type="checkbox"/>	SOMAH	45	Multi-axis Headrest Removable Mounting Hardware			\$173
<input type="checkbox"/>	SOFHRS		Small Curved Headrest Pad 4" x 9"			\$215
<input type="checkbox"/>	SOFHRM	46	Medium Curved Headrest Pad 5" x 10"			\$215
<input type="checkbox"/>	SOFHRL		Large Curved Headrest Pad 6" x 11"			\$215

Proportional Compact or Mini joystick for Midline Mount

<input type="checkbox"/>	SCPGMJS	44, 45	PG Drives JC200 Proportional Compact Remote Joystick for Midline Mount			\$998
<input type="checkbox"/>	SCGMJSM	48	Gatlin Midline Swing-away Mount for JC200	<input type="checkbox"/> MLH (Mount on Left)	<input type="checkbox"/> MRH (Mount on Right)	\$410
<input type="checkbox"/>	SCSIMP	44, 45	Switch-It MicroPilot Light touch mini Proportional Joystick			\$4,197
<input type="checkbox"/>	SCGMPPM	49	Gatlin Midline Swing-away Mount for MicroPilot	<input type="checkbox"/> MLH (Mount on Left)	<input type="checkbox"/> MRH (Mount on Right)	\$447
<input type="checkbox"/>	SCBTM	50	Bullet Hand Tray for MicroPilot	<input type="checkbox"/> MLH (Mount on Left)	<input type="checkbox"/> MRH (Mount on Right)	\$473

Proportional Compact or Mini joystick for Armrest Mount

<input type="checkbox"/>	SCPGMJS	44, 45	PG Drives JC200 Proportional Compact Remote Joystick for Armrest Mount			\$998
<input type="checkbox"/>	SCARMJSM	48	Swing-away and Multi-Axis armrest mount	<input type="checkbox"/> MLH (Mount on Left)	<input type="checkbox"/> MRH (Mount on Right)	\$410
<input type="checkbox"/>	SCSIMP	44, 45	Switch-It MicroPilot Light touch mini Proportional Joystick			\$4,197
<input type="checkbox"/>	SCARMPPM	49	Swing-away and Multi-Axis armrest mount	<input type="checkbox"/> MLH (Mount on Left)	<input type="checkbox"/> MRH (Mount on Right)	\$447
<input type="checkbox"/>	SCBTM	50	Bullet Hand Tray for MicroPilot	<input type="checkbox"/> MLH (Mount on Left)	<input type="checkbox"/> MRH (Mount on Right)	\$473

Proportional RIM Head Control Package

<input type="checkbox"/>	SCPHC	44, 45	Proportional RIM Head Control Package			\$2,621
<input type="checkbox"/>	SCSRM	45	Stealth Rock-n-Lock Swingaway Mount for Mode Switch	<input type="checkbox"/> SWL (Swings Left)	<input type="checkbox"/> SWR (Swings Right)	\$520
<input type="checkbox"/>	SSES-STD	45, 47	Egg Switch for Changing Modes - Black	<input type="checkbox"/> MLH (Mount on Left)	<input type="checkbox"/> MRH (Mount on Right)	\$115
<input type="checkbox"/>	SOMAH	45	Multi-axis Headrest Removable Mounting Hardware			\$173

Note 44 **Requires the Omni Enhanced Display & Digital Interface Box (EDIB)**

Note 45 **This option must be selected for the Kit**

Note 46 **Choose one (1) Headrest Pad**

Note 47 **The Mode Switch Type can be changed from this selection on Page #7**

Note 48 **Must be selected for use with the PG Drives JC200 Mini Joystick**

Note 49 **Must be selected for use with the Switch-It MicroPilot**

Note 50 **This option is only compatible with the Switch-It MicroPilot**

51 CUSTOM SECTION

Note 51 Lead times will increase depending on the custom order pipeline at the time the purchase order is received
Please call for Quote and specifications for these options.

O² Holder

- SUPOXY 52 Custom Non-Articulating Oxygen Tank Holder MLH (Mount on Left) MRH (Mount on Right) \$410
- SUPOXYA 53 Custom Articulating Oxygen Tank Holder MLH (Mount on Left) MRH (Mount on Right) \$1,923
 - D-Size Oxygen Tank (* 22" Tall x 4.3" Diameter) * The height includes the valve
 - E-Size Oxygen Tank (* 31" Tall x 4.3" Diameter) * The height includes the valve

Note 52 Not available with a power tilt and/or power recline

Note 53 Required with a power tilt and/or power recline

VENT TRAY (Please complete in Full)

- SOVENT Custom Vent Tray
 - 54 Articulating Vent Box (Required with Power Tilt and/or Recline) Model: _____ \$2,574
 - 54 Fixed Vent Box Model: _____
- SOVTBE 54 Extended Battery Compartment N/C
- The Vent is being powered by 1 U1 Battery Chair Powered by 2 Group 22NF Batteries Chair Powered by 2 Group 24 Batteries
- The Vent is being powered by 1 Group 22NF Battery Chair Powered by 2 Group 22NF Batteries
- The Vent is being powered by 1 Group 24 Battery Chair Powered by 2 Group 22NF Batteries

Note 54 Amysystems does not supply the battery, charger or the wiring for the Vent.
These items are normally provided by the Vent Manufacturer.

OTHER CUSTOM OPTIONS (Request For Quote)

- PAT 55 Power Anterior Tilt RFQ
- CUSTOM 55 Power Flip-up Foot Platform (Please call CSR for availability with configuration and user weight capacity) RFQ
- CUSTOM Manual Wheel Locks RFQ
- CUSTOM Non Standard Frame Colors (Not all custom colors are available, please contact CSR for availability) RFQ
- CUSTOM Transfer Handles (Pair) RFQ
- CUSTOM 55 true co RFQ
- CUSTOM 55 Independent Depth Adjustability built into the Footrest Receiver that is attached to the Seat Pan RFQ
- CUSTOM # 1 55 Other custom options. Specify in notes section below. RFQ
- CUSTOM # 2 55 Other custom options. Specify in notes section below. RFQ

Note 55 Please specify details and specifications for these options.

NOTES / SPECIAL REQUESTS / CUSTOM SPECIFICATIONS
