

# Zippie Zone - AADL W118

_	ıppı							
D	Date:					IBMITTING FOR:	□ Quote □	Order
	Dealer:				PO#			
	aler Contact:				Ship To	-		
Dea	aler Address:				Attention	n:		
	Dealer City:	Prov: PC:			Address			
D	ealer Phone: (	) Fax: ( )			Address			
					Ship To City	y:	Prov:	PC:
	Confirm Via: □	Fax □ Email			Ship To Phone	∋: ( )	Fax: ( )	
	Mark For:							
	Option #	Definition	Price		Option #		Definition	Price
	·		1. FRAM	IE STYLE	·			
		Frame w/ seating		1		Frame w/	(o seating	
	190FS38	Frame w/ seating Zippie Zone w/ seating	\$4,236		190FS40	Zippie Zone w/o		\$3,80
_	1301 330	-	ψ <del>1</del> ,∠3∪	. "-	1301 040			φυ,οι
	190FS39	Zippie Zone, Flared w/ seating (Increase of total frame length appx. 2" - 1" per side flare.)	\$4,236	П	190FS41		ared w/o seating frame length appx. 2" - 1" per	\$3,8
	190TO41	Transit Option WC19 Occupied (Rear frame extends 1" to accom. transit & not lose depth adj. range, N/A w/ 18" feath; N/A w/	2. TR.	ANSIT				
	190TO41	· · ·	NC	-				
	190TO41	(Rear frame extends 1" to accom. transit & not lose depth adj. range; N/A w/ 18" depth; N/A w/ seat ht. below 15" w/ inset frame)	NC	ANSIT		Frame Ineet Do	r Sida (Egotrost)	
		(Rear frame extends 1" to accom. transit & not lose depth adj. range; N/A w/ 18" depth; N/A w/ seat ht. below 15" w/ inset frame)  Frame Angle	NC	E SEATUP	190551		r Side (Footrest)	l Nic
	190TO41	(Rear frame extends 1" to accom. transit & not lose depth adj. range; N/A w/ 18" depth; N/A w/ seat ht. below 15" w/ inset frame)	NC	-	190FF1	0"	r Side (Footrest)	NG
		(Rear frame extends 1" to accom. transit & not lose depth adj. range; N/A w/ 18" depth; N/A w/ seat ht. below 15" w/ inset frame)  Frame Angle	NC	E SEATUP	190FF1 190FF2	0" 1"	r Side (Footrest) width or with flared frame)	NG NG
		(Rear frame extends 1" to accom. transit & not lose depth adj. range; N/A w/ 18" depth; N/A w/ seat ht. below 15" w/ inset frame)  Frame Angle	NC  3. FRAME	SEATUP		0" 1"		
		(Rear frame extends 1" to accom. transit & not lose depth adj. range; N/A w/ 18" depth; N/A w/ seat ht. below 15" w/ inset frame)  Frame Angle  80° Frame Angle	NC  3. FRAME  NC  4. FRAM	SEATUP		0" 1"		
	190FA8	(Rear frame extends 1" to accom. transit & not lose depth adj. range; N/A w/ 18" depth; N/A w/ seat ht. below 15" w/ inset frame)  Frame Angle  80° Frame Angle	NC  3. FRAME	SEATUP	190FF2	0" 1" (N/A 8"-9" frame		NO
	190FA8 190W35 190W36	(Rear frame extends 1" to accom. transit & not lose depth adj. range; N/A w/ 18" depth; N/A w/ seat ht. below 15" w/ inset frame)  Frame Angle  80° Frame Angle  8" (N/A w/ 17"-18" depth) 9" (N/A w/ 17"-18" depth)	NC  3. FRAME  NC  4. FRAM	E WIDTH	190FF2 190W4 190W5	0" 1" (N/A 8"-9" frame		NO NO NO
	190FA8   190W35   190W36   190W1	(Rear frame extends 1" to accom. transit & not lose depth adj. range; N/A w/ 18" depth; N/A w/ seat ht. below 15" w/ inset frame)  Frame Angle  80° Frame Angle  8" (N/A w/ 17"-18" depth) 9" (N/A w/ 17"-18" depth) 10" (N/A w/ 17"-18" depth)	NC  3. FRAME  NC  4. FRAM  NC  NC  NC	E WIDTH	190FF2 190W4 190W5 190W6	0" 1" (N/A 8"-9" frame 13" 14" 15"		No.
	190FA8 190W35 190W36	(Rear frame extends 1" to accom. transit & not lose depth adj. range; N/A w/ 18" depth; N/A w/ seat ht. below 15" w/ inset frame)  Frame Angle  80° Frame Angle  8" (N/A w/ 17"-18" depth) 9" (N/A w/ 17"-18" depth)	NC  3. FRAME  NC  4. FRAM  NC  NC	E WIDTH	190FF2 190W4 190W5	0" 1" (N/A 8"-9" frame		NO NO NO NO
	190FA8   190W35   190W36   190W1   190W2	(Rear frame extends 1" to accom. transit & not lose depth adj. range; N/A w/ 18" depth; N/A w/ seat ht. below 15" w/ inset frame)  Frame Angle  80° Frame Angle  8" (N/A w/ 17"-18" depth) 9" (N/A w/ 17"-18" depth) 10" (N/A w/ 17"-18" depth) 11" (N/A w/ 17"-18" depth)	NC  3. FRAME  NC  4. FRAM  NC  NC  NC  NC	E WIDTH	190FF2 190W4 190W5 190W6	0" 1" (N/A 8"-9" frame 13" 14" 15"		NO
	190FA8   190W35   190W36   190W1   190W2   190W3	(Rear frame extends 1" to accom. transit & not lose depth adj. range; N/A w/ 18" depth; N/A w/ seat ht. below 15" w/ inset frame)  Frame Angle  80° Frame Angle  8" (N/A w/ 17"-18" depth) 9" (N/A w/ 17"-18" depth) 10" (N/A w/ 17"-18" depth) 11" (N/A w/ 17"-18" depth) 12"  5.	NC  3. FRAME  NC  4. FRAM  NC  NC  NC  NC  NC  NC  NC  NC  NC  N	E WIDTH	190FF2  190W4 190W5 190W6 190W7	0" 1" (N/A 8"-9" frame  13" 14" 15" 16"	width or with flared frame)	NO NO NO NO
	190FA8   190W35   190W36   190W1   190W2   190W3	(Rear frame extends 1" to accom. transit & not lose depth adj. range; N/A w/ 18" depth; N/A w/ seat ht. below 15" w/ inset frame)  Frame Angle  80° Frame Angle  8" (N/A w/ 17"-18" depth) 9" (N/A w/ 17"-18" depth) 10" (N/A w/ 17"-18" depth) 11" (N/A w/ 17"-18" depth) 12"  5.  additional caster/wheel clearance you can choose a different	NC  3. FRAME  NC  4. FRAM  NC  NC  NC  NC  NC  NC  NC  NC  NC  N	E WIDTH	190FF2  190W4 190W5 190W6 190W7	0" 1" (N/A 8"-9" frame  13" 14" 15" 16"	width or with flared frame)	NG NG NG
	190FA8   190W35   190W36   190W1   190W2   190W3   190W3	(Rear frame extends 1" to accom. transit & not lose depth adj. range; N/A w/ 18" depth; N/A w/ seat ht. below 15" w/ inset frame)  Frame Angle  80° Frame Angle  8" (N/A w/ 17"-18" depth) 9" (N/A w/ 17"-18" depth) 10" (N/A w/ 17"-18" depth) 11" (N/A w/ 17"-18" depth) 12"  5.  additional caster/wheel clearance you can choose a different 9" (Frame grows 10" - 12")	NC  3. FRAME  NC  4. FRAM  NC  NC  NC  NC  NC  NC  NC  NC  NC  N	E WIDTH	190FF2  190W4 190W5 190W6 190W7  PEPTH) (i.e. shorter sling vs	0" 1" (N/A 8"-9" frame  13" 14" 15" 16"  16"  14" (Frame grow	width or with flared frame)  ore wheel/caster combos.) /s 15" - 17")	NO NO
	190FA8   190W35   190W36   190W1   190W2   190W3   190W3   190SD2   190SD3   190SD3	(Rear frame extends 1" to accom. transit & not lose depth adj. range; N/A w/ 18" depth; N/A w/ seat ht. below 15" w/ inset frame)  Frame Angle  80° Frame Angle  8" (N/A w/ 17"-18" depth) 9" (N/A w/ 17"-18" depth) 10" (N/A w/ 17"-18" depth) 11" (N/A w/ 17"-18" depth) 12"  5.  additional caster/wheel clearance you can choose a different 9" (Frame grows 10" - 12") 10" (Frame grows 11" - 13")	NC  3. FRAME  NC  NC  NC  NC  NC  NC  NC  NC  NC  N	E WIDTH	190W4 190W5 190W6 190W7 190W7	0" 1" (N/A 8"-9" frame  13" 14" 15" 16"  16"  14" (Frame grow 15" (Frame grow	width or with flared frame)  ore wheel/caster combos.) vs 15" - 17") vs 16" - 18")	NO N
	190FA8   190W35   190W36   190W1   190W2   190W3   190SD2   190SD3   190SD4   190SD4	(Rear frame extends 1" to accom. transit & not lose depth adj. range; N/A w/ 18" depth; N/A w/ seat ht. below 15" w/ inset frame)  Frame Angle  80° Frame Angle  80° Frame Angle  10" (N/A w/ 17"-18" depth) 10" (N/A w/ 17"-18" depth) 11" (N/A w/ 17"-18" depth) 12"  5.  additional caster/wheel clearance you can choose a different 9" (Frame grows 10" - 12") 10" (Frame grows 11" - 13") 11" (Frame grows 12" - 14")	NC  3. FRAME  NC  4. FRAM  NC  NC  NC  NC  NC  NC  NC  NC  NC  N	E WIDTH	190W4 190W5 190W6 190W7 190W7 190SD7 190SD8 190SD9	0" 1" (N/A 8"-9" frame  13" 14" 15" 16"  16"  14" (Frame grow 15" (Frame grow 16" (Frame grow) 16" (Frame grow)	width or with flared frame)  ore wheel/caster combos.) vs 15" - 17") vs 16" - 18") vs 17" - 18")	NO N
	190FA8   190W35   190W36   190W1   190W2   190W3   190W3   190SD2   190SD3   190SD3	(Rear frame extends 1" to accom. transit & not lose depth adj. range; N/A w/ 18" depth; N/A w/ seat ht. below 15" w/ inset frame)  Frame Angle  80° Frame Angle  8" (N/A w/ 17"-18" depth) 9" (N/A w/ 17"-18" depth) 10" (N/A w/ 17"-18" depth) 11" (N/A w/ 17"-18" depth) 12"  5.  additional caster/wheel clearance you can choose a different 9" (Frame grows 10" - 12") 10" (Frame grows 11" - 13")	NC  3. FRAME  NC  NC  NC  NC  NC  NC  NC  NC  NC  N	E WIDTH	190W4 190W5 190W6 190W7 190W7	0" 1" (N/A 8"-9" frame  13" 14" 15" 16"  16"  14" (Frame grow 15" (Frame grow	width or with flared frame)  ore wheel/caster combos.) //s 15" - 17") //s 16" - 18") //s 17" - 18")	NG NG NG

	6. SLING DEPTH								
	For additional caster/wheel clearance you can choose a different frame length and sling depth (i.e. shorter sling vs longer frame to allow more wheel/caster combos.)								
□ ¯	190GJ1	8" (Sling Grows 9"-10")	NC		190GJ6	13" (Sling Grows 14"-15")	NC		
J _	190GJ2	9" (Sling Grows 10"-11")	NC		190GJ7	14" (Sling Grows 15"-16")	NC		
]	190GJ3	10" (Sling Grows 11"-12")	NC		190GJ8	15" (Sling Grows 16"-17")	NC		
]	190GJ4	11" (Sling Grows 12"-13")	NC		190GJ9	16" (Sling Grows 17"-18")	NC		
1	190GJ5	12" (Sling Grows 13"-14")	NC		190GJ10	17" (Sling Grows 18")	NC		
		·			190GJ11	18" (No Growth)	NC		

# 7. SEATING

Seating Systems					
190OP05	Ultra Seat Sling (Tension Adjustable)	NC			
190OP04	Omit Seat Sling	NC			

JAY Cushions (Optional)					
To o	rder any JAY cu	shions on-chair, pl	ease see the JAY price list.		
Cush	Cushion name or part number must be filled out with desired width and depth				
		JAY Bundled C	ushion		
	190JC20	Cushion Name	or Part #	Price List	
		Width (in.)	Depth (in.):		

## 8. BACKREST

	Backrest Type							
	190BT96	NC						
		Backrest Upholstery						
Must	complete Section	n A on next page						
	190BU1	Standard Upholstery	NC					
			(N/A with Fold Down Push Handles)					
п	190BU72	Omit Std. Upholstery	NC					
ш	1908072	(N/A with Fold Down Push Handles) (Default when choose w/o seating)	NC NC					
Must	Must complete Section B on next page							
	190BU70	Tension Adj. Ballistic Nylon 186BU70 (N/A with 8"-9" widths)	\$187					
	190BU73	Omit Tens. Adj. Ballistic Nylon	NC					

	JAY Backs (Optional)					
Тоо	rder any JAY	backs on-chair, pi	lease see the JAY Price Lst. Requires	Part #		
		JAY Bundled Ba	ckrest			
	190JB02	Backrest Name	or Part#	Price List		
		Width (in.)	Height (in.):			
		widdi (iii.)	rieight (iii.).			

Backrest Handle Option (Stroller Handle)							
8"-10	8"-10" widths have a single stroller handle; omit push handle recommended. Receiver places						
hand	handle outside std. 2" extension and inside 4" ext. Double "D" tubing to eliminate rotation.						
	190A192	Telescoping Push Handles (19" from Seat)	\$298				
	190A195	Telescoping Push Handles - Tall (25" from seat to push handle)	\$298				

-		(25" from seat to push handle)			
Backrest Extension					
Stand	lard Extension 2	"			
	190OD20	Rear Backrest Extension Brackets (4" overall)	\$155		

								6	
			1A: OMIT PUSH HANDLE OPTIONS	W/ STANDARD	UPI	HOLSTERY OR WI	HEN OM	TTING UHOLSTERY	
	190PH2		Omit Push Handles	NC	4	and Development			
			Cno	oose 0 or 1" ins	set a	nd Back Height			
	190OD7		0 inset (straight back tubes)	NC	ľ	□ 190OD5		1" inset (N/A 8"-9" widths)	\$108
	п	Setting	6"- 8" Back Height	NC			Setting	11"- 13" Back Height	NC
	Ц	Setting	□ 6" □ 7" □ 8"			l	Setting		
		Setting	9" - 13" Back Height	NC	OR		Setting	14" - 16" Back Height	NC
			9"	□ 13"	ľ				NO
		Setting	13" - 17" Back Height	NC □ 17"			Setting	16" - 18" Back Height	NC
			15" - 18" Back Height	NC NC	1				
		Setting	□ 15" □ 16" □ 17" □ 18"						
			2A: INTEGRAL	PUSH HANDLE	OP	TIONS W/ STANDA	RD UPH		
	190PH6		Integral Push Handles	NC					
			Che	oose 0 or 1" Ins	et a	nd Back Height			
	105.55							40.1	****
	190OD7		0 inset (straight back tubes)	NC		□ 190OD5		1" inset (N/A 8"-9" widths)	\$108
		Setting	9"-10" Back Height	NC			Setting	12"- 14" Back Height	NC
			11" - 15" Back Height	NC	R			14" - 16" Back Height	NC
		Setting		□ 15"	0	<b> </b>	Setting	□ 14" □ 15" □ 16"	
	п	Setting	13" - 16" Back Height	NC	1		Setting	16" - 18" Back Height	NC
		Octarig		16"		l	octarig	□ 16" □ 17" □ 18"	
		Setting	15" - 18" Back Height  15"	NC					
			SECTION B - 1	Canalan A	J:	etable Ballie	tia Ni	ula m	
ļ						ISTABLE DAILS IONS W/ TENSION		/IOII	
	190PH2		Omit Push Handles	NC					
			Ch	oose 0 or 1" Ins	et a	nd Back Height			
	190OD7		0 inset (straight back tubes) 11"- 14" Back Height	NC NC		□ <u>190OD5</u>		1" inset (N/A 8"-11" widths) 11 "- 13" Back Height	\$108 NC
		Setting	□ 11" □ 12" □ 13" □ 14"	NO	~		Setting	□ 11" □ 12" □ 13"	140
	_	Cottina	13" - 15" Back Height	NC	OR		Cottina	14" - 16" Back Height	NC
	Ц	Setting	□ 13" □ 14" □ 15"			l '	Setting	□ 14" □ 15" □ 16"	
		Setting	15" - 18" Back Height	NC			Setting	16" - 18" Back Height	NC
_									
<u> </u>		1	2B: INTEGRAL Integral Push Handles	NC	E OF	PTIONS W/ TENSIO	ON ADJ.		
			mogran usir randos	110	-				
			Che	oose 0 or 1" Ins	et a	nd Back Height			
	190OD7		0 inset (straight back tubes)	NC		□ 190OD5		1" inset (N/A 8"-11" widths)	\$108
			9"-10" Back Height	NC	1			12"- 14" Back Height	NC NC
	Ц	Setting	□ 9" □ 10"			l	Setting	□ 12" □ 13" □ 14"	
		Setting	11" - 14" Back Height	NC	OR N		Setting	14" - 16" Back Height	NC
			11"	NO	ľ	I -		□ 14" □ 15" □ 16"	NO.
		Setting	13" - 16" Back Height	NC			Setting	16" - 18" Back Height	NC
	п	Setting	15" - 18" Back Height	NC					
		Setting	□ 15" □ 16" □ 17" □ 18"						
			3B: FOLD DOW	/N PUSH HAND	LE C	OPTIONS W/ TENS	ON ADJ		
	190PH5		Fold Down Push Handles	\$102					
			Cho	oose 0 or 1" Ins	et a	nd Back Height			
	190OD7		0 inset (straight back tubes)	NC		□ 190OD5		1" inset (N/A 8"-11" widths)	\$108
_		Setting	11"-12" Back Height	NC			Setting	15"- 17" Back Height	NC
	Ц	Setting	□ 11" □ 12"		OR.		Setting	□ 15" □ 16" □ 17"	
		Setting	13" - 16" Back Height	NC	0		Setting	17" - 18" Back Height	NC
			□ 13" □ 14" □ 15" □ 16" □ 15" - 18" Back Height	NC		1		□ 17" □ 18"	
	П	Settina				•			

**SECTION A - Standard Upholstery** 

Desk

Full

Height Range (H)

Size

Length (D)

#### 10. FOOTRESTS

Footrest						
190F228	Aluminum Tubular	NC				
190F273	Aluminum Tubular w/ Snap-On Cover	\$42				
190F50	Aluminum Platform (8" width is only available with high mount option)	s150				
190F276	Angle Adj. Flip Back (N/A with 6" caster winds an 8" width)	th \$243				

Adaptive Platform Spacers						
N/A with Aluminum Tubular. Now available with Angle Adj. Flip Back.						
190AD1		Adaptive Platform 2" Spacer	\$179			
190AD2		Adaptive Platform 4" Spacer	\$179			
190AD3		Adaptive Platform 6" Spacer	\$179			

Footrest Options (see matrix below)						
190DI08	High Mount Ext Tubes (N/A w/ tubular footrest; N/A w/ 16" wide flared frame) **	\$88				
190DI03	Leg Strap	\$60				
190DI04	Extra Leg Strap	\$82				
190DI05	Gel Hanger Cover	\$122				
190DI07	Neoprene Impact Guards	\$60				
190DI02	Wear Pads	\$47				

#### SEAT SLING TO FOOTREST DISTANCE (based on 1" Seat Angle)

\*Seat to Footrest distances may be +/- 1" from data shown dep. on frame type.

\*\* High mount can adj. full range to seat sling

Note: Flip back may interfere with sling at highest settings.

14.5"         3"         10.4"         11.4"           14.5"         4"         9.4"         10.9"           15.0"         3"         11.4"         12.4"           15.0"         4"         10.4"         11.9"           15.0"         5"         9.4"         11.4"           15.5"         3"         11.4"         12.4"           15.5"         4"         10.4"         11.9"           15.5"         5"         10.4"         12.4"           15.5"         6"         9.4"         11.9"           16.0"         3"         12.4"         13.4"           16.0"         4"         12.4"         13.4"           16.0"         5"         10.4"         12.4"           16.5"         3"         12.4"         13.4"           16.5"         4"         11.4"         12.9"           16.5"         5"         10.4"         12.9"		FSH
14.5"       4"       9.4"       10.9"         15.0"       3"       11.4"       12.4"         15.0"       4"       10.4"       11.9"         15.0"       5"       9.4"       11.4"         15.5"       3"       11.4"       12.4"         15.5"       4"       10.4"       11.9"         15.5"       5"       10.4"       12.4"         15.5"       6"       9.4"       11.9"         16.0"       3"       12.4"       13.4"         16.0"       4"       12.4"       13.9"         16.0"       5"       10.4"       12.9"         16.5"       3"       12.4"       13.4"         16.5"       4"       11.4"       12.9"         16.5"       5"       10.4"       12.9"	-	
15.0"         3"         11.4"         12.4"           15.0"         4"         10.4"         11.9"           15.0"         5"         9.4"         11.4"           15.5"         3"         11.4"         12.4"           15.5"         4"         10.4"         11.9"           15.5"         5"         10.4"         12.4"           15.5"         6"         9.4"         11.9"           16.0"         3"         12.4"         13.4"           16.0"         4"         12.4"         13.4"           16.0"         5"         10.4"         12.9"           16.5"         3"         12.4"         13.4"           16.5"         4"         11.4"         12.9"           16.5"         5"         10.4"         12.4"	-	
15.0"         4"         10.4"         11.9"           15.0"         5"         9.4"         11.4"           15.5"         3"         11.4"         12.4"           15.5"         4"         10.4"         11.9"           15.5"         5"         10.4"         12.4"           15.5"         6"         9.4"         11.9"           16.0"         3"         12.4"         13.4"           16.0"         4"         12.4"         13.9"           16.0"         5"         10.4"         12.4"           16.5"         3"         12.4"         13.4"           16.5"         4"         11.4"         12.9"           16.5"         5"         10.4"         12.4"	-	
15.0"         5"         9.4"         11.4"           15.5"         3"         11.4"         12.4"           15.5"         4"         10.4"         11.9"           15.5"         5"         10.4"         12.4"           15.5"         6"         9.4"         11.9"           16.0"         3"         12.4"         13.4"           16.0"         4"         12.4"         13.9"           16.0"         5"         10.4"         12.4"           16.5"         3"         12.4"         13.4"           16.5"         4"         11.4"         12.9"           16.5"         5"         10.4"         12.4"	-	
15.5"         3"         11.4"         12.4"           15.5"         4"         10.4"         11.9"           15.5"         5"         10.4"         12.4"           15.5"         6"         9.4"         11.9"           16.0"         3"         12.4"         13.4"           16.0"         4"         12.4"         13.9"           16.0"         5"         10.4"         12.4"           16.0"         6"         10.4"         12.9"           16.5"         3"         12.4"         13.4"           16.5"         4"         11.4"         12.9"           16.5"         5"         10.4"         12.4"	_	
15.5"     4"     10.4"     11.9"       15.5"     5"     10.4"     12.4"       15.5"     6"     9.4"     11.9"       16.0"     3"     12.4"     13.4"       16.0"     4"     12.4"     13.9"       16.0"     5"     10.4"     12.4"       16.0"     6"     10.4"     12.9"       16.5"     3"     12.4"     13.4"       16.5"     4"     11.4"     12.9"       16.5"     5"     10.4"     12.4"	_	
15.5"         5"         10.4"         12.4"           15.5"         6"         9.4"         11.9"           16.0"         3"         12.4"         13.4"           16.0"         4"         12.4"         13.9"           16.0"         5"         10.4"         12.4"           16.0"         6"         10.4"         12.9"           16.5"         3"         12.4"         13.4"           16.5"         4"         11.4"         12.9"           16.5"         5"         10.4"         12.4"	_	
15.5"         6"         9.4"         11.9"           16.0"         3"         12.4"         13.4"           16.0"         4"         12.4"         13.9"           16.0"         5"         10.4"         12.4"           16.0"         6"         10.4"         12.9"           16.5"         3"         12.4"         13.4"           16.5"         4"         11.4"         12.9"           16.5"         5"         10.4"         12.4"	_	
16.0"     3"     12.4"     13.4"       16.0"     4"     12.4"     13.9"       16.0"     5"     10.4"     12.4"       16.0"     6"     10.4"     12.9"       16.5"     3"     12.4"     13.4"       16.5"     4"     11.4"     12.9"       16.5"     5"     10.4"     12.4"		
16.0"     4"     12.4"     13.9"       16.0"     5"     10.4"     12.4"       16.0"     6"     10.4"     12.9"       16.5"     3"     12.4"     13.4"       16.5"     4"     11.4"     12.9"       16.5"     5"     10.4"     12.4"		
16.0"     5"     10.4"     12.4"       16.0"     6"     10.4"     12.9"       16.5"     3"     12.4"     13.4"       16.5"     4"     11.4"     12.9"       16.5"     5"     10.4"     12.4"		16.0"
16.0"     6"     10.4"     12.9"       16.5"     3"     12.4"     13.4"       16.5"     4"     11.4"     12.9"       16.5"     5"     10.4"     12.4"		16.0"
16.5"     3"     12.4"     13.4"       16.5"     4"     11.4"     12.9"       16.5"     5"     10.4"     12.4"		16.0"
16.5" 4" 11.4" 12.9" 16.5" 5" 10.4" 12.4"		16.0"
16.5" 5" 10.4" 12.4"		16.5"
		16.5"
		16.5"
16.5" 6" 10.4" 12.9"		16.5"
17.0° 3° 13.4° 14.4°		17.0"
17.0° 4° 12.4° 13.9°		
17.0° 5° 11.4° 13.4°		
17.0° 6° 11.4° 13.9°		17.0"
17.5° 3° 13.4° 14.4°		17.5"
17.5° 4° 12.4° 13.9°		17.5"
17.5° 5° 11.4° 13.4°		17.5"
17.5° 6° 11.4° 13.9°		
18.0" 3" 14.4" 15.4"		18.0"
18.0" 4" 13.4" 14.9"		18.0"
18.0" 5" 12.4" 14.4"		18.0"
18.0° 6° 11.4° 13.9°		
18.5" 3" 14.4" 15.4"		
18.5" 4" 14.4" 15.9"		
18.5" 5" 12.4" 14.4"		
18.5" 6" 12.4" 14.9"		
19.0" 3" 14.4" 15.4"		
19.0" 4" 14.4" 15.9"		
19.0" 5" 12.4" 14.4"		
19.0" 6" 12.4" 14.9"	+	

Not Available with 1" Inset

	ı	ront Caster		
Rear Wheel Size	□ 3"	□ 4"	□ 5"	□ 6"
	☐ 14.0" ☐ 14.5"	☐ 14.0" ☐ 14.5"	N/A	N/A
	☐ 15.0"	☐ 15.0"	□ 15.0"	
	□ 15.5"	□ 15.5"	□ 15.5"	□ 15.5"
	□ 16.0"	□ 16.0"	□ 16.0"	□ 16.0"
20"	□ 16.5"	□ 16.5"	□ 16.5"	□ 16.5"
	□ 17.0"	□ 17.0"	□ 17.0"	□ 17.0"
	□ 17.5"	□ 17.5"	□ 17.5"	□ 17.5"
	□ 18.0"	□ 18.0"	□ 18.0"	□ 18.0"
	□ 18.5"	□ 18.5"	□ 18.5"	□ 18.5"
	□ 19.0"	□ 19.0"	□ 19.0"	□ 19.0"
	□ 15.5"	□ 15.5"	□ 15.5"	□ 15.5"
	□ 16.0"	□ 16.0"	□ 16.0"	□ 16.0"
	□ 16.5"	□ 16.5"	□ 16.5"	□ 16.5"
22"	□ 17.0"	□ 17.0"	□ 17.0"	□ 17.0"
	□ 17.5"	□ 17.5"	□ 17.5"	□ 17.5"
	□ 18.0"	□ 18.0"	□ 18.0"	□ 18.0"
	□ 18.5"	□ 18.5"	□ 18.5"	□ 18.5"
	□ 19.0"	□ 19.0"	□ 19.0"	□ 19.0"
	□ 16.0"	□ 16.0"	□ 16.0"	□ 16.0"
	□ 16.5"	□ 16.5"	□ 16.5"	□ 16.5"
	□ 17.0"	□ 17.0"	□ 17.0"	□ 17.0"

Front Seat Height Matrix

FRONT SEAT HEIGHTS ARE SHOWN IN THE BOXES ABOVE.
DEPENDING ON CG SETTING, SEAT DEPTH, AND FRAME SIZE SOME
OF THE ABOVE SIZES MAY NOT BE AVAILABLE

□ 17.5"

□ 18.0"

□ 18.5"

□ 19.0"

□ 17.5"

□ 18.0"

□ 18.5"

□ 19.0"

□ 17.5"

□ 18.0"

□ 18.5"

□ 19.0"

□ 17.5"

□ 18.0"

☐ 18.5" ☐ 19.0"

24"

# 11. CASTERS

	Caster Wheel					
	190CW1	3" Micro	NC			
	190CW3	4" Low-Profile Polyurethane	NC			
	190CW31	4" Micro Light Up	\$108			
	190CW64	4" x 1.5" Aluminum Soft Roll	\$108			
	190CW5	5" Low-Profile Polyurethane	NC			
	190CW51	5" Micro Light Up	\$108			
_	190CW6	5" Soft Roll (Grey) (N/A with Frog Legs)	\$124			

190CW7	5"x1.5" Semi-Pneumatic	\$108
190CW66	5"x1.5" Aluminum Soft Roll	\$108
190CW34	6" Poly	NC
190CW35	6"x1.5" Semi-Pneumatic	\$108

Caster Forks and Suspension					
190CF65	Multiple Position	NC			
190CF69	Multi Position Single Sided	\$173			
190CF53	Frog Legs 0 - 100 lbs.	\$566			
190CF70	Frog Legs 101 - 165 lbs.	\$566			

# 12. AXLES AND WHEELS

	Axle Plate	
190AL61	Adjustable (COG Adjustable -0.25" through 2.25" in 0.25" increments)	NC

Center of Gravity Preset					
Dependent on wheels, casters & depth					
190CC21	-0.25"	NC			
190CC26	0.00" (Flush w/ backrest)	NC			
190CC22	0.25"	NC			
190CC16	0.50"	NC			
190CC23	0.75"	NC			
190CC20	1.00"	NC			
190CC24	1.25"	NC			
190CC15	1.50"	NC			
190CC25	1.75"	NC			
190CC17	2.00"	NC			
190CC27	2.25"	NC			

	Camber	
190CI1	0°	NC
190CI2	3°	NC
190CI4	6° (N/A with Std Mag, 5 spk MAG Wheels and Hub locks or Side guard Hub locks)	NC

Rear Seat Height				
Can not exceed 2.5" drop				
190RH13	14"	NC		
190RH14	14.5"	NC		
190RH15	15"	NC		
190RH16	15.5"	NC		
190RH17	16"	NC		
190RH18	16.5"	NC		
190RH19	17"	NC		
190RH26	17.5"	NC		
190RH20	18"	NC		
190RH27	18.5"	NC		
190RH21	19"	NC		

		Rear Seat Height Minimum									
Rear Wheel	14.0"	14.5"	15.0"	15.5"	16.0"	16.5"	17.0"	17.5"	18.0"	18.5"	19.0"
20"											
22"											
24"											

\* With 22" & 24" rear wheels and KIK or HP Clinchers, you may get an additional 1/2" lower seat height in some scenarios.

Rear Wheels						
190RW3	20" Mag	NC				
190RW8	22" Mag	NC				
190RW1	24" Mag	NC				
190RW103	20" Mag Wheel 5 Spoke	NC				
190RW104	22" Mag Wheel 5 Spoke	NC				
190RW102	24" Mag Wheel 5 Spoke	NC				
190RW74	20" Lite Spoke Wheel	NC				
190RW75	22" Lite Spoke Wheel	NC				
190RW76	24" Lite Spoke Wheel	NC				
190RW06	22" Ultra lightweight Spoke Wheel 2.0	\$352				
190RW10	24" Ultra Lightweight Spoke Wheel 2.0	\$352				
190RW28	22" Spinergy SPOX Black Spokes	\$851				
190RW95	24" Spinergy SPOX Black Spokes	\$851				
190RW32	22" Spinergy LX Black Spokes	\$1,095				
190RW98	24" Spinergy LX Black Spokes	\$1,095				

- W 15:						
		Rear Wheel Tire				
	190RT3	Full Poly Tire	NC			
	190RT6	High Pressure Clincher	\$103			
	190RT38	SHOX Performance Poly	\$144			
	190RT27	Knobby V-TRAK by Kenda	\$119			
	190RT1	Pneumatic	NC			
	190RT2	Pneumatic Airless Insert	\$243			
	190RT21	Schwalbe Marathon Plus Evolution	\$155			
_	190RT28	Schwalbe Speed	\$160			
	190RT4	Low Poly	NC			

Wheel	5 Spoke Mag	Mag	Lite Spoke	Ultra Light- w eight	Spinergy
Full Poly Tire	20",22",24"	20",22",24"	20",22"	N/A	N/A
High Pressure Clincher	N/A	N/A	22",24"	24"	22",24"
SHOX Performance Poly	20",22",24"	24"	24"		24"
Knobby V-TRAK	N/A	N/A	24"	N/A	24"
Pneumatic	20",22",24"	20",22",24"	20",22",24"	IN/A	22",24"
Pneumatic Airless Insert	20",22",24"	20",22",24"	20",22",24"		22",24"
Schwalbe Marathon Plus	N/A	N/A	24"	22",24"	22",24"
Schw albe Speed Run	N/A	N/A	24"	24"	22",24"
Low Poly	24"	20",22",24"	20",22",24"	N/A	N/A

#### 12. AXLES AND WHEELS (Cont.)

#### 22" Rear Wheels w/ 5" Casters & 3° or 6° of Camber 0" Frame Inset

Not available in 12" or less seat depths

- 13" Seat Depth 
   Must have front seat to floor height at least 17" in the front and 15-1/2" in the rear.
  - You can increase STFs but must keep 1-1/2" dump.
  - If you change camber to 0° you can get away with 1" dump
  - You must choose COG setting of -1/4".

14" Seat Depth

- Able to get away with 1" seat dump with a minimum of 15-1/2" in the Rear and 16-1/2" in Front.
- Can have COG set as far forward as +1/4".

15" Seat Depth

- Able to get away with 1" seat dump with min of 15" Rear STF and 16" Front STF
- COG can be adjusted as far forward as 1".

#### 22" Rear Wheels w/ 4" Casters, 3° or 6° of Camber, and 0" Frame Inset

Not available in 8" or 9" seat depths.

- 10" Seat Depth
- Must have at least a 15" Rear STF and 16" Front STF.
- COG setting must be -1/4".
- If you increase Rear STF to 15-1/2" and 16-1/2" Front STF you can move COG to 0".
- If you increase the dump to 1 ½" (15 R-STF and 16 1/2" F-STF) or change Camber to 0 degress you can increase COG to 1/4".
- 11" Seat Depth
- Same as 10" Seat Depth, just allows you to have COG setting a 1/4"
- 12" Seat Depth
- Must have at least 15" Rear STF and 15-1/2" Front STF.
- COG setting can be as far forward at 1/2".
- If you increase the dump to 1" instead of 1/2" you can increase COG as far forward as 1".

## 24" Rear Wheels w/ 4" Casters, 3° or 6° Camber, and 0" Frame Inset

Not available in 10" seat depths or less.

- 11" Seat Depth
- Must have at least a 16" Rear STF and 17" Front STF.
- COG setting can be 0" or -1/4".
- 12" Seat Depth
- Must have at least 16" Rear STF and 17" Front STF.
- COG setting can be as far forward as 1". (Camber must be 3 degrees)
- If camber is 6° than COG can only be as far forward as 3/4"

Handrim

190HR1	Aluminum Anodized	NC		
190HR4	Plastic Coated (N/A on Ultra)	\$144		
190HR22	Natural Fit -Standard Grip (N/A on Ultra Lite, 20" Lite Spoke or 20" and 22" 5 spk MAG)	\$368		
190HR23	Natural Fit - Super Grip (N/A on Ultra Lite, 20" Lite Spoke or 20" and 22" 5 spk MAG)	\$428		
190HR30	Natural Fit LT - Standard Grip (N/A on Ultra Lite, 20" Lite Spoke or 20" and 22" 5 spk MAG)	\$513		
190HR31	Natural Fit LT - Super Grip (N/A on Ultra Lite, 20" Lite Spoke or 20" and 22" 5 spk MAG)	\$583		
190HR24	Spinergy Flex Rim (Only on 24" Spinergy LX)	\$691		
190HR7	Omit Handrim (Only on Mag, 24 Spinergy)	NC		
Axle				
190AX1	Quick Release Steel	NC		

	Hub Lock			
Only available with Lite Spokes; N/A with 6° camber				
190LK03	Seat Frame Mount	\$155		
	(Side Guard - See Below)			

Side Guard (N/A with Ht. Adj. Armrest or T-Post)					
190SG33	Plastic Standard (N/A 8"-9" depth; N/A w/ low padded swing aways.)	\$185			
190SG29	Plastic Low (N/A 8"-9" depth; N/A w/ Padded Swing Aways low setting 5&6)	\$185			
190SG7	Aluminum Folding	\$422			

Aluminum Side Guard Color Option					
	Only available with Aluminum Side Guard				
	190GE01		Black	NC	
	190GE02		Matching Frame - Std. Colors	NC	
	190GE03		Matching Frame - Personalized Color	\$72	

Anti-Tip				
190AT1	Rear Anti-Tips (N/A w/ Dynamic Center Rear Caster)	\$119		

Dynamic Center Rear Caster				
1908A20	Dynamic Center Rear Caster (N/A w/ Rear Anti-Tips)	\$343		

Wheel Lock					
190WL1	High Mount Push	NC			
190WL2	High Mount Pull	NC			
190WL30	Compact	\$160			
190WL10	Omit Wheel Lock	NC			

Extension Handle				
	190EH1		6" Pair	\$72

#### 13. ACCESSORIES

Back Pack (Kids Backpack included)				
190A1	Utility Backpack - Black	\$110		
190A2	Additional Kids Black Backpack	\$103		
190A8	Black Seat Pouch	\$82		

Miscellaneous				
190A203	Crutch Holder	\$113		
190A83	Tool Kit	\$42		

Positioning Belt (w/ clamps)					
190A112	1" Dual Pull Side Squeeze Padded	\$130			
190A117	Belt 2" Aircraft Buckle	\$137			
190A118	Belt 2" Aircraft Buckle Padded	\$201			
190A141	Belt 1.5" Auto Buckle w/ clamps	\$96			
190A814	1" Comfort Fit APB5116	\$144			
190A120	Positioning Belt Side Clamp	\$60			

	Spoke Guard			
Not available with 5 spoke MAG wheels				
	190A23	Black	\$155	
	190A303	Spoke Guards Clear Zippie (N/A with Spinergy)	\$155	

Upper Extremity Support Tray			
190A29	X-Sm (Suggested 10"-12" Width)	\$375	
190A30	Sm (Suggested 13"-14" Width)	\$375	
190A31	Med (Suggested 15"-17" Width)	\$375	
190A32	Lrg (Suggested 18"-20" Width)	\$375	

Сапору			
	1908A06	Canopy (Sunshade) 10" - 17"	\$275
	1908A07	Canopy (Sunshade) 18" - 20"	\$275

## 14. FRAME COLOR

Standard Colors			
	190C140	Aztec Gold	NC
	190C118	Bead Blast	NC
	190C2	Black (N/A as base w/ Zebra)	NC
	190C141	Black Cherry	NC
	190C10	Black Opal	NC
	190C38	Blue Opal	NC
	190C36	Candy Blue	NC
	190C14	Candy Purple	NC
	190C35	Candy Red	NC
	190C142	Electric Blue	NC
	190C143	Evergreen	NC
	190C126	Glow	NC
	190C144	Green Apple	NC
	190C147	Hot Sparkle Pink	NC
	190C148	Mauve Pink	NC
	190C103	Rootbeer	NC
	190C114	Sparkle Silver	NC
	190C145	Sunrise Orange	NC
	190C113	Titanium Color Paint	NC
	190C8	Yellow	NC

Standard Matte Colors				
	190C116	Matte Black	NC	
	190C151	Matte Black Cherry	NC	
	190C152	Matte Purple	NC	
	190C150	Matte Electric Blue	NC	
	190C149	Matte Evergreen	NC	

Personalized Colors			
	190C43	Mossy Oak Camouflage	\$363
	190C42	Stars and Stripes	\$363
	190C108	Zebra (Choose base color above: White Std. N/A black)	\$363

Anodized Color Package				
	Forks, Backrest Bracket, Rear Axle Sleeve; If Frog Legs are chosen, forks will be black			
	190EB07	Black	NC	
	190EB08	Blue	\$209	
	190EB13	Gold	\$209	
	190EB09	Green	\$209	
	190EB11	Red	\$209	
	190EB12	Ti Grey	\$209	

# Additional Options Through Built-4-Me

To inquire about any unique personalization for Quickie products, contact: Phone: (800) 263-3390, email cscanada@sunmed.com

## Commonly Requested Options Include:

- ✓ Aluminum Seat Pan
- √ Swing Away Knee Aductor
- ✓ Height Adjustable Stroller Handle
- ✓ Removable Stroller Handle
- ✓ Personalized Paint and Anodizing





1000 Creditstone Road, Unit 2 Concord, ON., Canada, L4K 4P8