







POSITIONING SUPPORTS

Superior Clinical Seating.

HEAD

POSITIONING



Head Supports See Whitmyer® Catalog for full offering (MKT3003-3)

Head Supports using our portfolio of Whitmyer® Headrests provide posterior, lateral, and occasionally anterior support of the head and neck for clients who may have difficulty maintaining an upright head posture or are using tilt-in-space wheelchairs. Options include numerous pad styles and configurations, six mounting hardware styles, and three cover materials for thousands of possible headrest configurations to meet your client's needs.

PLUSH



The Plush head support provides excellent posterior support with a high level of comfort and client safety.

ADJUST-A-PLUSH



The Adjust-a-Plush head support is designed for clients who exhibit minimal head control and require lateral support on at least one side to maintain an upright head posture.

CONTOUR CRADLE



The Contoured Cradle head support is designed to cradle the occipital region and provides superior lateral cervical support.

S.O.F.T. DUAL SUB-OCCIPITAL ADULT & PEDIATRIC





The S.O.F.T. Dual Sub-Occipital head support features a three-pad device for superior sub-occipital and proximal lateral cervical support and ensures maximum support surface contact.



HEADS UP



The Heads Up head support provides posterior support as well as anterior and lateral stabilization of the shoulders and trunk for optimal head control.

S.O.F.T. SINGLE SUB-OCCIPITAL CUDDLES INFANT

The S.O.F.T. Single Sub-Occipital head support provides outstanding sub-occipital and proximal lateral cervical support through use of a single curved sub-occipital pad.



Cuddles Infant head supports include a three-pad support system and contoured cradle support designed specifically for newborns.

UPPER BODY

POSITIONING



Anterior Trunk Supports

Anterior Trunk Supports encourage an upright posture and support the torso for improved respiratory function, head positioning, and upper extremity control. Options include six support styles and either structured or dynamic construction.

CLASSIC STYLE



	DYNAMIC	STRUCTURED	A	В
EI	ATS8107	-	6.5"	9.75"
XS	ATS8100	ATS8300	7.5"	12.5"
	ATS8101	ATS8301	8.5"	15"
М	ATS8102	ATS8302	9.5"	19"
	ATS8103	ATS8303	10.5"	22.5"
XL	ATS8104	ATS8304	11.5"	25.5"

The Classic style is designed for optimal distribution of support and maximum stability.

CONTOUR STYLE



ZIPPER OPEN



ALC: NOT THE OWNER OF THE OWNER OWNER OF THE OWNER OWNER OF THE OWNER OWNE OWNER OWNE	
A COLOR	- 1
and the second	
and the second second	- 1
and the second	
A CONTRACTOR	
COLUMN D	
200 B 100	
BATSA CO.	
10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
THOMAS CONT	8. II
11 12 2 2 2 2 2 2 2	1.
and the second second	10.0
States and	1000
and the state of the	Carl Carl
1000 - 10 - 10 - 10 - 10 - 10 - 10 - 10	150 M
Carlo Carlo	
the state of the	
a second and a second and	
and the second second	
- States	
and a state of the	
	100
and a state of the	the same
and the second second	The second
the state of the	1000
States 1	138
and the life	1.0
and the second	
Section 1	
S. D. S. D. S.	
CALCULAR STATE	
Concession of the local division of the loca	
States of the local division of the	100
12,000,000,000	
Statement of the local division of the local	10000
10000	1000
ACCESS 1	1000
1000	
Net City	
1000	
1000	
N-1	
Sec.	
	A
	8 H
Call Call	
State of the second	
A CONTRACTOR	
122.50	
10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
and a second	
States -	
The second second	

	DYNAMIC	STRUCTURED	А	В
EI	ATS9107	-	6.5"	9.75"
XS	ATS9100	ATS9300	7.5"	12.5"
	ATS9101	ATS9301	8.5"	15"
Μ	ATS9102	ATS9302	9.5"	18.5"
	ATS9103	ATS9303	10.5"	22.5"
XL	ATS9104	ATS9304	11.5"	25.5"

The Contour style design is optimized for women or individuals who want to limit the amount of contact area between the harness and the body.

	DYNAMIC	STRUCTURED	А	В
	ATS8701	N/A	8.5"	15"
Μ	ATS8702	N/A	9.5"	19"
	ATS8703	N/A	10.5"	22.5"
XL	ATS8704	N/A	11.5"	25.5"

The Zipper Open style is designed to aid in frequent transfers and ease of removal.

ADJUSTABLE STRETCH, CENTER-OPENING



	DYNAMIC	STRUCTURED	А	В	
EI	ATS8807	ATS9407	5"	9.75"	
XS	ATS8800	ATS9400	5.75"	11"	
S	ATS8801	ATS9401	6.5"	12.25"	
М	ATS8802	ATS9402	9.75"	14.25"	
L	ATS8803	ATS9403	9.75"	15.5"	
XL	ATS8804	ATS9404	10"	17.5"	

The Center Opening allows for increased flexibility in frequent transfers and the adjustable center strap allows for a more precise fit.

TRUNK STRAP

The Trunk Strap style allows for increased range of motion when shoulder rotation and reaching are required.



	STANDARD	BETWEEN THORACICS	А	В
XS	ATS4050	ATS4050T	8"	3"
S	ATS4000	ATS4000T	10"	3"
М	ATS4100	ATS4100T	12"	3"
L	ATS4200	ATS4200T	14"	4"
XL	ATS4300	ATS4300T	16"	4"
Custom	ATS4900	ATS4900T	Specify	

Hand and Arm Supports

Hand & Arm Supports help maintain a comfortable an upper body posture and head control.



PADDED WRIST STRAPS



GEL ARMREST PAD COVERS



Y-STYLE



	DYNAMIC	STRUCTURED	А	В
EI	ATS9167	ATS9367	15"	7"
	ATS9161	ATS9361	19"	8"
Μ	ATS9162	ATS9362	22"	9"
	ATS9163	ATS9363	25"	11"
Custom	ATS9169	ATS9369	Spe	cify

The Y-Style allows for increased range of motion for one arm while still providing optimal support.

7

BACKPACK STYLE

Allows control of forward flexion and allows more intimate shoulder retraction-can be used aggressively for upper torso control.



	DYNAMIC	STRUCTURED	А
S	ATS9601	ATS9701	12"
L	ATS9603	ATS9703	18"

Hand & Arm Supports help maintain a comfortable and optimal position of the hands and arms for improved



	HARDWARE				
А	FIXED	SWING-AWAY			
14"	JARM14F	JARM14SA			
18"	JARM18F	JARM18SA			
22"	JARM22F	JARM22SA			

Swing-Away Hardware

	STRAP	WRIST CIRCUMFERENCE		
	ATS7510	5.5" to 7"		
М	ATS7520	7.5" to 9"		
	ATS7530	9.5" to 11"		
Custom	ATS7590	Specify		

	GEL PAD COVER		
DESK	131066		
FULL	131067		
PWR RECLINE (R)	131071		
PWR RECLINE (L)	131072		

PELVIC POSITIONING Belt Padding WEBBING W L APB180 1-1/2" 5-1/2" 1" 1-1/2" 7-1/2" 1" 2" 7-1/2" 1-1/2" 1-1/2" 2-1/4" 9-1/2" 2" 2-3/4" 9-1/2" 2" 2-3/4" 11-1/2" APB180 **Custom: Specify**

Pelvic Positioning Belts help encourage and maintain a stable and aligned pelvis, which impacts the positioning of the entire body. Options include varying styles and sizes, single- or dual-pull adjustments, and push button or side release buckles for ease of use.

STANDARD 2-POINT W/PUSH BUTTON BUCKLE (METAL)



1" WEBBING	NON-PADDED	4.5	" PAD	5.5" PA	٨D	7.5" PAD
Single Pull	APB5110	AP	B5115	APB51	16	APB5117
Dual Pull	_	AP	B5125	APB51	26	APB5127
1.5" WEBBING	NON-PADD	ED	7.5"	PAD	Q	9.5" PAD
Single Pull	APB7210		APE	37212	ļ	APB7213
Dual Pull	-		APE	37222	ļ	APB7223
2" WEBBING	2" WEBBING NON-PADDE		9.5"	PAD	1	1.5" PAD
Single Pull	APB7310		APE	37313	ļ	APB7314

STANDARD 2-POINT W/SIDE RELEASE BUCKLE (PLASTIC)

1.5" WEBBING, 7.5" PAD



MEDIAL 4-POINT W/PUSH BUTTON BUCKLE (METAL)



1.5

V-CONTOUR PELVIC POSITIONING BELT



SMALL PA MEDIUM PA LARGE PA

1" WEBBING	NON-PADDED	5.5" PAD	7.5" PAD
Single Pull	APB6111	APB6111	APB6112
Dual Pull	-	APB6121	APB6122
1.5" WEBBING	NON-PADDED	7.5" PAD	9.5" PAD
Single Pull	APB6210	APB6212	APB6213
Dual Pull	_	APB6222	APB6223
2" WEBBING	NON-PADDED	9.5" PAD	11.5" PAD
Single Pull	APB6310	APB6313	APB6314

	3.5" PAD	4.5" PAD	5.5" PAD	6.5" PAD
" WEBBING	APB5145	APB5146	-	_
5" WEBBING	-	APB7242	APB7243	APB7244

	1" Side	1.5" Side	2" Side	1" Push	1.5" Push	2" Push
	Release	Release	Release	Button	Button	Button
	Buckle	Buckle	Buckle	Buckle	Buckle	Buckle
AD	APB3616	-	-	APB3716	-	-
AD	_	APB3627	_	_	APB3727	_
AD	_	_	APB3638	-	-	APB3738

LOWER BODY

POSITIONING



Shoe Holders

Shoe Holders help maintain positioning of the feet and ankles, broadening the seating "footprint", and improving overall posture.

FOOT AND ANKLE POSITIONING (EACH)



SHOE HOLDER (EACH)



	FOOT & ANKLE	ANKLE ONLY	Α	В
XS	-	TST6501R TST6501L	6"	4.5"
	TST6510R TST6510L	TST6511R TST6511L	7.75"	5"
М	TST6520R TST6520L	TST6521R TST6521L	7.75"	5"
L	TST6540R TST6540L	TST6541R TST6541L	9.75"	6"
XL	TST6560R TST6560L	TST6561R TST6561L	10.75"	6.5"

	PADDED	NON-PADDED	Α	В
S	TST6001	TST6000	5.75"	3"
М	TST6101	TST6100	7.75"	3.25"
L	TST6201	TST6200	9.75"	4"
XL	TST6301	TST6300	12.75"	6"

FLEXI-FEET (PAIR)



Foot Boxes

Foot Boxes reduce the risk of skin breakdown and/or client injury that may result from periods of high tone or continual contact with the hangers and footplates.

SINGLE FOOT BOX



FULL FOOT BOX W/DIVIDER



FULL FOOT BOX



	FLEXI-FEET	А	В
XS	32600XS-RT	4.5"	2.75"
S	32600S-RT	6.25"	3"
М	32600M-RT	8.25"	3.5"
L	32600L-RT	9"	4.5"

	CALCULATING FOOT BOX WIDTH
Flared Frame	Foot Box Width = Seat Width + 2"
Offset Hanger	Foot Box Width = Seat Width + 2"
0" Inset	Foot Box Width = Seat Width
1" Inset	Foot Box Width = Seat Width -2 "
2" Inset	Foot Box Width = Seat Width -4 "

	HEIGHT	А	В
JFOOTSS	Standard	8"	7.5"
JFOOTST	Tall	12"	7.5"

	WIDTH	HEIGHT	А	В
JFOOT16SD	16"	Standard	8"	13.5"
JFOOT18SD	18"	Standard	8"	15.5"
JFOOT20SD	20"	Standard	8"	17.5"
JF00T22SD	22"	Standard	8"	19.5"
JFOOT16TD	16"	Tall	12"	13.5"
JFOOT18TD	18"	Tall	12"	15.5"
JFOOT20TD	20"	Tall	12"	17.5"
JF00T22TD	22	Tall	12"	19.5"

	WIDTH	HEIGHT	Α	В
JFOOT12S	12"	Standard	8"	9.5"
JFOOT14S	14"	Standard	8"	11.5"
JFOOT16S	16"	Standard	8"	13.5"
JFOOT18S	18"	Standard	8"	15.5"
JFOOT20S	20"	Standard	8"	17.5"
JFOOT22S	22"	Standard	8"	19.5"
JFOOT16T	16"	Tall	12"	13.5"
JFOOT18T	18"	Tall	12"	15.5"
JFOOT20T	20"	Tall	12"	17.5"
JFOOT22T	22"	Tall	12"	19.5"