



Zippie X'Cape
July 2025
EIFZ1

Date: _____		SUBMITTING FOR: ☐ Quote ☐ Order	
Dealer Acct #: _____		PO#: _____	
Dealer: _____		Ship To: _____	
Dealer Contact: _____		Attention: _____	
Dealer Address: _____		Address: _____	
Dealer City: _____ Prov: _____ PC: _____		Address: _____	
Dealer Phone: () _____		Ship To City: _____ Prov: _____ PC: _____	
Fax: () _____		Ship To Phone: () _____ Fax: () _____	
Confirm Via: ☐ Fax ☐ Email			
Mark For: _____			

✓	Option #	Definition	Price	✓	Option #	Definition	Price
1. FRAME							
A. Zippie X'CAPE - TRANSIT INCLUDED 165 lbs. Weight Capacity				B. Zippie X'CAPE - TRANSIT OPTIONAL 165 lbs. Weight Capacity			
A. FRAME STYLE (Includes True Fit) (N/A w/ Xtender)				B. FRAME STYLE (Includes True Fit)			
☐	121WM87	X'CAPE - Transit Incl. without seating (JAY seating opts available)	\$3,494	☐	121WM83	X'CAPE - Transit Opt. without seating (JAY seating opts available)	\$3,387
☐	121WM84	X'CAPE - Transit Incl. w/ Seating (Sling and Back Uph.)	\$3,494	☐	121WM85	X'CAPE - Transit Opt. w/ Seating (Sling and Back Uph.)	\$3,387

TRANSIT SYSTEM WC-19							
☐	121TO48	Transit Opt. (N/A w/ Xtender)	NC	☐	121TO40	Omit Transit	NC

FRAME TYPE							
☐	121FT64	Zippie-Swing Away Frame	NC	☐	121FT65	Zippie-80° Fixed Front Frame	NC

2. SIZE/SEATING							
2A. FRAME WIDTH							
8", 9" and 10" widths N/A with Xtender							
☐	121W48	8" (Frame Width Growth 9"-10")	NC	☐	121W53	13" (Frame Width Growth 14"-15")	NC
☐	121W49	9" (Frame Width Growth 10"-11")	NC	☐	121W54	14" (Frame Width Growth 15"-16")	NC
☐	121W50	10" (Frame Width Growth 11"-12")	NC	☐	121W55	15" (Frame Width Growth 16"-17")	NC
☐	121W51	11" (Frame Width Growth 12"-13")	NC	☐	121W56	16" (Frame Width Growth 17"-18")	NC
☐	121W52	12" (Frame Width Growth 13"-14")	NC				

2B/C. SLING DEPTH, FRAME DEPTH AND BACK POST POSITION. See matrix on page 2.							
8"-11" Frame Depth with 20", 22" or 24" wheels and Personalized Seating must have hublock or Fixed Front frame. When selecting Frame Depth with JAY seating, add 1" to accommodate seating. Example: need 12" depth, order 13" depth.							

2B. Sling Depth when choosing with Seating Sling must be up to 3" less than or equal to the Frame Depth (C.)							
☐	121GJ1	8"	NC	☐	121GJ7	14"	NC
☐	121GJ2	9"	NC	☐	121GJ8	15"	NC
☐	121GJ3	10"	NC	☐	121GJ9	16"	NC
☐	121GJ4	11"	NC	☐	121GJ10	17"	NC
☐	121GJ5	12"	NC	☐	121GJ11	18"	NC
☐	121GJ6	13"	NC				

2C. Frame Depth and Back Post Position with Growth Note: Must be equal or greater than Sling Depth if chosen with seat Sling							
☐	121FD40	8" (Frame depth growth 9"-11", N/A w/ 24" wheels)	NC	☐	121FD46	14" (Frame depth growth 15"-17")	NC
☐	121FD41	9" (Frame depth growth 10"-12", N/A w/ 24" wheels)	NC	☐	121FD47	15" (Frame depth growth 16"-18")	NC
☐	121FD42	10" (Frame depth growth 11"-13")	NC	☐	121FD48	16" (Frame depth growth 17"-19")	NC
☐	121FD43	11" (Frame depth growth 12"-14")	NC	☐	121FD49	17" (Frame depth growth 18"-20")	NC
☐	121FD44	12" (Frame depth growth 13"-15")	NC	☐	121FD50	18" (Frame depth growth 19"-20")	NC
☐	121FD45	13" (Frame depth growth 14"-16")	NC				

SEATING

Seat Sling

☐	121OP01	Standard Seat Sling	STD
☐	121OP04	Omit Seat Sling (available when base is ordered with seating)	NC

JAY Cushions (Optional)

To order any other JAY cushions on-chair, please see the JAY price list.
Cushion name or part number must be filled out w/ desired width and depth

☐	121JC20	JAY Bundled Cushion	Price List
		Cushion Name or Part#	
		Width (in.):	Depth (in.):

Seat Sling to Frame Depth Matrix

Difference from front of frame to front of sling													
Frame Length	Sling Length												
	8"	9"	10"	11"	12"	13"	14"	15"	16"	17"	18"		
8"	0"												
9"	0"	0"											
10"	0"	0"	0"										
11"	1"	1"	1"	0"									
12"		2"	2"	1"	0"								
13"			3"	2"	1"	0"							
14"				3"	2"	1"	0"						
15"					3"	2"	1"	0"					
16"						2"	1"	0"	0"				
17"							1"	0"	0"	0"			
18"								0"	0"	0"	0"		

3.CASTERS/SEAT HEIGHT

Caster Wheel

☐	121CW30	3" Micro Light Up	NC
☐	121CW3	4" Low-Profile Polyurethane	NC
☐	121CW31	4" Micro Light Up	\$110
☐	121CW64	4" x 1-1/2" Aluminum Soft Roll	\$110
☐	121CW5	5" Low-Profile Polyurethane	NC
☐	121CW51	5" Micro Light Up	\$110
☐	121CW6	5" Soft Roll (Grey)	\$126
☐	121CW7	5"x1-1/2" Semi-Pneumatic	\$110
☐	121CW66	5"x1-1/2" Aluminum Soft Roll	\$110
☐	121CW34	6" Poly	NC
☐	121CW35	6"x1-1/2" Semi-Pneumatic	\$110

Caster Forks

☐	121CF65	Multiple Position	NC
--------------------------	---------	-------------------	----

Front Seat Heights Matrix

Rear Wheel Size	Front Caster			
	☐ 3"	☐ 4"	☐ 5"	☐ 6"
☐ 12" ☐ 16" ☐ 20" ☐ 22"	☐ 13.0"	☐ 13.0"	☐ 14.0"	☐ 15.0"
	☐ 13.5"	☐ 13.5"	☐ 14.5"	☐ 15.5"
	☐ 14.0"	☐ 14.0"	☐ 15.0"	☐ 16.0"
	☐ 14.5"	☐ 14.5"	☐ 15.5"	☐ 16.5"
	☐ 15.0"	☐ 15.0"	☐ 16.0"	☐ 17.0"
	☐ 15.5"	☐ 15.5"	☐ 16.5"	☐ 17.5"
	☐ 16.0"	☐ 16.0"	☐ 17.0"	☐ 18.0"
	☐ 16.5"	☐ 16.5"	☐ 17.5"	
	☐ 17.0"	☐ 17.0"		N/A
	N/A	☐ 17.5"	N/A	N/A
☐ 24"	N/A	N/A	☐ 14.0"	☐ 15.0"
			☐ 14.5"	☐ 15.5"
	☐ 14.0"	☐ 14.0"	☐ 15.0"	☐ 16.0"
	☐ 14.5"	☐ 14.5"	☐ 15.5"	☐ 16.5"
	☐ 15.0"	☐ 15.0"	☐ 16.0"	☐ 17.0"
	☐ 15.5"	☐ 15.5"	☐ 16.5"	☐ 17.5"
	☐ 16.5"	☐ 16.5"	☐ 17.0"	☐ 18.0"
	☐ 17.0"	☐ 17.0"	☐ 17.5"	
	N/A	☐ 17.5"	N/A	N/A

FRONT SEAT HEIGHTS ARE SHOWN IN THE BOXES IN THE FRONT SEAT HEIGHTS MATRIX. DEPENDING ON CG SETTING, SEAT DEPTH, AND FRAME SIZE SOME OF THE SIZES MAY NOT BE AVAILABLE

Standard Frame

Hemi Fame (N/A w/ 90° hanger, 80° hanger footplate in lowest position may cause interference w/caster)

Depends on Caster setting

4.REAR WHEELS/SEAT HEIGHT

XTENDER POWER ASSIST OPTION

22" & 24" wheels only. RSH 14" to 16" for 22", RSH 15.0" to 17" for 24". 0° camber, pneumatic tire. Anti-Tips no charge. Dual drive mode available through B4Me.

Xtender Power Assist

☐	121XT6	22" Xtender Power Assist JWX-2 NICKEL	\$9,598
☐	121XT7	22" Xtender Power Assist JWX-2 LITHIUM	\$11,143
☐	121XT4	24" Xtender Power Assist JWX-2 NICKEL	\$9,598
☐	121XT5	24" Xtender Power Assist JWX-2 LITHIUM	\$11,143

Please select one of the following handrim options

☐	121XH5	Plastic Coated	NC
☐	121XH6	Stainless Steel	NC

Xtender - Other Options

☐	121XA10	Spare NIMH Power Pack - NICKEL	\$1,848
☐	121XA11	Spare Li-ion Power Pack - LITHIUM	\$2,379

Xtender Wheel Options

☐	121XA8	SPARE 22" Lite Spoke Pneu Alum	NC
☐	121XA9	SPARE 22" Lite Spoke Pneu Plastic	\$141
☐	121XA2	SPARE 24" Lite Spoke Pneu Alum	NC
☐	121XA4	SPARE 24" Lite Spoke Pneu Plastic	NC

Rear Wheels

N/A w/ Xtender & 5 Spoke Mag Wheels. N/A w/ Hub Lock. Std Mag Wheels only available with One Arm Drive. 24" wheels. N/A with 8" and 9" frame depths. 8"-12" Frame Depth with 20-24" Rear Wheels and ELR's is ONLY available with Hub Lock Wheels

☐	121RW48	12" Mag (Not available with handrims or one arm drive)	\$47
☐	121RW14	16" Mag (Not available with handrims or one arm drive)	NC
☐	121RW3	20" Mag Wheel	NC
☐	121RW8	22" Mag Wheel	NC
☐	121RW1	24" Mag Wheel	NC
☐	121RW103	20" Mag Wheel 5 Spoke	NC
☐	121RW104	22" Mag Wheel 5 Spoke	NC
☐	121RW102	24" Mag Wheel 5 Spoke	NC
☐	121RW74	20" Lite Spoke Wheel	NC
☐	121RW75	22" Lite Spoke Wheel	NC
☐	121RW76	24" Lite Spoke Wheel	NC
☐	121RW06	22" Ultra light wt. Spoke Wheel 2.0	\$357
☐	121RW10	24" Ultra light wt. Spoke Wheel 2.0	\$357
☐	121RW28	22" Spinergy SPOX Black Spokes	\$864
☐	121RW95	24" Spinergy SPOX Black Spokes	\$864
☐	121RW32	22" Spinergy LX Black Spokes	\$1,111
☐	121RW98	24" Spinergy LX Black Spokes	\$1,111

Rear Wheel Tire

☐	121RT3	Full Poly Tire	NC
☐	121RT6	High Pressure Clincher	\$105
☐	121RT27	Knobby V-TRAK by Kenda	\$121
☐	121RT38	SHOX Performance Poly	\$146
☐	121RT1	Pneumatic	NC
☐	121RT2	Pneumatic Airless Insert	\$247
☐	121RT21	Schwalbe Marathon Plus Evolution	\$157
☐	121RT28	Schwalbe Speed	\$162
☐	121RT4	Low Poly	NC

Tire	Wheel	5 Spoke Mag	Std. Mag	Lite Spoke	Ultra Light-weight	Spinergy
Full Poly Tire		20",22",24"	20",22",24"	20",22",24"		
High Pressure Clincher				22",24"	24"	22",24"
SHOX Performance Poly		20",22",24"		20",22",24"		22",24"
Knobby V-TRAK				24"		24"
Pneumatic		20",22",24"	12",16",20",22",24"	20",22",24"		22",24"
Pneumatic Airless Insert		20",22",24"	12",16",20",22",24"	20",22",24"		22",24"
Schwalbe Marathon Plus				24"	22",24"	22",24"
Schwalbe Speed Run				24"	24"	24"
Low Poly			12"	24"		
22" = 489 mm 24" = 540 mm						

Handrim

N/A w/ Xtender. Natural Fit N/A w/ 20" and 22" 5 Spoke Mag Wheel

☐	121HR1	Aluminum Anodized	NC
☐	121HR4	Plastic Coated (N/A on Ultra and 22" Spinergy LX,SPOX)	\$146
☐	121HR22	Natural Fit -Standard Grip (N/A on Ultra Lite or 20" Lite Spoke)	\$374
☐	121HR23	Natural Fit - Super Grip (N/A on Ultra Lite or 20" Lite Spoke)	\$434
☐	121HR39	Ellipse 3R	\$550
☐	121HR40	Gekko	\$575
☐	121HR41	Curve L-Tetra Grip	\$625
☐	121HR7	Omit Handrim (Option may not be available on all rear wheels)	NC

Axle Plate

☐	121AL33	Standard	NC
--------------------------	---------	----------	----

4. REAR WHEELS/SEAT HEIGHT Cont.

One Arm Drive

NA w/ Xtender. N/A w/ 12"-16" wheels. Only avail. On 12"-16" widths and 20", 22" and 24" mag wheels. N/A with Natural Fit handrims. N/A with SPHA arms

☐	121AL16	One Arm Drive	\$1,382
☐	121OA2	Standard Handrim	NC
☐	121HM1	☐ Right Hand Mount	NC
☐	121HM2	☐ Left Hand Mount	NC
☐	121OA1	Small Handrim (N/A w/ 20" rear wheels)	NC
☐	121HM1	☐ Right Hand Mount	NC
☐	121HM2	☐ Left Hand Mount	NC

Axle

☐	121AX1	Quick Release (N/A w/ One Arm Drive)	NC
☐	121AX11	Quad Quick Release (Only Available with 12" and 16" Mag Wheels)	\$182

Center of Gravity Preset (dependent on wheels, casters & depth, From standard frame depth +2" forward and - depth growth up to -3")

☐	121CC28	-0.5"	NC
☐	121CC26	0 (Flush w/ backrest)	NC
☐	121CC16	0.5" (Only avail 9"-18" deep)	NC
☐	121CC20	1" (Only avail 10"-18" deep)	NC
☐	121CC15	1.5" (Only avail 10"-18" deep)	NC
☐	121CC17	2" (Only avail 16"-18" deep)	NC
☐	121CC18	2.5" (Only avail 16"-18" deep)	NC

Camber

☐	121CI1	0°	NC
☐	121CI2	3° (N/A w/ Single Post Ht. Adj. Arm)	NC

Rear Seat Height (see Allowable Squeeze chart)

☐	121RH32	11"	NC
☐	121RH33	11.5"	NC
☐	121RH9	12"	NC
☐	121RH10	12.5"	NC
☐	121RH11	13"	NC
☐	121RH12	13.5"	NC
☐	121RH13	14"	NC
☐	121RH14	14.5"	NC
☐	121RH15	15"	NC
☐	121RH16	15.5"	NC
☐	121RH17	16"	NC
☐	121RH18	16.5"	NC
☐	121RH19	17"	NC
☐	121RH26	17.5"	NC
☐	121RH20	18"	NC

Rear Wheel	11"	11.5"	12"	12.5"	13"	13.5"	14"	14.5"	15"	15.5"	16"	16.5"	17"	17.5"	18"
12" low poly															
12" pneu															
16"															
20"															
22"															
24"															
24" pneu															

When tires are not listed default to the wheel size. All Heights are subject to vary slightly

Allowable Squeeze (may vary +/- 1/2")

Frame Depth	Max Squeeze
8"-9"	1.0"
10"-12"	1.5"
13"-15"	2.0"
16"-18"	2.5"

5. WHEEL LOCK

Hub Lock

Only available with 12" or 16" mag wheels or Lite Spoke wheels.
Not available with One Arm Drive.

☐	121LK01	12" Hub Lock	\$162
☐	121LK02	16" Hub Lock	\$162
☐	121LK04	20"-24" Hub Lock Lite Spoke	\$162

Hub Lock Mount Position

Foot lock may limit folding width.

☐	121HH01	Foot lock Mount	NC
☐	121HH02	Seat Mount	NC
☐	121HH03	Back Mount (back ht. may be limited)	NC

Wheel Lock

High Mount will be mounted in low position on 12 and 16 rear wheels.
Some may not be available depending on wheel size and position.

☐	121WL1	High Mount Push	NC
☐	121WL2	High Mount Pull	NC
☐	121WL30	Compact	\$162
☐	121WL10	Omit	NC

Extension Handle (Only avail w/ High Mount Wheel Locks)

☐	121EH1	6" Pair	\$73
--------------------------	--------	---------	------

Swing Away 8"-12" Frame Depth

Wheel Lock go/no-go matrix

Frame Depth	C.G.	20" wheel	22" wheel	24" wheel	Frame Depth	C.G.	20" wheel	22" wheel	24" wheel
8"	-0.5"				11	-0.5"			
	0"					0"			
	0.5"					0.5"			
	1"					1"			
9"	-0.5"				12	1.5"			
	0"					-0.5"			
	0.5"					0"			
	1"					0.5"			
10"	-0.5"					1"			
	0"					1.5"			
	0.5"					No-go. User must use hublock.			
	1"					Go			
	1.5"								

6. HANGER AND FOOTREST

Z-finity Hangers/Footrest System

N/A on Fixed Frame.

Some interference may exist in certain configurations.

☐	121H162	Z-finity Hanger	STD
☐	121H160	Elevating Hanger - Ext Mount <i>Includes ELR pad. N/A w/ Z-finity. Some limitations may exist.</i>	\$147
☐	121H144	Omit Hanger	NC

Z-finity Footrest Mount (Must Chose see Illustration)

☐	121DI22	Direct Hanger Mt/Fixed Frame - High	NC
☐	121DI23	Direct Hanger Mt/Fixed Frame - Low	NC
☐	121DI24	Extension Tube Mount	NC

Z-finity Footrest Pivot Arm (Must Choose, use matrix for leg length)

☐	121DI20	Short 2"	NC
☐	121DI21	Long 3-1/4"	NC

Footplate

Some interference may exist in certain configurations.

☐	121F320	Multi-Angle Adjustable - Pair <i>(N/A w/ 8"-9" widths)</i>	\$247
☐	121F321	Angle Adjustable Platform Footboard	\$231
☐	121F6	Omit Footplate	NC

Extension Tube Length (When Choosing Ext. Tube Mount)

☐	121E62	Hemi	NC
☐	121E1	Short	NC
☐	121E2	Medium	NC
☐	121E5	Long	NC

Hanger Mounted Footrest (Footplates Mount to Hanger Tubing)

N/A with 8" and 9" width. Footplate mounted in lowest position may cause interference w/ caster.

☐	121H157	80° Swing In/Out Front Mount	NC
☐	121H158	90° Swing In/Out Front Mount	NC

Extensions (may interfere with some seat heights & casters)

☐	121E23	2" (not mounted)	\$53
☐	121E24	4" (not mounted)	\$53


Footplate

☐	121F9	Kids Angle Adjustable (only available w/ 10"-16" frame widths)	NC
☐	121F8	Adult Angle Adj. (only available with 10"-16" widths)	\$176

Swing In/Out Hanger Leg Lengths

(Seat sling to footrest measured)


80° Hanger	Min	Max
No Ext. Tube	5.7"	9.7"
2" Ext. Tube	11.2"	12.2"
4" Ext. Tube	11.2"	14.1"
90° Hanger	Min	Max
No Ext. Tube	6.0"	10.0"
2" Ext. Tube	11.5"	12.5"
4" Ext. Tube	11.5"	14.5"



Z-finity Matrix

Direct Hanger Mount

Extension Tube Mount



Direct Hanger Mounted			
Pivot Arm	Hanger Mounting Position	Min	Max
Short	High Mount	0.5"	4.5"
	Low Mount	3.5"	8.0"
Long	High Mount	-1.0"	5.5"
	Low Mount	2.5"	9.0"

Extension Tube Mounted			
Pivot Arm	Extension Tube Length	Min	Max
Short	Hemi Short	5.8"	14.1"
	Short	6.5"	15.1"
	Medium	8.4"	17.0"
	Long	10.3"	19.0"
Long	Hemi Short	4.6"	15.3"
	Short	5.2"	16.3"
	Medium	7.2"	18.3"
	Long	9.2"	20.2"

ELR Ext Mt.(MED Ext Tube)

Pivot Arm	Min	Max
Short	7.0"	18.0"
Long	6.0"	19.0"

Footrest Options

☐	121HL8	Leg Strap	\$61
☐	121HL11	Heel Loops (N/A w/ Kids Angle Adj. Z-finity. N/A on widths below 14")	NC
☐	121IG2	Neoprene Impact Guards (N/A with footrest in highest mounted position)	\$61

7. BACKRESTS

BACKREST

☐ 121BT10	Standard Backrest (Angle adj./folding)	NC	☐ 121BT101	Dynamic Backrest (N/A w/ Fixed Back)	\$1,558
----------------------------------	--	----	-----------------------------------	--------------------------------------	---------

BACK TYPE (Choose Height Adjustable or Fixed Height)

☐ 121BT120	Height Adjustable (see matrix below)	NC	OR	☐ 121BT53	Fixed Height	NC
-----------------------------------	--------------------------------------	----	-----------	----------------------------------	--------------	----

Height Adjustable (See Backrest Height Range matrix)

Must choose Lower Base Tube, Backrest Style, and Upper Back Tube.

Lower Base Tube (See Backrest Height Matrix Below)

☐ 121BP58	Short	NC
☐ 121BP59	Medium	NC
☐ 121BP60	Tall (N/A with Dynamic Backrest)	NC

Backrest Styles (See Images Below)

☐ 121PH16	Straight Non Push Handle	NC
☐ 121PH6	Integral Push handle	NC
☐ 121PH17	Folding Push Handle with Ht. Adj. Back (8"-10" widths, stroller handle will face outward)	\$310
☐ 121PH15	Omit Back Tube (See omit matrix)	NC

Upper Back Tube (See Backrest Height Matrix Below)

☐ 121B245	Short	NC
☐ 121B5	Medium	NC

Height Adjustable Backrest


Preset Back height (Choose for Set Up)
No Upholstery w/ 19"-24"

☐	9"	☐	15"	☐	20"
☐	11"	☐	16"	☐	21"
☐	12"	☐	17"	☐	22"
☐	13"	☐	18"	☐	23"
☐	14"	☐	19"	☐	24"

Fixed Height

Fixed Height back N/A with upholstery


☐ 121BP9	Standard (16" Height)	NC
☐ 121BP10	Medium (20" Height)	NC
☐ 121BP11	Tall (23" Height)	NC
☐ 121BP61	Standard w/ Folding PH (16" Height)	\$310
☐ 121BP62	Medium w/ Folding PH (20" Height)	\$310
☐ 121BP63	Tall w/ Folding PH (23" Height)	\$310



Backrest Height Ranges

Upper Back Tube (Choose One)

			Straight non-push handle Short	Straight non-push handle Medium	Integral push handle Short	Integral push handle Medium	Folding Push Handle Short	Folding Push Handle Medium	Omit
Lower Base Tube (Choose one)	Standard	Short	11"-15"	15"-19"	11"-15"	15"-19"	12"-16"	16"-20"	9"
		Medium	15"-19"	18"-23"	15"-19"	18"-23"	16"-20"	19"-24"	13"
		Tall	18"-22"	18"-24"	18"-22"	18"-24"	19"-23"	19"-24"	16"
	Dynamic	Short	14"-18"	18"-22"	14"-18"	18"-22"	15"-19"	19"-23"	12"
		Medium	18"-22"	21"-24"	18"-22"	21"-24"	19"-23"	22"-24"	16"



7. BACKRESTS Cont.

Back Upholstery

Uph N/A with Fixed Height back. Std Uph N/A w/Flip-Up, Adj. Locking Flip-Up and Length Adj Locking Flip-up. 3DX N/A on 8"-11" widths. Ballistic N/A on 8"-9" widths.

☐	121BU1	Standard Upholstery	STD
☐	121BU71	Backrest Tension Adj. 3DX Vented	\$471
☐	121BU70	Backrest Tension Adj. Ballistic	\$190
☐	121BU66	Omit Back Upholstery	NC

JAY Back (Optional)

To order any other JAY back on-chair, please See the JAY Price Lst. Requires Part #

☐	121JB02	JAY Bundled Backrest	Price List
		Backrest Name or Part #	
		Width (in.):	
		Height (in.):	

Stabilizer Bar

N/A w/ Dynamic back and Fixed Back. Only available w/ Integral push handle.

☐	121SZ1	Stabilizer Bar	\$168
--------------------------	--------	----------------	-------

8. ARMRESTS/SIDEGUARDS

Armrest and Armpad - Height Adjustable

Flip-Up, Adj. Locking Flip-Up and Length Adj. Locking Flip-up N/A with Std Back Upholstery. Low RSH in combination with large wheels may result in arm interference. SPHA arms N/A with One Arm Drive or Xtender.

☐	121AA58	T-Post Xtra Tall(with sideguard)	\$278
☐	121AA59	T-Post 2X Tall(with sideguard)	\$278
☐	121AA3	Flip-Up	NC
☐	121AA1	Adjustable Locking Flip-Up	\$339
☐	121AA7	Length Adjust. Locking Flip-Up	\$339
☐	121AA11	Single-Post Ht Adj. Std. (N/A w/ 3° camber or 8"-9" frame depths)	\$339
☐	121AA29	Single-Post Height Adj. Low (N/A w/ 3° camber or 8"-9" frame depths)	\$339
☐	121AA14	Omit Armrest	NC

Side Guard

N/A with height adjustable armrests and T-Posts

☐	121SG33	Plastic Std	\$188
☐	121SG29	Plastic Low	\$188


Armpad

N/A with T-Post and Adj. Locking Flip-Up and Foam only available with Length Adj. Locking Flip-Up.


☐	121AM23	Desk Classic	NC
☐	121AM24	Full Classic (N/A w/ 10"-13" Depth)	NC
☐	121AM9	Foam Short (N/A w/ T Post)	NC
☐	121AM10	Foam Long (N/A w/ T Post)	NC

Single Post Height Adjustable Armrest

Pad	Armrest Size	Transfer Tube Length (D)	Range (H)	Pad Length (L)	
				Desk	Full
Classic	STD	8"	9-1/2" to 14-1/2"	10-1/4"	14"
	LOW	5-1/4"	8" to 12"		



Armrest Size	T-POST	
	Range (H)	Pad Length (L)
XTALL	6" to 7"	7"
2X TALL	7-1/2" to 8-1/2"	



9. ACCESSORIES

Back Pack (one Backpack Black/Charcoal already included)			
☐	121A1	Black Utility Backpack	\$112
☐	121A2	Backpack Black/Charcoal Kids	\$105
Miscellaneous			
☐	1218A03	Caddy (Only avail w/ Ext. Mt. hangers)	\$89
☐	1213A01	Tool Kit	\$43
☐	121A2100	Crutch Holder	\$115
Positioning Belt			
☐	121A823	Belt 1" Dual Adj. Sqz Blk Pad	\$105
☐	121A824	Belt 2" Aircraft Buckle	\$139
☐	121A825	Belt 2" Aircraft Buckle Padded	\$204
☐	121A826	Belt 1.5" Auto Buckle	\$89
☐	121A814	1" Comfort Fit APB5116	\$146
Upper Extremity Support Tray			
N/A with 8"-9" widths			
☐	121A29	X-Small (Suggested 10"-12" chair width)	\$381
☐	121A30	Small (Suggested 13"-14" chair width)	\$381
☐	121A31	Medium (Suggested 15"-17" chair width)	\$381
☐	121A32	Large (Suggested 18"-20" chair width)	\$381
Canopy (SunShade)			
Need 2" back post clearance to mount canopy hardware			
☐	1218A06	Canopy (Sunshade) 10"-14" Width	\$428
☐	1218A07	Canopy (Sunshade) 15"-20" Width	\$428

Seat Pouch			
☐	1211A01	Black	\$83
Anti-Tip			
☐	121AT1	Rear Anti-Tip	\$121
☐	121AO1	Front Anti-Tip (N/A with transit opt.)	\$157
Spoke Guard			
N/A with 12" and 16" rear wheels or 5 spoke mag or Xtender			
☐	1214A01	Black	\$157
☐	1214A02	Clear Zippie	\$157
Designer Spoke Guard			
Only available with 22" or 24" Spoke rear wheels			
☐	1214A10	Basketball	\$201
☐	1214A11	Chrome Wheels	\$201
☐	1214A12	Graffiti	\$201
☐	1214A13	Happy Lions	\$201
☐	1214A14	Hot Wheels	\$201
☐	1214A15	Mice n Cheese	\$201
☐	1214A16	Princess	\$201
☐	1214A17	Space Galactica	\$201
☐	1214A18	Super Hero	\$201
☐	1214A19	Zebra	\$201

10. COLOR (Standard with frame and cross brace color choices)

Frame Color (Must choose)			
Standard Colors			
☐	121C211	Celestial Sapphire	NC
☐	121C212	Desert Sage	NC
☐	121C213	Desert Tan	NC
☐	121C214	Gloss Black	NC
☐	121C215	Matte Black	NC
☐	121C216	Metallic Shadow	NC
☐	121C217	Midnight Blue	NC
☐	121C218	Mystic Purple	NC
☐	121C219	Petal Pink	NC
☐	121C220	Pink Power	NC
☐	121C221	Red Pepper	NC
☐	121C222	Royal Blue	NC
☐	121C223	Slaute Green	NC
☐	121C224	Scarlet Noir	NC
☐	121C225	Silver Ore	NC
☐	121C226	Solar Orange	NC
☐	121C227	Starlight White	NC
☐	121C228	Storm Gray	NC
☐	121C229	Turbo Green	NC
☐	121C230	Velocity Yellow	NC
Personalized Colors (Must choose cross brace std. color)			
☐	121C43	Mossy Oak Camouflage	\$368
☐	121C42	Stars and Stripes	\$368
☐	121C108	Zebra Choose base colour. N/A w/ Gloss Black or Matte Black.	\$368

Cross Brace Color			
Standard Colors			
☐	121C627	Celestial Sapphire - Cross Brace	NC
☐	121C628	Desert Sage - Cross Brace	NC
☐	121C629	Desert Tan - Cross Brace	NC
☐	121C630	Gloss Black - Cross Brace	NC
☐	121C631	Matte Black - Cross Brace	NC
☐	121C632	Metallic Shadow - Cross Brace	NC
☐	121C633	Midnight Blue - Cross Brace	NC
☐	121C634	Mystic Purple - Cross Brace	NC
☐	121C635	Petal Pink - Cross Brace	NC
☐	121C636	Pink Power - Cross Brace	NC
☐	121C637	Red Pepper - Cross Brace	NC
☐	121C638	Royal Blue - Cross Brace	NC
☐	121C639	Salute Green - Cross Brace	NC
☐	121C640	Scarlet Noir - Cross Brace	NC
☐	121C641	Silver Ore - Cross Brace	NC
☐	121C642	Solar Orange - Cross Brace	NC
☐	121C643	Starlight White - Cross Brace	NC
☐	121C644	Storm Gray - Cross Brace	NC
☐	121C645	Turbo Green - Cross Brace	NC
☐	121C246	Velocity Yellow - Cross Brace	NC

Additional Options Through Built-4-Me

To inquire about any unique personalization for Zippie products, contact: Phone: (800) 263-3390, Email: cscanada@sunmed.com

Commonly Requested Options Include:

- ✓ Solid Seat
- ✓ Grade Aid
- ✓ Drum Brake



Sunrise Medical Inc. Canada
1000 Creditstone Road, Unit 2 · Concord, ON L4K 4P8 · Canada

Customer Service: 800-263-3390 Email: cscanada@sunmed.com Web: www.sunrisemedical.ca © 7/2025

MK-100020-CAN REV 10