

Quickie Nitrum

February 2024





				Submitting for:	☐ Quote	□ Or	der
Date:				 PO#:			
Dealer Acct #:							
Dealer:					ADDITIONA	L SHIPPING IN	NFORMATION
Dealer Contact:				 Ship To:			
Dealer Address:				 Attention:			
Dealer City:		PR:	PC:	Address:			
Dealer Phone: ()	Fax: ()	 Address:			
Confirmation Email:				Ship To City:		PR:	PC:
Confirm Via:	☐ Fax	☐ Ema	ıil	 Ship To Phone: ()	Fax: ()

1. FRAME

	Base Model					
Weig	Weight capacity 275 lbs for Open frame. 300 lbs for Hybrid dual tube frame.					
	112WM101		Quickie Nitrum - Open frame	\$4,550.00		
	112WM102		Quickie Nitrum Hybrid - <i>Dual tube</i>	\$5,084.00		

Backrest Frame Type					
Active Rigid - welded must select Active Axle plate and Active Fixed backrest.					
112FT68	Adjustable	NC			
112FT69	Active Rigid - Welded	\$416.00			
	112FT68	Rigid - welded must select Active Axle plate and Active Fixed backrest. 112FT68 Adjustable			

	Frame Angle				
See	FIGURE 1 Meas	ire from front frame to floor.	_		
	112FA1	75°	NC NC		
	112FA8	80°	NC		
	112FA2	85°	NC		

	Frame Inset Per Side				
See F	See FIGURE 2 Frame Inset is the distance from the outside of the seat tube to the outside of the				
footre	st.				
	112FF1	0"	NC NC		
	112FF2	1" (N/A w/ 12" wide)	NC		
П	112FF3	2" (N/A with 12" & 13" wide)	NC		

	Frame Length				
See	See FIGURE 3 measurement for set up in the APPENDIX page 7.				
	112FS9		Standard	NC	
	112FS34		Classic	NC	

*Standard Frame - Seat Sling to front frame bend angle is 1.5" shorter than the classic position. Classic Frame - Traditional seat sling to front frame bend angle dimensions. Front of back cane post to front edge of seat sling will remain the same for both Standard and Classic.

	Transit				
WC-1	WC-19 and ISO 7176 standard compliance. N/A with Active Rigid.				
	112TO45	Transit System	NC		

Nitrum - Open frame



Nitrum Hybrid - Dual tube frame




2. SIZE / SEATING

Depth Adjustable Backrest (Optional)

See **Figure 4** Depth Adjust Backrest extends the frame rear of the seat sling, select a factory setting. N/A with 19"-20" seat depth. N/A with Active Rigid frame.

112DP02	0 Setting Backrest at standard position, field adjustable to -1" or -2"	\$201.00
112DP03	-1 Setting Backrest -1" offset, field adjustable to flush or -2"	\$201.00
112DP04	-2 Setting Backrest -2" offset, field adjustable to flush or -1"	\$201.00




Seat Width							
See	See FIGURE 2 Measure from outside of seat tube to the outside of opposite seat tube.						
	112S3	12"	NC		112S8	17"	NC
	112S4	13"	NC		112S9	18"	NC
	112S5	14"	NC		112S10	19"	NC
	112S6	15"	NC		112S48	20"	\$303.00
	112S7	16"	NC		112340		φ303.00

Seat Depth

See **FIGURE 1** Measure from front of back post to front edge of seat sling. Seat sling is 1" shorter than depth ordered, but actual seat depth will remain the same as ordered.

	112SD5	12"	NC
	112SD6	13"	NC
	112SD7	14"	NC
	112SD8	15"	NC
\Box	112SD9	16"	NC.

ш	1125010	17"	NC
	112SD11	18"	NC
	112SD12	19"	NC
	112SD13	20"	\$303.00



Seating Systems				
112OP01	Standard Seat Sling	NC		
112OP14	Tension Adjustable seat sling	\$108.00		
112OP04	Omit Seat Sling	NC		

Seat Sling Options						
Utility & catheter bags are sewn at the bottom of the upholstery. Catheter bag N/A in 12" depth.						
Utility	bag and Catheth	er bag combination N/A at 15" width or less.				
□ 1128A65 1 Utility Bag \$110.00						
	1128A66	1 Catheter bag	\$110.00			

JAY Cushions (Optional)

To order any JAY cushions on-chair, please see the JAY price list.


Cushion name or part number must be filled out with desired width and depth.

JAY Bundled Cushion
Cushion Name or Part #
Width: Depth:

Price List

3. CASTERS / SEAT HEIGHT

			Front S	Seat Heigh	nt		
See	FIGURE 5 Measo	ure from the froi	nt of the	seat rail to t	he floor.		
	112SH14	16.0"	NC		112SH20	18.5"	NC
	112SH15	16.5"	NC		112SH21	19.0"	NC
	112SH16	17.0"	NC		112SH23	19.5"	NC
	112SH17	17.5"	NC		112SH24	20.0"	NC
	112SH18	18.0"	NC		112SH26	20.5"	NC
					112SH27	21.0"	NC



	Caster Fork and Suspension					
Frog	Frog Legs are not included in the Colored Anodized Package					
	112CF65	Multiple Position	NC			
	112CF69	Multiple Position Single Sided Fork	\$173.00			
	112CF53	Frog Legs 0 weight to 100 lbs.	\$566.00			
	112CF54	Frog Legs 101 lbs. weight to 190 lbs.	\$566.00			
	112CF55	Frog Legs 191 lbs. weight to 265 lbs.	\$566.00			

Caster Wheels						
112CW1	3" Micro	NC				
112CW3	4" Low Profile Polyurethane	NC				
112CW31	4" Micro Lighted	\$108.00				
112CW72	4" x 1" Aluminum Poly	\$72.00				
112CW44	4" x 1.25 Semi Pneumatic	NC				
112CW5	5" Low Profile Polyurethane	NC				
112CW51	5" Micro Lighted	\$108.00				
112CW6	5" Soft Roll (Grey) -N/A w/Frog Legs	\$97.00				
112CW65	5" x 1" Aluminum Poly	\$124.00				
112CW7	5" x 1.5" Semi Pneumatic	\$108.00				
112CW34	6" Poly	NC				
112CW33	6" Pneumatic	\$108.00				
112CW35	6" x 1.5" Semi Pneumatic	\$108.00				

Caster Color Wheels option

<u>Casters are silver color unless you choose color option</u>. Refer to Anodize package section on Page 7 for Anodize color selection. Match Ano color pkg pick is N/A with Black option.

112CW64		4" x 1.5" Aluminum Soft Roll	\$108.00
112CW66		5" x 1.5" Aluminum Soft Roll	\$108.00
112CW68		6" x 1.5" Aluminum Soft Roll	\$108.00
	П	Match anodize color package	Package price
		Materi ariodize color package	rackage price
		Match frame color	\$80.00

	Caster Housing Position						
See	See FIGURE 7 in page 7 for example. Options available on 0" inset only.						
	112LH04	Position Setting 1 (Narrow)	NC				
	112LH05	Position Setting 2 (Wide)	NC				

-	Option #			Definiti	ion	Pr	rice	~	Option #		Definition	Price
						4. REA	R WHEEL:	S / SEAT	T HEIGHT			
			Rear Sea	t Height								
	frame: RSH 13"-										Rear Wheel Tire	
	er Rear Wheel. F I" RSH. Minimum					d frame: N/A	\ with		112RT1		Pneumatic	NO
3 -14	RSH. WIIIIIIIIIII	KSH 101 24 an	iu 25 Wriee	218 18 10.5 .				ш	HZKII		Prieumatic	IN
	112RH11	13.0"	NC		112RH19	17.0"	NC		112RT2		Pneumatic Airless Insert	\$243.0
□ .	112RH12	13.5"	NC		112RH26	17.5"	NC	Ξ.	1121(12		N/A with Xtender.	Ψ2-10.0
□ .	112RH13	14.0"	NC		112RH20	18.0"	NC		112RT24		Pneumatic Airless Insert - Infinergy®	\$243.0
□ .	112RH14	14.5"	NC		112RH27	18.5"	NC	Ξ.	1121(124		Lightweight - E-TPU material	Ψ2-10.0
	112RH15	15.0"	NC		112RH21	19.0"	NC		112RT3		Full Poly Tire	N
	112RH16	15.5"	NC		112RH37	19.5"	NC		112RT38		SHOX Performance Poly	\$144.0
	112RH17	16.0"	NC		112RH22	20.0"	NC		112RT25	T	Primo Orion Poly	\$267.0
	112RH18	16.5"	NC						112RT39	T	High-Pressure Clincher Black	\$103.0
									112K139		High-Fressure Clinicher Black	\$103.0
			Ax	le					112RT21		Caburally Marathan Diva Evalution	\$155.0
	112AX1	Qu	ick Releas	se Steel			NC	Ц	112K121		Schwalbe Marathon Plus Evolution	\$155.0
	4404740	Qu	ad Quick	Release S	Steel		144400		440DT40		Cabarralla a Orac	COO4.0
	112AX13	On	ly availabi	le with Mo	ountain Whls.	,	\$144.00		112RT42		Schwalbe One	\$204.0
									440DT40		Schwalbe Down Town Two Grip	00040
			Axle I	Plate					112RT40		Only available in 24".	\$204.0
xten	ded COG N/A w/	Xtender Power	Assist. 4-lir	nk suspens	ion N/A with Hyb	orid frame typ	e.				Schwalbe Right Run	
		Adjustable Co	OG (1"-4")				NC		112RT41		Only available in 24".	\$105.0
□ .		Adjustable Ex	tended C	OG (0"-3"))		NC	-				
		4-Link Suspe		, ,			NC		112RT27		Knobby V-TRAK by Kenda	\$119.0
				•	range 1/2" befor	Α		-		+	Mauntain	
		and after in 1/4'					NC		112RT12		Mountain Only available in 24".	\$144.00
ш		positions which					INC	-			Offiny available III 24 .	
Guard	Rear Suspension	n COG (0"-3") S up to 2.5" COG.	N/A w/Xter	only availal nder. Max	ble up to 2" COG weight capacity	of 265 lbs.		24" w	heels only. Anti	ti-Tips no cha	Xtender Power Assist RSH 17.5"-20" with 24" wheels 0 camber, pne arge. N/A w/ Transit and 4-link Suspension. Dust capacity of 265 lbs. N/A with Active Rigid fr	al Drive mode
Guard		n COG (0"-3") S up to 2.5" COG. We	ingle Post	only availal nder. Max 0 lbs to 1	ble up to 2" COG weight capacity 75 lbs	of 265 lbs.	\$946.00 \$946.00	24" w availa	heels only. Antable with B4ME.	ti-Tips no cha	RSH 17.5"-20" with 24" wheels 0 camber, pne arge. N/A w/ Transit and 4-link Suspension. Du	al Drive mode ame.
Guard	ls only available u	n COG (0"-3") S up to 2.5" COG. We	ingle Post of N/A w/Xter eight from eight from	only availal nder. Max 0 lbs to 1 176 lbs. to	ble up to 2" COG weight capacity 75 lbs	of 265 lbs.	\$946.00	24" w	heels only. Anti	ti-Tips no cha	RSH 17.5"-20" with 24" wheels 0 camber, pne arge. N/A w/ Transit and 4-link Suspension. Du tt capacity of 265 lbs. N/A with Active Rigid fr 22" Xtender Power Assist JWX-2 NICKEL	al Drive mode ame.
Guard	112SV08 112SV09	n COG (0"-3") S up to 2.5" COG. We	ingle Post of N/A w/Xter eight from eight from Rear V	only availal nder. Max 0 lbs to 1 176 lbs. to	ble up to 2" COG weight capacity 75 lbs o 265 lbs	y of 265 lbs.	\$946.00 \$946.00	24" w availa	heels only. Antable with B4ME.	ti-Tips no cha	RSH 17.5"-20" with 24" wheels 0 camber, pne arge. N/A w/ Transit and 4-link Suspension. Du tt capacity of 265 lbs. N/A with Active Rigid fr 22" Xtender Power Assist JWX-2 NICKEL 22" Xtender Power Assist JWX-2	al Drive mode ame. \$9,848.0
uard	s only available u 112SV08 112SV09	n COG (0"-3") S up to 2.5" COG. We We	ingle Post of N/A w/Xter eight from eight from Rear V	only availal nder. Max 0 lbs to 1 176 lbs. to	ble up to 2" COG weight capacity 75 lbs o 265 lbs	y of 265 lbs.	\$946.00 \$946.00	24" w availa	heels only. Anti able with B4ME. 112XT6	ti-Tips no cha	RSH 17.5"-20" with 24" wheels 0 camber, pnearge. N/A w/ Transit and 4-link Suspension. Dut capacity of 265 lbs. N/A with Active Rigid fr 22" Xtender Power Assist JWX-2 NICKEL 22" Xtender Power Assist JWX-2 LITHIUM	al Drive mode ame. \$9,848.0
Guard	112SV08 112SV09	n COG (0"-3") S up to 2.5" COG. We We	ingle Post of N/A w/Xter eight from eight from Rear V	only availal nder. Max 0 lbs to 1 176 lbs. to	ble up to 2" COG weight capacity 75 lbs o 265 lbs	y of 265 lbs.	\$946.00 \$946.00	24" w availa	heels only. Anti able with B4ME. 112XT6	ti-Tips no cha	RSH 17.5"-20" with 24" wheels 0 camber, pnearge. N/A w/ Transit and 4-link Suspension. Dut capacity of 265 lbs. N/A with Active Rigid fr 22" Xtender Power Assist JWX-2 NICKEL 22" Xtender Power Assist JWX-2 LITHIUM 24" Xtender Power Assist JWX-2	\$9,848.00 \$11,433.00
lltra	112SV08 112SV09 112SV09 112SV09 112SV09 112SV09 112SV09 112SV09 115s, Spinergy Co	n COG (0"-3") S up to 2.5" COG. We We wailable w/ Alur LX is 265 lbs.	ingle Post of N/A w/Xter eight from eight from Rear V	only availated ander. Max of the lbs to 1 of 176 lbs. to 1 of 176 lbs. to 1 of 176 lbs. to	ble up to 2" COG weight capacity 75 lbs o 265 lbs weight capacity	y of 265 lbs.	\$946.00 \$946.00 wheels	24" waavaila	heels only. Anti able with B4ME. 112XT6 112XT7	ti-Tips no cha	RSH 17.5"-20" with 24" wheels 0 camber, pnearge. N/A w/ Transit and 4-link Suspension. Dut capacity of 265 lbs. N/A with Active Rigid fr 22" Xtender Power Assist JWX-2 NICKEL 22" Xtender Power Assist JWX-2 LITHIUM 24" Xtender Power Assist JWX-2 NICKEL	\$9,848.00 \$11,433.00
Ultra	112SV08 112SV09 112SV09 112SV09 112SV09	n COG (0"-3") S up to 2.5" COG. We We wailable w/ Alur LX is 265 lbs.	ingle Post of N/A w/Xter eight from eight from Rear V minum Han	only availal ander. Max of the state of the	ble up to 2" COG weight capacity 75 lbs o 265 lbs weight capacity	y of 265 lbs.	\$946.00 \$946.00 wheels	24" waavaila	heels only. Anti able with B4ME. 112XT6 112XT7	ti-Tips no cha	RSH 17.5"-20" with 24" wheels 0 camber, pnearge. N/A w/ Transit and 4-link Suspension. Dut capacity of 265 lbs. N/A with Active Rigid fr 22" Xtender Power Assist JWX-2 NICKEL 22" Xtender Power Assist JWX-2 LITHIUM 24" Xtender Power Assist JWX-2 NICKEL 24" Xtender Power Assist JWX-2 NICKEL	\$9,848.0 \$11,433.0 \$9,848.0
Ultra	112SV08 112SV09 112SV09 112SV09 112SV09 112SV09 112SV09 112SV103 112SV103	n COG (0"-3") S up to 2.5" COG. We We wallable w/ Alur LX is 265 lbs.	ingle Post of N/A w/Xter eight from eight from Rear V minum Han	only availal ander. Max of the state of the	ble up to 2" COG weight capacity 75 lbs o 265 lbs weight capacity ke	y of 265 lbs.	\$946.00 \$946.00 wheels	24" w. availa	heels only. Antible with B4ME. 112XT6 112XT7 112XT4 112XT5	ti-Tips no cha Max weigh	RSH 17.5"-20" with 24" wheels 0 camber, pnearge. N/A w/ Transit and 4-link Suspension. Dut capacity of 265 lbs. N/A with Active Rigid fr 22" Xtender Power Assist JWX-2 NICKEL 22" Xtender Power Assist JWX-2 LITHIUM 24" Xtender Power Assist JWX-2 NICKEL 24" Xtender Power Assist JWX-2 LITHIUM	\$9,848.0 \$11,433.0 \$9,848.0
Jltra	112SV08 112SV09 112SV09 112SV09 112SV09 112SV09 112SW103 112SW103 112SW104 112SW102	COG (0"-3") S Ip to 2.5" COG. We We Wallable w/ Alun LX is 265 lbs. 20" 22" 24"	ingle Post of N/A w/Xter eight from eight from Rear V minum Han Mag Wheel Ma	only availal ander. Max 0 lbs to 1 176 lbs. to Wheel adrim. Max eeel 5 Spoleeel 5 Spoleel 5 Spol	ble up to 2" COG weight capacity 75 lbs o 265 lbs weight capacity	y on Proton	\$946.00 \$946.00 wheels NC NC	24" w. availa	heels only. Antible with B4ME. 112XT6 112XT7 112XT4 112XT5 se select one	ti-Tips no cha Max weigh	RSH 17.5"-20" with 24" wheels 0 camber, pnearge. N/A w/ Transit and 4-link Suspension. Dut capacity of 265 lbs. N/A with Active Rigid fr 22" Xtender Power Assist JWX-2 NICKEL 22" Xtender Power Assist JWX-2 LITHIUM 24" Xtender Power Assist JWX-2 NICKEL 24" Xtender Power Assist JWX-2 LITHIUM 24" Xtender Power Assist JWX-2 LITHIUM wing handrim options	\$9,848.00 \$11,433.00 \$11,433.00
Ulltra l	112SV08 112SV09 112SV09 112SV09 112SV09 112SV09 112RW103 112RW104 112RW102 112RW90	COG (0"-3") S Ip to 2.5" COG. We We We We We	ingle Post of N/A w/Xter sight from sight from Rear V minum Han Mag Whe Mag Whe Mag Whe Lite Spok	only availated on the control of the	ble up to 2" COG weight capacity 75 lbs o 265 lbs weight capacity	y on Proton	\$946.00 \$946.00 wheels NC NC NC \$315.00	24" waalaa	theels only. Antible with B4ME. 112XT6 112XT7 112XT4 112XT5 se select one 112XH5	ti-Tips no cha Max weigh	RSH 17.5"-20" with 24" wheels 0 camber, pnearge. N/A w/ Transit and 4-link Suspension. Dut capacity of 265 lbs. N/A with Active Rigid fr 22" Xtender Power Assist JWX-2 NICKEL 22" Xtender Power Assist JWX-2 LITHIUM 24" Xtender Power Assist JWX-2 NICKEL 24" Xtender Power Assist JWX-2 LITHIUM wing handrim options Plastic Coated	\$9,848.00 \$11,433.00 \$9,848.00 \$11,433.00
	112SV08 112SV09 112SV09 112SV09 112SV09 112SW103 112RW103 112RW104 112RW102 112RW90 112RW90	n COG (0"-3") S up to 2.5" COG. We We Wallable w/ Alur LX is 265 lbs. 20" 22" 24" 20" 22"	ingle Post of N/A w/Xter sight from eight from Rear V minum Han Mag Whe Mag Whe Mag Whe Lite Spok Lite Spok	only availal ander. Max 0 lbs to 1 176 lbs. to 176 lbs. to Nheel Idrim. Max eel 5 Spol eel 5 Spol eel 5 Spol eel 5 Spol	ble up to 2" COG weight capacity 75 lbs o 265 lbs weight capacity	y on Proton	\$946.00 \$946.00 wheels NC NC NC \$315.00 \$315.00	24" w. availa	heels only. Antible with B4ME. 112XT6 112XT7 112XT4 112XT5 se select one	ti-Tips no cha Max weigh	RSH 17.5"-20" with 24" wheels 0 camber, pnearge. N/A w/ Transit and 4-link Suspension. Dut capacity of 265 lbs. N/A with Active Rigid fr 22" Xtender Power Assist JWX-2 NICKEL 22" Xtender Power Assist JWX-2 LITHIUM 24" Xtender Power Assist JWX-2 NICKEL 24" Xtender Power Assist JWX-2 LITHIUM wing handrim options Plastic Coated Stainless Steel	\$9,848.00 \$11,433.00 \$9,848.00 \$11,433.00
	112SV09 112SV09 112SV09 112SV09 112SV09 112SV09 112RW103 112RW104 112RW102 112RW90 112RW90 112RW91 112RW91	COG (0"-3") S P to 2.5" COG. We We We We We We We W	ingle Post of N/A w/Xter sight from eight from Rear V minum Han Mag Whe Mag Whe Mag Whe Lite Spok Lite Spok Lite Spok	only availated on the control of the	ble up to 2" COG weight capacity 75 lbs o 265 lbs weight capacity	y on Proton	\$946.00 \$946.00 wheels NC NC NC \$315.00 \$315.00	24" w availa	theels only. Antible with B4ME. 112XT6 112XT7 112XT4 112XT5 se select one 112XH5 112XH6	ti-Tips no cha Max weigh	RSH 17.5"-20" with 24" wheels 0 camber, pnearge. N/A w/ Transit and 4-link Suspension. Dut capacity of 265 lbs. N/A with Active Rigid fr 22" Xtender Power Assist JWX-2 NICKEL 22" Xtender Power Assist JWX-2 LITHIUM 24" Xtender Power Assist JWX-2 NICKEL 24" Xtender Power Assist JWX-2 LITHIUM wing handrim options Plastic Coated Stainless Steel Xtender - Other Options	\$9,848.00 \$11,433.00 \$9,848.00 \$11,433.00 \$11,433.00 \$11,433.00
	112SV09 112SV09 112SV09 112SV09 112SV09 112SW109 112RW103 112RW104 112RW102 112RW90 112RW90 112RW91 112RW92 112RW93	COG (0"-3") S Ip to 2.5" COG. We We We Ivaliable w/ Alur LX is 265 lbs. 20" 22" 24" 20" 22" 24" 25"	ingle Post of N/A w/Xter sight from eight from Rear V minum Han Mag Whe Mag Whe Lite Spot Lite S	only availal ander. Max 0 lbs to 1 176 lbs. to 176 lbs. to Nheel Idrim. Max eel 5 Spol	ble up to 2" COG weight capacity 75 lbs o 265 lbs weight capacity	y on Proton	\$946.00 \$946.00 wheels NC NC NC \$315.00 \$315.00 NC	24" waalaa	heels only. Antibble with B4ME. 112XT6 112XT7 112XT4 112XT5 se select one 112XH5 112XH6 112XA10	ti-Tips no cha Max weigh	RSH 17.5"-20" with 24" wheels 0 camber, pnearge. N/A w/ Transit and 4-link Suspension. Dut capacity of 265 lbs. N/A with Active Rigid fr 22" Xtender Power Assist JWX-2 NICKEL 22" Xtender Power Assist JWX-2 LITHIUM 24" Xtender Power Assist JWX-2 NICKEL 24" Xtender Power Assist JWX-2 LITHIUM wing handrim options Plastic Coated Stainless Steel Xtender - Other Options Spare NiMH Power Pack - NICKEL	\$9,848.00 \$11,433.00 \$9,848.00 \$11,433.00 \$11,433.00 \$11,433.00 \$1,897.00 \$1,897.00
	112SV09 112SV09 112SV09 112SV09 112SV09 112SV09 112RW103 112RW104 112RW102 112RW90 112RW90 112RW91 112RW92 112RW93 112RW93	n COG (0"-3") S up to 2.5" COG. We We wallable w/ Alur LX is 265 lbs. 20" 22" 24" 20" 22" 24" 25" 26"	ingle Post of N/A w/Xter sight from sight from sight from hinum Han Mag Whe Mag Whe Mag Whe Lite Spok	only availal ander. Max 0 lbs to 1 176 lbs.	ble up to 2" COG weight capacity 75 lbs o 265 lbs weight capacity ke ke ke	y on Proton	\$946.00 \$946.00 wheels NC NC NC \$315.00 \$315.00 NC NC NC	24" w availa	theels only. Antible with B4ME. 112XT6 112XT7 112XT4 112XT5 se select one 112XH5 112XH6	ti-Tips no cha Max weigh	RSH 17.5"-20" with 24" wheels 0 camber, pnearge. N/A w/ Transit and 4-link Suspension. Dut capacity of 265 lbs. N/A with Active Rigid fr 22" Xtender Power Assist JWX-2 NICKEL 22" Xtender Power Assist JWX-2 LITHIUM 24" Xtender Power Assist JWX-2 NICKEL 24" Xtender Power Assist JWX-2 LITHIUM wing handrim options Plastic Coated Stainless Steel Xtender - Other Options Spare NiMH Power Pack - NICKEL Spare Li-ion Power Pack - LITHIUM	\$9,848.00 \$11,433.00 \$9,848.00 \$11,433.00 \$11,433.00 \$11,433.00 \$1,897.00 \$1,897.00
	112SV09 112SV09 112SV09 112SV09 112SV09 112SV09 112RW103 112RW104 112RW102 112RW90 112RW90 112RW91 112RW92 112RW93 112RW94 112RW94 112RW94	n COG (0"-3") S up to 2.5" COG. We We wallable w/ Alur LX is 265 lbs. 20" 22" 24" 20" 22" 24" 25" 26" 22"	ingle Post of N/A w/Xter sight from sight from sight from hinum Han Mag Whe Mag Whe Lite Spot Lite Spot Lite Spot Lite Spot Lite Spot Ultra Light	only availal ander. Max 0 lbs to 1 176 lbs.	ble up to 2" COG weight capacity 75 lbs o 265 lbs weight capacity ke ke ke ke	y on Proton	\$946.00 \$946.00 wheels NC NC NC \$315.00 \$315.00 NC NC \$124.00 \$352.00	24" wavaila	heels only. Antible with B4ME. 112XT6 112XT7 112XT4 112XT5 se select one 112XH5 112XH6 112XA10 112XA11	ti-Tips no cha Max weigh	RSH 17.5"-20" with 24" wheels 0 camber, pnearge. N/A w/ Transit and 4-link Suspension. Dut capacity of 265 lbs. N/A with Active Rigid fr 22" Xtender Power Assist JWX-2 NICKEL 22" Xtender Power Assist JWX-2 LITHIUM 24" Xtender Power Assist JWX-2 NICKEL 24" Xtender Power Assist JWX-2 NICKEL 24" Xtender Power Assist JWX-2 LITHIUM wing handrim options Plastic Coated Stainless Steel Xtender - Other Options Spare NiMH Power Pack - NICKEL Spare Li-ion Power Pack - LITHIUM Xtender Wheel Options	\$9,848.00 \$11,433.00 \$9,848.00 \$11,433.00 \$11,433.00 NO \$1,897.00 \$2,442.00
	112SV08 112SV09 112SV09 112SV09 112SV09 112SV09 112RW103 112RW104 112RW102 112RW90 112RW90 112RW91 112RW92 112RW93 112RW94 112RW94 112RW96 112RW96 112RW96	n COG (0"-3") S up to 2.5" COG. We We wailable w/ Alur LX is 265 lbs. 20" 22" 24" 20" 22" 24" 25" 26" 26" 22"	ingle Post of N/A w/Xter sight from sight from sight from hind hand with the sight from hind hand hind hind hind hind hind hind hind hi	only availal ander. Max 0 lbs to 1 176 lbs.	ble up to 2" COG weight capacity 75 lbs o 265 lbs weight capacity ke ke ke Spoke Wheel	y on Proton	\$946.00 \$946.00 wheels NC NC NC \$315.00 \$315.00 NC NC \$124.00 \$352.00 \$352.00	24" w availa	heels only. Antible with B4ME. 112XT6 112XT7 112XT4 112XT5 se select one 112XH5 112XH6 112XA10 112XA11	ti-Tips no cha Max weigh	RSH 17.5"-20" with 24" wheels 0 camber, pnearge. N/A w/ Transit and 4-link Suspension. Dut capacity of 265 lbs. N/A with Active Rigid fr 22" Xtender Power Assist JWX-2 NICKEL 22" Xtender Power Assist JWX-2 LITHIUM 24" Xtender Power Assist JWX-2 NICKEL 24" Xtender Power Assist JWX-2 LITHIUM wing handrim options Plastic Coated Stainless Steel Xtender - Other Options Spare NiMH Power Pack - NICKEL Spare Li-ion Power Pack - LITHIUM Xtender Wheel Options SPARE 22" Lite Spoke Pneu Alum	\$9,848.00 \$11,433.00 \$9,848.00 \$11,433.00 \$11,433.00 NO \$1,897.00 \$2,442.00
	112SV08 112SV09 112SV09 112SV09 112SV09 112SV09 112RW103 112RW104 112RW104 112RW90 112RW90 112RW91 112RW91 112RW93 112RW94 112RW94 112RW96 112RW10 112RW10	COG (0"-3") S P to 2.5" COG. We We We We We We We W	ingle Post in N/A w/Xter ight from ight from ight from in N/A w/Xter ight from in N/A w/Xter ight from in N/A w/Xter ight from in N/A w/A w/A w/A w/A w/A w/A w/A w/A w/A w	only availated on the control of the	ble up to 2" COG weight capacity 75 lbs o 265 lbs weight capacity ke ke ke ke Spoke Wheel Spoke Wheel	y on Proton	\$946.00 \$946.00 wheels NC NC \$315.00 \$315.00 NC NC \$124.00 \$352.00 \$352.00	24" wavaila	heels only. Antible with B4ME. 112XT6 112XT7 112XT4 112XT5 se select one 112XH5 112XH6 112XA10 112XA11	ti-Tips no cha Max weigh	RSH 17.5"-20" with 24" wheels 0 camber, pnearge. N/A w/ Transit and 4-link Suspension. Dut capacity of 265 lbs. N/A with Active Rigid fr 22" Xtender Power Assist JWX-2 NICKEL 22" Xtender Power Assist JWX-2 LITHIUM 24" Xtender Power Assist JWX-2 NICKEL 24" Xtender Power Assist JWX-2 NICKEL 24" Xtender Power Assist JWX-2 LITHIUM wing handrim options Plastic Coated Stainless Steel Xtender - Other Options Spare NiMH Power Pack - NICKEL Spare Li-ion Power Pack - LITHIUM Xtender Wheel Options	\$9,848.00 \$11,433.00 \$9,848.00 \$11,433.00 \$11,433.00 NO \$1,897.00 \$2,442.00
	112SV08 112SV09 112SV09 112SV09 112SV09 112SV09 112RW103 112RW104 112RW104 112RW90 112RW90 112RW91 112RW91 112RW93 112RW94 112RW94 112RW96 112RW10 112RW10 112RW10 112RW10	COG (0"-3") S P to 2.5" COG. We We We We We We We W	ingle Post of N/A w/Xter sight from sight fr	only availal ander. Max 0 lbs to 1 176 lbs.	ble up to 2" COG weight capacity 75 lbs o 265 lbs weight capacity ke ke ke ke Spoke Wheel Spoke Wheel Spoke Wheel Spoke Wheel	y on Proton	\$946.00 \$946.00 \$946.00 Wheels NC NC \$315.00 \$315.00 NC NC \$124.00 \$352.00 \$352.00 \$352.00 \$352.00	24" wavaila	112XT6 112XT7 112XT4 112XT5 Se select one 112XH6 112XA10 112XA11 112XA8 112XA9	ti-Tips no cha Max weigh	RSH 17.5"-20" with 24" wheels 0 camber, pnearge. N/A w/ Transit and 4-link Suspension. Dut capacity of 265 lbs. N/A with Active Rigid fr 22" Xtender Power Assist JWX-2 NICKEL 22" Xtender Power Assist JWX-2 LITHIUM 24" Xtender Power Assist JWX-2 NICKEL 24" Xtender Power Assist JWX-2 NICKEL 24" Xtender Power Assist JWX-2 LITHIUM wing handrim options Plastic Coated Stainless Steel Xtender - Other Options Spare NiMH Power Pack - NICKEL Spare Li-ion Power Pack - LITHIUM Xtender Wheel Options SPARE 22" Lite Spoke Pneu Alum SPARE 22" Lite Spoke Pneu Plastic	\$9,848.00 \$11,433.00 \$9,848.00 \$11,433.00 \$11,433.00 \$11,433.00 \$1,897.00 \$2,442.00 \$142.00
	112SV08 112SV09 112SV09 112SV09 112SV09 112SV09 112SW103 112RW104 112RW104 112RW90 112RW90 112RW91 112RW91 112RW93 112RW94 112RW96 112RW10 112RW10 112RW10 112RW10 112RW10	COG (0"-3") S Ip to 2.5" COG. We We We We We We We W	ingle Post of N/A w/Xter sight from sight fr	only availal ander. Max 0 lbs to 1 176 lbs.	ble up to 2" COG weight capacity 75 lbs o 265 lbs weight capacity ke ke ke ke Spoke Wheel Spoke Wheel Spoke Wheel lack Spokes lack Spokes	y on Proton	\$946.00 \$946.00 \$946.00 Wheels NC NC \$315.00 \$315.00 NC NC \$124.00 \$352.00 \$352.00 \$352.00 \$352.00 \$352.00	24" w availa	heels only. Anti- heels only. Anti- hele with B4ME. 112XT6 112XT7 112XT4 112XT4 112XT5 se select one 112XH5 112XH6 112XA10 112XA11 112XA8 112XA9 112XA9	ti-Tips no cha Max weigh	RSH 17.5"-20" with 24" wheels 0 camber, pnearge. N/A w/ Transit and 4-link Suspension. Dut capacity of 265 lbs. N/A with Active Rigid fr 22" Xtender Power Assist JWX-2 NICKEL 22" Xtender Power Assist JWX-2 LITHIUM 24" Xtender Power Assist JWX-2 NICKEL 24" Xtender Power Assist JWX-2 LITHIUM wing handrim options Plastic Coated Stainless Steel Xtender - Other Options Spare NiMH Power Pack - NICKEL Spare Li-ion Power Pack - LITHIUM Xtender Wheel Options SPARE 22" Lite Spoke Pneu Alum SPARE 24" Lite Spoke Pneu Plastic	\$9,848.00 \$11,433.00 \$9,848.00 \$11,433.00 \$11,433.00 \$11,433.00 N(0) \$1,897.00 \$2,442.00 N(0) \$1,897.00 \$1,897.00
	112SV08 112SV09 112SV09 112SV09 112SV09 112SV09 112SV09 112RW103 112RW104 112RW102 112RW90 112RW91 112RW93 112RW94 112RW94 112RW96 112RW10 112RW10 112RW10 112RW10 112RW10 112RW10 112RW10 112RW10 112RW10 112RW10 112RW10 112RW10 112RW10 112RW10	COG (0"-3") S P to 2.5" COG. We We We We We We We W	ingle Post of N/A w/Xter sight from sight fr	only availal ander. Max 0 lbs to 1 176 lbs.	ble up to 2" COG weight capacity 75 lbs o 265 lbs weight capacity ke ke ke ke Spoke Wheel Spoke Wheel Spoke Wheel Spoke Wheel	y on Proton	\$946.00 \$946.00 \$946.00 Wheels NC NC \$315.00 \$315.00 NC NC \$124.00 \$352.00 \$352.00 \$352.00 \$352.00	24" wavaila	112XT6 112XT7 112XT4 112XT5 Se select one 112XH6 112XA10 112XA11 112XA8 112XA9	ti-Tips no cha Max weigh	RSH 17.5"-20" with 24" wheels 0 camber, pnearge. N/A w/ Transit and 4-link Suspension. Dut capacity of 265 lbs. N/A with Active Rigid fr 22" Xtender Power Assist JWX-2 NICKEL 22" Xtender Power Assist JWX-2 LITHIUM 24" Xtender Power Assist JWX-2 NICKEL 24" Xtender Power Assist JWX-2 NICKEL 24" Xtender Power Assist JWX-2 LITHIUM wing handrim options Plastic Coated Stainless Steel Xtender - Other Options Spare NiMH Power Pack - NICKEL Spare Li-ion Power Pack - LITHIUM Xtender Wheel Options SPARE 22" Lite Spoke Pneu Alum SPARE 22" Lite Spoke Pneu Plastic	\$9,848.00 \$11,433.00 \$9,848.00 \$11,433.00 \$11,433.00 \$11,433.00 N(0) \$1,897.00 \$2,442.00 N(0) \$1,897.00 \$1,897.00
	112SV08 112SV09 112SV09 112SV09 112SV09 112SV09 112SW103 112RW104 112RW104 112RW90 112RW90 112RW91 112RW91 112RW93 112RW94 112RW96 112RW10 112RW10 112RW10 112RW10 112RW10 112RW10	COG (0"-3") S P to 2.5" COG. We We We We We We We W	ingle Post of N/A w/Xter sight from sight fr	only availal ander. Max 0 lbs to 1 176 lbs.	ble up to 2" COG weight capacity 75 lbs o 265 lbs weight capacity ke ke ke ke Spoke Wheel Spoke Wheel Spoke Wheel ack Spokes lack Spokes lack Spokes	y on Proton	\$946.00 \$946.00 \$946.00 Wheels NC NC \$315.00 \$315.00 NC NC \$322.00 \$352.00 \$352.00 \$352.00 \$352.00 \$352.00 \$352.00 \$352.00	24" w availa	heels only. Anti- heels only. Anti- hele with B4ME. 112XT6 112XT7 112XT4 112XT4 112XT5 se select one 112XH5 112XH6 112XA10 112XA11 112XA8 112XA9 112XA9	ti-Tips no cha Max weigh	RSH 17.5"-20" with 24" wheels 0 camber, pnearge. N/A w/ Transit and 4-link Suspension. Dut capacity of 265 lbs. N/A with Active Rigid fr 22" Xtender Power Assist JWX-2 NICKEL 22" Xtender Power Assist JWX-2 LITHIUM 24" Xtender Power Assist JWX-2 NICKEL 24" Xtender Power Assist JWX-2 LITHIUM wing handrim options Plastic Coated Stainless Steel Xtender - Other Options Spare NiMH Power Pack - NICKEL Spare Li-ion Power Pack - LITHIUM Xtender Wheel Options SPARE 22" Lite Spoke Pneu Alum SPARE 24" Lite Spoke Pneu Plastic	\$9,848.0 \$11,433.0 \$9,848.0 \$11,433.0 \$11,433.0 N(N(\$1,897.0 \$2,442.0 N(\$142.0
	112SV08 112SV09 112SV09 112SV09 112SV09 112SV09 112SV09 112RW103 112RW104 112RW102 112RW90 112RW90 112RW90 112RW90 112RW93 112RW94 112RW96 112RW10 112RW10 112RW10 112RW10 112RW10 112RW10 112RW10 112RW10 112RW96 112RW95 112RW96 112RW97	COG (0"-3") S P to 2.5" COG. We We We We We We We W	ingle Post of N/A w/Xter sight from sight fr	only availal ander. Max 0 lbs to 1 176 lbs.	ble up to 2" COG weight capacity 75 lbs o 265 lbs weight capacity weight capacity ke ke ke ke Spoke Wheel Spoke Wheel spoke Wheel ack Spokes ack Spokes ack Spokes	y on Proton	\$946.00 \$946.00 \$946.00 Wheels NC NC \$315.00 NC NC \$15.00 \$352.00 \$352.00 \$352.00 \$352.00 \$851.00 \$851.00	24" w availa	heels only. Anti- heels only. Anti- hele with B4ME. 112XT6 112XT7 112XT4 112XT4 112XT5 se select one 112XH5 112XH6 112XA10 112XA11 112XA8 112XA9 112XA9	of the follow	RSH 17.5"-20" with 24" wheels 0 camber, pnearge. N/A w/ Transit and 4-link Suspension. Dut capacity of 265 lbs. N/A with Active Rigid fr 22" Xtender Power Assist JWX-2 NICKEL 22" Xtender Power Assist JWX-2 LITHIUM 24" Xtender Power Assist JWX-2 NICKEL 24" Xtender Power Assist JWX-2 LITHIUM wing handrim options Plastic Coated Stainless Steel Xtender - Other Options Spare NiMH Power Pack - NICKEL Spare Li-ion Power Pack - LITHIUM Xtender Wheel Options SPARE 22" Lite Spoke Pneu Alum SPARE 24" Lite Spoke Pneu Plastic	\$9,848.0 \$11,433.0 \$9,848.0 \$11,433.0 \$11,433.0 N(N(\$1,897.0 \$2,442.0 N(\$142.0
	112SV08 112SV09 112SV09 112SV09 112SV09 112SV09 112SV09 112RW103 112RW104 112RW102 112RW90 112RW91 112RW93 112RW93 112RW94 112RW96 112RW10 112RW16 112RW16 112RW16 112RW95 112RW95 112RW96 112RW97 112RW97	COG (0"-3") Sup to 2.5" COG. We we we will be well at the company of the comp	ingle Post of N/A w/Xter sight from sight fr	only availal ander. Max 0 lbs to 1 176 lbs.	ble up to 2" COG weight capacity 75 lbs o 265 lbs weight capacity weight capacity ke ke ke ke ke Spoke Wheel Spoke Wheel ack Spokes ack Spokes ack Spokes spokes spokes	y on Proton	\$946.00 \$946.00 \$946.00 \$946.00 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$	24" w. availa	heels only. Anti- hble with B4ME. 112XT6 112XT7 112XT4 112XT5 se select one 112XH5 112XH6 112XA10 112XA11 112XA8 112XA9 112XA9 112XA2	of the follow	RSH 17.5"-20" with 24" wheels 0 camber, pnearge. N/A w/ Transit and 4-link Suspension. Dut capacity of 265 lbs. N/A with Active Rigid fr 22" Xtender Power Assist JWX-2 NICKEL 22" Xtender Power Assist JWX-2 LITHIUM 24" Xtender Power Assist JWX-2 NICKEL 24" Xtender Power Assist JWX-2 NICKEL 24" Xtender Power Assist JWX-2 LITHIUM wing handrim options Plastic Coated Stainless Steel Xtender - Other Options Spare NiMH Power Pack - NICKEL Spare Li-ion Power Pack - LITHIUM Xtender Wheel Options SPARE 22" Lite Spoke Pneu Alum SPARE 22" Lite Spoke Pneu Plastic SPARE 24" Lite Spoke Pneu Plastic	\$9,848.0 \$11,433.0 \$9,848.0 \$11,433.0 \$11,433.0 \$1,897.0 \$2,442.0 \$142.0
	112SV08 112SV09 112SV09 112SV09 112SV09 112SV09 112SV09 112RW103 112RW104 112RW102 112RW90 112RW91 112RW93 112RW94 112RW96 112RW96 112RW10 112RW16 112RW16 112RW95 112RW95 112RW96 112RW97 112RW97 112RW97	COG (0"-3") S Ip to 2.5" COG. We We We We We We We W	ingle Post of N/A w/Xter sight from sight fr	only availal ander. Max 0 lbs to 1 176 lbs.	ble up to 2" COG weight capacity 75 lbs o 265 lbs weight capacity weight capacity ke ke ke ke ke Spoke Wheel Spoke Wheel ack Spokes ack Spokes ack Spokes spokes Spokes Spokes	y on Proton (5) (6) (7) (7) (8) (9) (9) (9) (9) (9) (9) (9) (9) (9) (9	\$946.00 \$946.00 \$946.00 \$946.00 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$	24" w. availa	theels only. Anti- theels only.	of the follow	RSH 17.5"-20" with 24" wheels 0 camber, pnearge. N/A w/ Transit and 4-link Suspension. Dut capacity of 265 lbs. N/A with Active Rigid fr 22" Xtender Power Assist JWX-2 NICKEL 22" Xtender Power Assist JWX-2 LITHIUM 24" Xtender Power Assist JWX-2 NICKEL 24" Xtender Power Assist JWX-2 NICKEL 24" Xtender Power Assist JWX-2 LITHIUM wing handrim options Plastic Coated Stainless Steel Xtender - Other Options Spare NiMH Power Pack - NICKEL Spare Li-ion Power Pack - LITHIUM Xtender Wheel Options SPARE 22" Lite Spoke Pneu Alum SPARE 22" Lite Spoke Pneu Plastic SPARE 24" Lite Spoke Pneu Plastic	\$9,848.0 \$11,433.0 \$9,848.0 \$11,433.0 \$11,433.0 NI \$1,897.0 \$2,442.0 NI \$142.0
	112SV08 112SV09 112SV09 112SV09 112SV09 112SV09 112SV09 112RW103 112RW104 112RW102 112RW90 112RW91 112RW92 112RW93 112RW94 112RW96 112RW10 112RW16 112RW16 112RW16 112RW95 112RW95 112RW96 112RW97 112RW97 112RW98 112RW98 112RW99	COG (0"-3") S Ip to 2.5" COG. We We We We We We We W	ingle Post of N/A w/Xter sight from sight fr	only availal ander. Max 0 lbs to 1 176 lbs.	ble up to 2" COG weight capacity 75 lbs o 265 lbs weight capacity weight capacity ke ke ke ke ke Spoke Wheel Spoke Wheel ack Spokes ack Spokes ack Spokes spokes Spokes Spokes	y on Proton y on Proton (5) (6) (7) (7) (8) (9) (9) (9) (9) (9) (9) (9) (9) (9) (9	\$946.00 \$946.00 \$946.00 \$946.00 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$	24" w. availa	theels only. Anti- theels only.	of the follows spir of the follows and Spin of the fol	RSH 17.5"-20" with 24" wheels 0 camber, pnearge. N/A w/ Transit and 4-link Suspension. Dut capacity of 265 lbs. N/A with Active Rigid fr 22" Xtender Power Assist JWX-2 NICKEL 22" Xtender Power Assist JWX-2 LITHIUM 24" Xtender Power Assist JWX-2 NICKEL 24" Xtender Power Assist JWX-2 NICKEL 24" Xtender Power Assist JWX-2 LITHIUM wing handrim options Plastic Coated Stainless Steel Xtender - Other Options Spare NiMH Power Pack - NICKEL Spare Li-ion Power Pack - LITHIUM Xtender Wheel Options SPARE 22" Lite Spoke Pneu Alum SPARE 24" Lite Spoke Pneu Plastic	\$9,848.0 \$11,433.0 \$9,848.0 \$11,433.0 \$11,433.0 NI \$1,897.0 \$2,442.0 NI \$142.0
	112RW103 112RW90 112RW104 112RW103 112RW104 112RW104 112RW102 112RW90 112RW91 112RW91 112RW92 112RW93 112RW94 112RW96 112RW10 112RW16 112RW16 112RW16 112RW95 112RW95 112RW96 112RW97 112RW97 112RW98 112RW98 112RW98 112RW98 112RW99 112RW99	COG (0"-3") S Ip to 2.5" COG. We We We We We We We W	ingle Post of N/A w/Xter sight from sight s	only availal ander. Max 0 lbs to 1 176 lbs.	ble up to 2" COG weight capacity 75 lbs o 265 lbs weight capacity ke ke ke ke ke Spoke Wheel Spoke Wheel ack Spokes ack Spokes ack Spokes spokes spokes spokes spokes	y on Proton y on Proton S S S S S S S S S S S S S	\$946.00 \$946.00 \$946.00 \$946.00 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$	24" w. availa	theels only. Anti- theels only.	of the follows spir of the follows and Spin of	RSH 17.5"-20" with 24" wheels 0 camber, pnearge. N/A w/ Transit and 4-link Suspension. Dut capacity of 265 lbs. N/A with Active Rigid fr 22" Xtender Power Assist JWX-2 NICKEL 22" Xtender Power Assist JWX-2 LITHIUM 24" Xtender Power Assist JWX-2 NICKEL 24" Xtender Power Assist JWX-2 NICKEL 24" Xtender Power Assist JWX-2 LITHIUM wing handrim options Plastic Coated Stainless Steel Xtender - Other Options Spare NiMH Power Pack - NICKEL Spare Li-ion Power Pack - LITHIUM Xtender Wheel Options SPARE 22" Lite Spoke Pneu Alum SPARE 24" Lite Spoke Pneu Plastic	\$9,848.0 \$11,433.0 \$9,848.0 \$11,433.0 \$11,433.0 NI \$1,897.0 \$2,442.0 NI \$142.0 pokes N/A with
Cuarco	112RW103 112RW104 112RW103 112RW103 112RW104 112RW104 112RW102 112RW90 112RW91 112RW92 112RW93 112RW94 112RW96 112RW10 112RW16 112RW16 112RW16 112RW16 112RW95 112RW95 112RW96 112RW97 112RW97 112RW98 112RW98 112RW98 112RW98 112RW99 112RW99 112RW99	COG (0"-3") S Ip to 2.5" COG. We We We We We We We W	ingle Post of N/A w/Xter sight from sight s	only availal ander. Max 0 lbs to 1 176 lbs.	ble up to 2" COG weight capacity 75 lbs o 265 lbs weight capacity ke ke ke ke ke Spoke Wheel Spoke Wheel ack Spokes ack Spokes ack Spokes	y on Proton y on Proton (5) (5) (6) (7) (7) (8) (7) (8) (8) (9) (9) (9) (9) (9) (9) (9) (9) (9) (9	\$946.00 \$946.00 \$946.00 wheels NC NC \$315.00 \$315.00 NC \$124.00 \$352.00 \$352.00 \$352.00 \$351.00 \$351.00 \$351.00 \$351.00 \$351.00 \$350.0	24" w. availa	theels only. Anti- theels only.	of the follows spokes consistency spokes consistenc	RSH 17.5"-20" with 24" wheels 0 camber, pnearge. N/A w/ Transit and 4-link Suspension. Dut capacity of 265 lbs. N/A with Active Rigid fr 22" Xtender Power Assist JWX-2 NICKEL 22" Xtender Power Assist JWX-2 LITHIUM 24" Xtender Power Assist JWX-2 NICKEL 24" Xtender Power Assist JWX-2 NICKEL 24" Xtender Power Assist JWX-2 LITHIUM wing handrim options Plastic Coated Stainless Steel Xtender - Other Options Spare NiMH Power Pack - NICKEL Spare Li-ion Power Pack - LITHIUM Xtender Wheel Options SPARE 22" Lite Spoke Pneu Alum SPARE 22" Lite Spoke Pneu Plastic SPARE 24" Lite Spoke Pneu Plastic Mergy Spoke Colors (Optional) Wing Spinergy wheel options first. Color sergy Flexrim . Nolor: Red	\$9,848.0 \$11,433.0 \$9,848.0 \$11,433.0 \$11,433.0 \$1,897.0 \$2,442.0 \$142.0 \$142.0 \$pokes N/A with
	112RW103 112RW104 112RW103 112RW103 112RW104 112RW104 112RW102 112RW90 112RW91 112RW91 112RW92 112RW93 112RW94 112RW94 112RW10 112RW10 112RW16 112RW16 112RW95 112RW95 112RW96 112RW97 112RW98 112RW98 112RW98 112RW99 112RW99 112RW99 112RW99 112RW99 112RW90 112RW90 112RW90 112RW90 112RW90 112RW90 112RW90 112RW90 112RW90 112RW90 112RW90 112RW90 112RW90 112RW90 112RW90 112RW90	COG (0"-3") S Ip to 2.5" COG. We We We We We We We W	ingle Post of N/A w/Xter ight from ight from ight from ight from Mag What Mag What Mag What Lite Spok Lite	only availal ander. Max 0 lbs to 1' 176 lbs. tr 177 lbs. tr 178 lbs	ble up to 2" COG weight capacity 75 lbs o 265 lbs weight capacity ke ke ke ke ke Spoke Wheel Spoke Wheel ack Spokes ack Spokes ack Spokes	y on Proton y on Proton S S S S S S S S S S S S S	\$946.00 \$946.00 \$946.00 \$946.00 \$946.00 \$0 \$15.00 \$315.00 \$315.00 \$315.00 \$352	24" will availa	theels only. Antible with B4ME. 112XT6 112XT7 112XT4 112XT4 112XT5 se select one 112XH5 112XH6 112XA10 112XA11 112XA8 112XA9 112XA2 112XA4 se select one carbon wheels Spinergy Spo Black Spinergy LX select Spi	of the follows spokes consistency spokes consistenc	RSH 17.5"-20" with 24" wheels 0 camber, pnearge. N/A w/ Transit and 4-link Suspension. Dut capacity of 265 lbs. N/A with Active Rigid fr 22" Xtender Power Assist JWX-2 NICKEL 22" Xtender Power Assist JWX-2 LITHIUM 24" Xtender Power Assist JWX-2 NICKEL 24" Xtender Power Assist JWX-2 NICKEL 24" Xtender Power Assist JWX-2 LITHIUM wing handrim options Plastic Coated Stainless Steel Xtender - Other Options Spare NiMH Power Pack - NICKEL Spare Li-ion Power Pack - LITHIUM Xtender Wheel Options SPARE 22" Lite Spoke Pneu Alum SPARE 22" Lite Spoke Pneu Plastic SPARE 24" Lite Spoke Pneu Plastic Mergy Spoke Colors (Optional) Wing Spinergy wheel options first. Color sergy Flexrim . Nolor: Red	### ### #### #########################

-	Option #		Definition	Price		-	Option #		Definition		F	Price
				7. B	ACK	REST	Γ					
		Ad	justable Back Type Options					Ac	tive Rigid Back Type Options	<u> </u>		
	112BT96		Folding w/ Double Lock Down Angle Adjustable	NC		0° E	qual is perpend 112BT97	dicular to f	loor, + means forward. See Fig Active Fixed Backrest	6 in page 7		NC
	112BT122		Freestyle Backrest Folding w/Double Lock Down	\$292.00		П	1126197	Setting	□ -4 □ -2 □ 0	□ +2		+4
				Choose	Ont	ion 1	or 2					
		1. Alumi	inum Height Adjustable Backrest	0000	l l	T .		2. Ultra Li	ghtweight Aluminum Fixed B	ackrest		
	140D1E0		10 "- 12" Back Height	NC	1	Sele	ect back height.	8", 9", or	10" only available with omit pus	sh handles.		
	112B159	Setting	□ 10" □ 11" □ 12"		1							
	112B139	Setting	12 "- 14" Back Height	NC	2		112BB21	8"	\$100.00 🗆 112BE			\$100.00
Ξ.	1120100	County	□ 12" □ 13" □ 14"			1 4	112BB20	9"	\$100.00 🗆 112BE		_	\$100.00
	112B138	Setting	14 "- 16" Back Height	NC	_		112BB13	10"	\$100.00		_	\$100.00
			☐ 14" ☐ 15" ☐ 16"	NC			112BB14	11"	\$100.00		_	\$100.00
	112B137	Setting	16 "- 20" Back Height	□ 20			112BB15 112BB16	13"	\$100.00		_	\$100.00
				<u> </u>			1125510	10	¥100.00 🗀 11250	712 10	,	Ψ100.00
			Back release options		1							
Twist-	lock bar N/A with	h Freestyle l	back or Height Adjustable backrest.N/A with 12	"-13" width.	•				Backrest Upholstery			
Back	release options l	N/A with Act	tive Rigid backrest	_		EXC	Standard and Te	ension Adj u	pholstery binding is Standard blad	<u>:k</u> .		
	112OD24		Push-bar release	NC			112BU88		Standard Upholstery EXO			NC
	112OD25		Twist-lock release	\$273.00		Cold	or Binding:	Silver	☐ Orange ☐ Red ☐			\$35.00
			Towel Bar		1		112BU70		Backrest Tension Adj Ballistic	Nylon		\$181.00
	112QT01		Standard Style - 4" Offset	NC	J		44001100		Backrest Tension Adj EXO			#440.00
			Narrow Profile - 3" Offset Limited		-		112BU89					\$442.00
	112QT11		w/Solid Backs, Not suggested with 19"	\$88.00		Cold	or Binding:	Silver	☐ Orange ☐ Red ☐			\$35.00
			& 20" wide.		-		112BU90		Backrest Tension Adj EXO Pr	o 3DX		\$442.00
			Push Handles			Cold	or Binding: 🛚	Silver	☐ Orange ☐ Red ☐	Blue		\$35.00
Integr		N/A with Ac	tive Rigid backrest.				112BU14		Omit Back Upholstery			NC
	112PH6		Integral Push Handles	NC		_						
	112PH5		Fold Down Push Handles N/A w/ 10"-	\$166.00		느	112VU1		Military Service Patches US Marines Patch			NC
ш	HZFHJ		12" adj height & 8"-12" fixed height. N/A w/ standard EXO upholstery.	\$100.00			112VU2		US Army Patch			NC
	112PH2		Omit Push Handles	NC	-		112VU3		US Navy Patch			NC
							112VU4		US Air Force Patch			NC
			Backrest Options				112VU12		Coast Guard Patch			NC
			Double "D" tubing to eliminate rotation. Availal	ole with Omit			112VU5		Purple Heart Patch			NC
		EXU Pro	Tension Adjustable upholstery only.				112VU8		Purple Heart with Marines Pa			NC
Ξ.	112A192		Telescoping Push Handles	\$298.00	-		112VU9		Purple Heart with Army Patch			NC
	112A195		Telescoping Push Handles - Tall	\$298.00	-		112VU10 112VU11		Purple Heart with Navy Patch Purple Heart with Air Force P			NC NC
			JAY J3 Back		1		112VU13		Purple Heart with Coast Guar			NC
			J3 Back To order a J3 Back please select		J	_			r urpro ribart mar boast baar	a r aton		
	112JB01		Omit Back Upholstery. See J3 Back Order Form for Part #'s. N/A w/Freestyleback.	Price List	-							
_ [Freestyle B			•					
			ts & lateral supports are not available with Free	•		-			, ,	nt		
Availa	ible with Plastic s	siae guaras	and limited ranges with Carbon fiber sideguard	with tender. Chai	r Sea 1	и аери	n wii be reaucea i	by 1" With ba	Backrest Width			
<u> </u>			JAY J3 Back LT Aluminum		J	-	112JQ01	T	14" Backrest Width			NC
	112JB06		model (J3PAXXXYYZZ)	\$624.00			112JQ02		16" Backrest Width			NC
	440.150=		JAY J3 Back LT Carbon Fiber	* * * * * * * * * * * * * * * * * * *	•		112JQ03		18" Backrest Width			NC
	112JB07		model (J3CFPAXXXYYZZ)	\$1,046.00			112JQ04		20" Backrest Width			NC
					7							
Madi	ım sizo haalaa-ı	not ovellat!	Backrest Height e in Carbon Fiber.		1							
илеан П	ım size backrest 112QF04	not avallable	Small 6.5" shell hgt, 9" back height	NC		Н	leight Di		Pirru IIIPII			
Β.	112QF05		Medium 8" shell hgt, 10.5" back height	NC			anges Dir	m "A"	Dim"B"	B	1	
<u> </u>	112QF06		Tall 9.5" shell hgt, 12" back height	NC		_		' - 14.5"	3.0" - 5.5"	1 1 1 111)	
_			,			M		- 16.0"	1.5" - 5.5"	The		
			Backrest Color]		Tall 12.0	- 17.5"	0.5" - 5.5"	DIW .B.	AV	
Not a	pplicable with	carbon fibe	er back or Zebra color.									
	112GZ01		Black	NC					PINA			
	112GZ02		Matching Frame- Standard Colors	NC					1 11 A 1711 1\B/	大ツツ 包	MIL'TY	
	112GZ03		Matching Frame- Personalized Color	\$59.00								

			8. ARMREST	, OIDEGO	ANDO		
Ļ		Armrest - Padded Swing Away		Ļ		Side Guards	
		used with the Angle Adjustable Back in the rear most setting	ng			th of chair. Some interferance may exist w/ padded SA arms at w/Height Adjustable Arms. Alum Flip sideguard option N/A v	
	e select a setting 112AA162	, will default to 11" if no selection is made. Padded Swing-Away Fixed height (13")	NC			eestyle back and Active Rigid.	nui i mot
Π.	112AA102 112AA18	Padded Swing-Away Fixed height (13) Padded Swing-Away STD (9" to 14")	\$274.00		112SG33	Plastic Standard	\$185.00
	Setting				112SG29	Plastic Low	\$185.00
	Coung		<u> </u>		112SG35	Aluminum	\$310.00
		Armrest - Height Adjustable			112SG36	Aluminum w/ Fender	\$310.00
		Single Post Height Adjustable - Std			112SG12	Carbon Fiber	\$506.00
	112AA11	Range 8" - 13". Adjust in 1" increments	\$334.00		112SG41	Carbon Fiber Long w/LG Fender	\$593.00
		Single Post Height Adjustable - Low				Flip Back Option	
	112AA29	Range 6.5" - 10.5". Adjust in 1" increments	\$334.00		1129A05	Aluminum side guard only.	\$208.00
		, ,		-		,	
		Armpad - For Height Adjustable				Side Guard - Color Option	
	112AM23	Desk Length (10") Classic	NC	Availa	able with Alum	ninum or Aluminum with Fender. Not applicable to carbo	on
	112AM21	Desk Length (10") Contour	NC	fiber	options.		
	112AM24	Full Length (14") Classic	NC		112GE01	Black	NC
	112AM22	Full Length (14") Contour	NC		112GE02	Matching Frame- Standard Colors	NC
	112AM27	Ergo Pad (12")	NC		112GE03	Matching Frame- Personalized Color	\$59.00
		9.	KEY OPTIONS A	AND ACC	ESSORIES		
		Anti Tips				Spoke Guards	
Anti	Tip Single Side	N/A 12W-14W range, N/A w/ Rear suspension. Incl	uded with	Only	available with	Lite spoke. N/A w/ Xtender Power Assist.	
Xten	der.				1124A01	Quickie Black Spoke Guard	\$155.00
	112AT1	Anti Tips (Pair)	\$119.00		1124A02	Quickie Clear Spoke Guard	\$155.00
	112AT14	Anti Tip Single Side - Flip Up	\$255.00				
		☐ Left ☐ Right (Facing from rear)				Positioning Belt	
	112AT83	Tip assist	\$40.00		112A117	Belt 2" Aircraft Buckle w/Clamps	\$137.00
ш.	112A103	☐ Right Mnt ☐ Left Mnt	φ40.00		112A118	Belt 2" Aircraft Buckle Pad w/Clamp	\$201.00
	112AT20	Sport Anti Tip / 5th wheel	\$190.00		112A141	Belt 1.5" Auto Buckle w/Clamps	\$96.00
					112A804	Positioning Belt Clamps Only	NC
		Active lifestyle options					
LED	lights mounted	on caster arms, battery & controller on leg strap.				Accessories	
Legs	strap included v	with LED lights.			112A2100	Crutch Holder	\$113.00
	112A1	Backpack - Adult	\$110.00		1128A21	Tool Kit	\$42.00
	112A2	Backpack - Kids	\$103.00		112NP01	Gel Swing Away Pad	\$144.00
	1121A01	Seat Pouch Black	\$82.00		1129A07	Frame Protections pads	\$108.00
	1128A47	Mobile phone pocket	\$33.00				
	1129A06	Twin LED lights	\$305.00				
	112A999	Quickie Water Bottle & Holder	\$80.00				
			10. C	OLOR			
1		2: 1.15					
		Standard Frame Color		<u> </u>		Matte Frame Colors	
	•	only available if Aluminum Coated colored option was select		Handr	im color option o	only available if Aluminum Coated colored options was selected	
	not available as	· · · · · ·	Handrim	_	4400440	I INCHES	Handrim
ㅁ.	112C140	Aztec Gold			112C116	Matte Black	
	112C118	Bead Blast			112C151	Matte Black Cherry	
	112C2	Black (Not avail as base w/Zebra)			112C150	Matte Electric Blue	
Ε.	112C141	Black Cherry			112C149	Matte Evergreen	
Ε.	112C10	Black Opal			112C152	Matte Purple	
	112C38	Blue Opal				Personalized Frame Color	
	112C36	Candy Blue		<u> </u>	1100110		#202.00
	112C14	Candy Purple			112C112	Desert Camouflage	\$363.00
	112C35	Candy Red			112C43	Mossy Oak Camouflage	\$363.00
	112C142	Electric Blue			112C42	Stars & Stripes	\$363.00
	112C143	Evergreen				Zebra (Choose above base color) Std with	
	112C44	Glossy White			112C108	White unless above base paint is chosen N/A w/ Blk, Matte Black, Blk Opal, Titanium	\$363.00
	112C126	Glow				or Bead Blast).	
	112C144	Green Apple		-		<u> </u>	
Ε.	112C147	Hot Sparkle Pink				From Docal Colors	
Ξ.	112C148	Mauve Pink		<u> </u>		Frame Decal Colors	
Ξ.	112C103	Rootbeer				link decals and aluminum & carbon fiber sideguards.	NO
Ξ.	112C114	Sparkle Silver			112D16	Black	NC
Ε.	112C145	Sunrise Orange			112D17	Blue	NC
Ξ.	112C113	Titanium Color Paint			112D18	Orange	NC NC
	112C8	Yellow			112D19	Red	NC NC
					112D20	Silver	NC

Option #

Definition

Price

Option #

Definition

Price

10. COLOR (CONT)

			Anodized Color Package				
Fork	Forks, Rear Axle Clamp,and backrest bracket. N/A with Frog Legs.						
	112EB07		Black	NC			
	112EB08		Blue	\$209.00			
	112EB13		Gold	\$209.00			
	112EB09		Lime Green	\$209.00			
	112EB10		Purple	\$209.00			
	112EB11		Red	\$209.00			
	112EB12		Ti Grey	\$209.00			

Built For Me	
--------------	--

To inquire about any unique personalized for Quickie products, contact: Phone: (800) 263-3390, Option #1, Email: cscanada@sunmed.com

















Frame graphics





11. APPENDIX

			Wh	eels		
Handrims	5 Spoke Mag	Lite Spoke	Ultra Lightweight	Spinergy	Mountain	Proton
Aluminum Anodized / Painted	20,22,24	20,22,24,26	22,24,25	22,24,25,26	24	24,25
Plastic Coat	20,22,24	22,24		24,26		
Stainless Steel Lite			24,25	24,25		24,25
Natural Fit - Standard Grip	24	22,24,25,26		22,24,25,26		
Natural Fit - No Thumb Grip	24	22,24,25,26		22,24,25,26		
Natural Fit - Super Grip	24	22,24,25,26		22,24,25,26		
Natural Fit LT - Std Grip	24	22,24,25,26		22,24,25,26		
Natural Fit LT - Super Grip	24	22,24,25,26		22,24,25,26		
Natural Fit LT - No Thumb Grip	24	22,24,25,26		22,24,25,26		
Surge - Oval w/Gription Strip		22,24,25,26		22,24,25,26		
Surge LT - Oval w/Gription Strip		22,24,25,26		22,24,25,26		
Q Grip Neoprene Coated		24,25		24,25		
Spinergy Flex Rim				24,25		
Omit Handrim	20.22.24			22.24.25.26	24	

	Wheel				
Tire	5 Spoke Mag	Lite Spoke	Ultra Lightweight	Spinergy	Proton
Pneumatic	20,22,24	20,22,24,26		22,24,26	24
Pneumatic w/ Airless Insert	20,22,24	20,22,24,26		22,24,26	
Pneum w/ Airless Insert - LTW	20,22,24	20,22,24		20,22,24	
Full Poly	20,22,24	20,22,24		22,24	
SHOX Performance Poly	20,22,24	20,22,24,25		22,24,25	
Primo Orion Poly	20,22,24	20,22,24		20,22,24	
High-Pressure Clinch Blk	22,24	22,24,26	24	22,24,26	24
Schwalbe Marathon Plus	24	24,25,26	22,24,25	24,25,26	24,25
Schwalbe One	24	24,25	24,25	24,25	24,25
Schwalbe Down Town	24	24	24	24	24
Schwalbe Right Run	24	24	24	24	24
Knobby V Trak by Kenda	24	24	24	24	24
Mountain		24		24	
20"= 451 mm 22" = 501 mm 24" = 540 mm 25" = 559 26" = 590					

